



सत्यमेव जयते

INDIAN AGRICULTURAL
RESEARCH INSTITUTE, NEW DELHI.

I. A. R. I. 6.

MGIPC—S1—6 AR/54—7-7-54—10,000.

BIOMETRIKA

A JOURNAL FOR THE STATISTICAL STUDY OF
BIOLOGICAL PROBLEMS

FOUNDED BY

W. F. R. WELDON, FRANCIS GALTON AND KARL PEARSON

EDITED BY

KARL PEARSON

ASSISTED BY

INDEX TO VOLUMES I TO XV

PREPARED BY

MARGARET MOUL AND J. O. IRWIN

(To be bound up with Volume XVI)

ISSUED BY THE BIOMETRIC LABORATORY
UNIVERSITY COLLEGE, LONDON
AND PRINTED AT THE
UNIVERSITY PRESS, CAMBRIDGE

Price Seven Shillings and Sixpence net

[Issue 1 April 1924]

THE LIFE, LETTERS AND LABOURS OF FRANCIS GALTON. By KARL PEARSON, F.R.S.

Volume II. Just Ready. Letters and Labours of Middle Life.
With 50 Plates and many Figures in the Text

CHAPTER VIII. Transition Studies: Art of Travel, Geography, Climate.

CHAPTER IX. Early Anthropological Researches. Transition from Geography to Anthropology.

CHAPTER X. The Early Study of Heredity: Correspondence with Alphonse de Candolle and Charles Darwin.

CHAPTER XI. Psychological Investigations. Transition from Physical to Psychical Anthropology.

CHAPTER XII. Photographic Researches and Portraiture.

CHAPTER XIII. Early Statistical Investigations especially with regard to Anthropology. Transition to Statistics as fundamental to Biological Inquiry.

Volume I. Birth 1822 to Marriage 1853. With 5 Pedigree Plates and 72 Photographic Plates, Frontispiece and 2 Text-figures. Price 30s. net

"It is not too much to say of this book that it will never cease to be memorable. Never will man hold in his hands a biography more careful, more complete."—*The Times*

"A monumental tribute to one of the most suggestive and inspiring men of modern times."—*Westminster Gazette*

"It was certainly fitting that the life of the great exponent of heredity should be written by his great disciple, and it is gratifying indeed to find that he has made of it, what may without exaggeration be termed a great book."—*Daily Telegraph*

TABLES FOR STATISTICIANS AND BIOMETRICIANS. Edited by KARL PEARSON, F.R.S.

The new edition of this book will consist of two Parts

PART I embraces the First Edition carefully revised. It has now been issued. Price 15s. net, plus 1s. postage to any address, and may be obtained direct from the Biometric Laboratory, University College, England, or through any bookseller.

PART II will contain all the Tables issued in *Biometrika* during the last ten years together with a number of Tables not yet published, but at present being computed. It is hoped to issue it this year.

PRESS NOTICES OF THE FIRST EDITION

"To the workers in the difficult field of higher statistics such aids are invaluable. Their calculation and publication was therefore as inevitable as the steady progress of a method which brings within grip of mathematical analysis the highly variable data of biological observation. The immediate cause for congratulation is, therefore, not that the tables have been done but that they have been done so well.....The volume is indispensable to all who are engaged in serious statistical work."—*Science*

"The whole work is an eloquent testimony to the self-effacing labour of a body of men and women who desire to save their fellow scientists from a great deal of irksome arithmetic; and the total time that will be saved in the future by the publication of this work is, of course, incalculable.....To the statistician the tables will be indispensable."—*Journal of Education*

"The issue of these tables is a natural outcome of Professor Karl Pearson's work, and apart from their value for those for whose use they have been prepared, their assemblage in one volume marks an interesting stage in the progress of scientific method, as indicating the number and importance of the calculations which they are designed to facilitate."—*Post Magazine*

INDEX

VOLUMES I—XV

- Abac**
for determining probable error of correlation coefficients VII 411
— obstetric conjugate IX 539-40
- Ability**
inheritance of III 155
of schoolchildren V 119-29
- Abruptness coefficients** I 287
Corrections for moment-coefficients of limited range frequency curves XII 231-58
- Actinosphaerium eichorni**
Mass relations of nucleus and cytoplasm II 241-54
- Acton, H. W. and W. F. Harvey**
Altitude and number of erythrocytes VIII 280-91
- Adler, J. E. and J. McIntosh**
Albinism, histological examination of case of VII 237-43
referred to VII 244-47
- Adoxa Moschatellina**
Variation in II 108-13, VII 218-22
- Afghans**
head measurements IV 293
- Africa**
congenital anomalies in Native African race X 1-24
pigmentation anomalies among Nyasaland natives IX 333-65
- Age**
brain-weight and IV 51-58, 109, 118-23
hair- and eye-colour and age in man III 462-66
intelligence and; Pearson's Data V 112-19
— Drinkwater's Data XIV 396-98
marriage, age at II 20-23
— — — and duration of life IV 256-63
— — — and duration of marriage and number of offspring IV 264-80
— — — and fertility XIV 337-54
reaction times and sensory acuity XV 346-72
stature and; Australian criminals I 38-49
— Glasgow schoolchildren X 288-339
susceptibility to smallpox and IV 313-31, 483-504
variability and, in snails V 387-99
weight and, Glasgow schoolchildren X 288-339
- Age and Area**
and Natural Selection (Willis' Theory) XV 89-108
- Ainos**
Cranial measurements of II 346-56, IV 298
— — — compared with English, Whitechapel III 206, 221-26, 234-39
— — — — Morioli XI 95, 98, 102, 132
— — — — Naqada I 424-65
— — — — Negro VIII 302-14, 321-24
— — — — Tibetan XIV 206-26
— — — nasal characters IX 395, 399, 403-7, 421, 425, 427, 429, 432
Head measurements of IV 165, 293
- Air Force Data**
inter-relations of vital capacity, stature, stem length and weight XIV 326-36
- Albinism**
Deaf mute, Albino VII 247
Histological examination of case of (with plates) VII 237-43
— — — of eye of human albino (with plates) XIII 46-51
Internal VII 244-47
and Mendel's Laws III 107-8
— — — Note on III 471-72
— — — Further correction IV 231
Mice II 101-4, 165-73, 282-85
— Albino and Grey, crosses of IV 1-12
— Albino and Waltzing, crosses of III 1-51
Nyasaland natives, pigmentation anomalies among IX 333-65
White-Lock Family, Barton XIII 347-49
See also Piebalds
- Altbayerisch**
See Bavarians
- Alternative Inheritance in peas** I 228-54
See also Mendelism, Coat-, Hair- and Eye-colour
- Altitude**
and number of erythrocytes VIII 280-91
- American Bladder Nut (Staphylea)**
selective elimination during development of fruits VII 452-504
- American Indian**
variation in female pelvis IX 34-57
correlation of measurements of pelvis IX 486-529
- Amphibia**
sesamoids in XIII 391
- Anaemia**
and altitude VIII 280-91
- Ancestral Correlation**, see Inheritance
- Ancestral Inheritance, Law of**
II 211-40, III 255-57, 263, VIII 239-43
and De Vries' Mutation Theory I 370-73
and Mendelism III 109-12
and Prof. Ziegler V 184
in rabbits II 300-6
spinax III 342-45, 363-65
- Anderson, O.**
Variate Difference Correlation Method X 269-79, XV 134-49
— — — — corrigenda XV 423
— — — — referred to X 340-46, 355, 489, 496, 499, XI 136, XIV 285, 289, 290
- Anemone nemorosa**
Variation of number of sepals I 307-9
- Angoni, Negro**
Cranial measurements and comparison with other races VIII 292-337
- Annulata**
Variation and Correlation in Earthworm IV 213-29
- Anomalies**
pigmentation, Nyasaland Natives IX 333-65
See also Albinism, Piebald; Deformities

- Anthriscus sylvestris** XI 44-47
- Anthropometry**
- Australian Data I 30-49
- Cairo-born natives XI 67-81
- Criminals I 177-227, XI 1-37
- head measurements of III 60-62
- Egyptians (modern) VIII 66-78
- — corrigenda IX 332
- Inhabitants of Eastern Mediterranean XIII 92-112
- Oxford Anthropometric Laboratory VIII 40-51
- Russian XV 254-70
- Scotland, inmates of asylums V 298-350 and supplement
- Sexing osteometric material X 479-87
- Stature span and forearm in families II 357-462
- See also Head measurements, Stature, Weight
- Anticipation**
- Law of and insanity X 358-83
- Apes**
- study of nasal bridge in anthropoid apes and relation to that in man IX 391-445
- Aphis** (*Hyalopterus trirhodus*)
- variation and parthenogenetic inheritance in I 129-54
- Apis mellifica** (bee)
- comparison of variability of wings with those of wasps V 419-21
- Arabs**
- cranial measurements of IV 298
- head measurements of IV 293
- Arcella**
- variation and correlation in II 321-37
- Arcoleo, G.** (reference)
- Mendelism and Albinism III 107-8, 471, 472, IV 231
- Armenians**
- Head measurements of IV 165, 293
- Arnica montana**
- Variation in I 26-27
- Arrays**
- probable error of mean of, found from regression line IX 9, 10
- — and standard deviation of and frequency distribution of mean of array XI 239-61, XII 267-81
- Arthropoda** I 129-54, II 191-210, 255-59, 307-20, III 58, 59, 113-30, V 14, 16, 17, 19, 26, 365-86, 407-22, VI 103-5, 311-26, 329-47, VII 48-63, VIII 1-12, IX 201-7
- Artistic Capacity**
- Association of with steadiness and rapidity of hand XII 170-77
- Assertiveness**
- See Shyness
- Association**
- of attributes in statistics II 121-34
- coefficient of VIII 109-22, IX 159-316
- surface of constant IX 183, 184, 534-37
- on Theories of IX 159-316
- Assortative-mating**
- among the deaf IV 473
- in conjugation of *Paramecium* V 249-63
- Assortative-mating** (*cont.*)
- in man II 372-77, 397, 481-98
- Aster** I 311, II 113, 114
- Asylums in Scotland**
- anthropometry of inmates of V 298-350 and supplement
- Asymmetry**
- in crabs II 307-20
- Athletic Power**
- inheritance of III 152-55, 182
- intelligence and V 126-31, 133, 144
- Aurelia aurita** (jellyfish)
- variation in I 90-108
- Australians**
- anthropometric data I 30-49
- cranial measurements IV 297, 298
- — compared with Moriori XI 95, 96
- Fertility, duration of life, etc., among IV 233-85
- Bacillus coli**
- intermediates in, and selection IX 331-32
- Barometric Heights**
- Skew correlation surface XIV 371-77
- Barrington, A., A. Lee and K. Pearson**
- inheritance of coat-colour in greyhound III 245-98
- Barrington, A. and K. Pearson**
- inheritance of coat-colour in cattle IV 427-64
- Bartolinus, T.** (reference)
- sesamoids XIII 147, 357
- Barton, E. R.** (reference)
- Whitechapel crania III 194, 196
- White-lock family XIII 347-49
- Bateson, W.**
- Albinism in Sicily, a correction III 471-72
- — further correction IV 231
- (reference) Biology, Pearson's reply to criticism I 320-44
- Mendelism II 44-55
- Mendel's theory of Heredity II 286-98
- Mice-breeding III 15-18
- Bauhin, C.**
- (reference) sesamoids XIII 146
- Bavarians**
- Brain-weights and other anthropometric characters IV 13-104, 133
- Cranial measurements II 346, 350, IV 297, 298
- — compared with English, Whitechapel III 206-15, 221-26
- — — Moriori XI 95-98
- — — Naqada I 424-65
- — — Negro VIII 302-14, 321-24
- Bayes**
- (reference) problem of influence of past experience on future expectation XIII 1-16
- — — — — note XIII 300-1
- — — — — See also IX 73, 74
- Bean**
- inheritance in II 290-92, 499-503
- weight of seed and characteristics of plant IX 11-21, X 72-84

- Beaven, E. S.**
 "Square-yard" plots for testing cereals XV 278-85
- Beddoe, J.** (reference)
 measurement of capacity from cranial circumferences III 366-97
- Bee**
 average length of absence from nest V 382-86
 comparison of variability of wings with those of wasps V 419-21
- Beech tree**
 homotyposis and differentiation in leaves (with plates) III 104-7
- Beetle** (*Carabus auratus*)
 relative variability of sexes in VI 103-5
- Beeton, M. and K. Pearson**
 inheritance of duration of life I 50-89
- Behr, K. von** (reference)
 inheritance of sex in royalty V 73-75
- Bell, J.**
 Pulse and breathing rates VIII 232-36
 Table of the Mesodacryal Indices VIII 338-39
- Bell, J., W. Rowan and K. M. Parker**
 Terns' eggs X 144-68
- Bell, J. and K. V. Ryley**
 Study of Nasal Bridge in Anthropoid Apes IX 391-445
- Bell, J., E. Y. Thomson and K. Pearson**
 Wasps VII 48-63, VIII 1-12
- Benington, R. Crewdson**
 Crania, Negro, with special reference to Congo and Gaboon VIII 292-337
 Cranial Type contours VIII 123-201
 — — — (reference) XI 86, 90, 99, 101, 103, 107, XIV 228, 230, 232, 234, 241
- Bentham, Jeremy**
 Brain-weight and head measurements of IV 144, 145, 148
 head measurements and determination of capacity III 393-96
 plates of auto-icon of to face III 393
- Bergström, S.**
 Product-moments, normal correlation surface of n -variables XII 177-83
- Bessels, E.** (reference)
 Crania XIV 221
- Beta**
 probable error of β_1 and β_2 , Tables to facilitate computation VII 128-47
 values of β -constants for distributions of moment-coefficients of any order in samples XII 260-66
- Beta-Function**
 incomplete, expansion of in tetrachoric functions XIV 169-75, 181-85
- Bibliography**
 1904-6, V 210-12. 1904-7, V 482-86
 1906-7, VI 123-28. 1905-8, VI 444-51
 1907-9, VII 413-20. 1908-12, IX 140-58
- Bimodality**
 of frequency curves III 84-98
 — — polygons, plant data I 22
- Binary Fission**
 relation to Variation I 400-7
- Binet-Simon Tests**
 inheritance of intelligence XIV 386-405
 — — comparison with method of broad categories XII 367-72
- Binomial**
 Exponential Limit to, Tables X 25-35
 Frequency Constants, Probable Error of X 37-38
 Note on moments about the mean XV 410-12
 Poisson-Exponential and Gaussian, comparison of for all frequency variations X 41-44
 Series, components of compound frequency distributions XI 139-44
- Biology**
 Fundamental conceptions of I 320-44
- Biometrika**
 Foundation of V 35
 scope of I 1, 2
 spirit of I 3-6
- Biometry**
 Francis Galton on I 7
 History of in connection with Weldon V 13-52
- Birds**
 IV 363-73, VI 420-32, VII 1-42, 234, 236, 398-409, VIII 435, 436, IX 458-60, 538, 539, X 144-68, XII 308-54
 also given under names of species
 sesamoids in XIII 387, 388
- Births**
 time interval between XV 412-21
- Bischoff, T. L. W.** (reference)
 Brain-weight IV 16
- Bladder-Nut** (*Staphylea*)
 Selective elimination during development of fruits VII 452-504
- Blakeman, J.**
 Brain-weight and head measurements IV 124-60
 — — (reference) IX 478-80
 Test for linearity of regression IV 332-50
- Blakeman, J. and K. Pearson**
 Probable error of mean square contingency V 191-97
- Blanchard, N.**
 inheritance in horses I 361-64, II 229-34
- Blood corpuscles**
 in tadpoles VI 402-19
- Bloodroot** (*Sanguinaria canadensis*)
 morphology of fruit of VII 305-51
- Boas, Franz** (reference)
 Association, theories of IX 159-316
 cranial measurements I 410
- Bohemians**
 Brain-weights and other anthropometric characters IV 13-104, 133
- Bombus** (bumble bee)
 V 382-86
- Bonney, W. V.** (reference)
 sesamoids XIII 378
- Boole, G.** (reference)
 problem of inverse probabilities XIII 2, 3
 quadrature formula I 275
- Born, G.** (reference)
 Frog's egg V 161

- Borneo**
 cranial measurements, nasal characters
 IX 395, 399-407, 410-21, 425, 427, 432
- Boyd** (reference)
 brain-weights IV 16-18
- Brachydactyly**
 inheritance of, note on VI 327
 Nyasaland natives (with plates) X 17, 18
- Brain-weight**
 age and IV 51-58
 head measurement and IV 105-23, 124-60
 — — prediction formulae IV 146-49
 skull measurement and IV 67-74
 stature and IV 58-64
 variation and correlation in IV 13-104
 weight and IV 64-66
 weights of viscera and IX 478-85
- Bravais, A.** (reference)
 History of Correlation, Normal Surface
 XIII 28-32
- Breathing**
 association with physique and intelligence in
 criminals XI 1-19
 and pulse rates and stature VIII 232-36
- Breeding**
 See Inheritance
- Brierley, J.** (reference)
 crania XIV 221, 222
- Brindley, H. H.** (reference)
 regeneration of feet in Blattidae VI 311-26
- British**
 hair- and eye-colour correlations III 461
 eye-colour and age III 463, 464
 See also English, Scottish
- Brittle-Star**
 (*Ophiocoma nigra*) II 463
- Broad Categories**
 comparison of method with series measured
 by Binet-Simon test XII 367-72
 influence of on correlation, class-index cor-
 rection IX 116-39, 316-20, XIV 261-80
 methods of correlation for variates grouped in;
 see Correlation coefficient, Tetrachoric and
 Polychoric, Correlation Ratio
 probable error of class-index correction
 XIV 264-80
 probable error of distance of mean of group
 from mean of sample XIV 262-64
 probable errors of frequency constants of a
 system grouped in XIII 128-32
- Broesike, G.** (reference)
 Crania, Moriori XIII 339
- Broncho-pneumonia**
 V 428, 429
- Brood-mares**
 thoroughbred, distribution of fecundity in
 I 289
- Brown, J. W. and M. Greenwood**
 weight of human viscera IX 473-85
- Brown, W.**
 Mathematical Intelligence VII 352-67
- Browne, E. T.**
 Variation in *Aurelia aurita* I 90-108
- Browne, Sir Thomas**
 skull, portraits and ancestry (with plates)
 XV 1-76
- Brownlee, John**
 correlation coefficient and Mendelian dis-
 tributions (reference) VIII 420-24
 death-rates IX 537
 severity of cases of disease, means of estima-
 tion of V 423-35
 smallpox and vaccination IV 313-31
- Bruce, D.** (reference)
 Trypanosome strains X 89-143
- Buist, J. M.**
 Anti-typhoid inoculation VI 366-75
- Bulloch, W.** (reference)
 Phagocytic counts, opsonic index
 VI 378, 379
- Burmese**
 Crania, measurements, contours and com-
 parison with other races (with plates)
 XIII 176-262
- Burnside, W.** (reference)
 Criticism of Burnside's suggested modification
 in formula for distribution of means
 XV 401-6
- Butter Fat**, see Cows
- Buxton, L. H. Dudley**
 Inhabitants of Eastern Mediterranean (with
 plate) XIII 92-112
- Byrne, L. W.**
 Bony plates of John Dory II 115-20
- Cairo natives**
 anthropometric measurements XI 67-81
- Cambridge Graduates**
 Intelligence and head measurements
 V 106-21
- Camp, B. H.**
 Note on Narumi's paper on limits to tails of
 frequency curves XV 421-23
- Camper, P.** (reference)
 sesamoids XIII 151-53
- Campion**
 II 47-55
- Canary** (Breeding)
 — Davenport VII 398-409
 — Galloway (with plates)
 VII 1-42, 398-403
 — Heron VII 404-9
 hybridisation of, Galloway VIII 435-36
- Cancer**
 Death-rate VII 276-304
 correlation between corrected cancer and
 diabetes death-rates XI 191-200
 and diabetes VII 284-95
 and insanity VII 290-95
- Cancer-houses**
 VIII 430-35
 See also VIII 396-403, 404-12, IX 31-33
- Capacity, cranial**
 Correlation with cephalic index and intelli-
 gence III 374, 392-96
 determination of I 419-22,
 III 203-6, V 94, XI 83, 84, XIII 178, 179
 formulae for determination of from external
 measurements X 188-93
 measurement of from cranial circumferences
 III 366-97
- Carabus auratus** (beetle)
 relative variability of sexes in VI 103-5

- Carnivores**
 sesamoids in XIII 351, 352
- Casserius, J.** (reference)
 sesamoids XIII 147
- Castle, W. E.** (reference)
 Law of ancestral inheritance III 109-12
- Castrel, D. B.** (reference)
 Bees, variability in V 419-21
- Cattle**
 inheritance of coat-colour in IV 427-64
 See also Cows
- Cave, B. M. and E. M. Elderton**
 Probable error of biserial η , table to assist computation of XI 302
- Cave, B. M. and K. Pearson**
 Variate Difference Method, illustrations X 340-55
- Cave, B. M., H. E. Soper, A. W. Young, A. Lee and K. Pearson**
 Small samples, distribution of correlation coefficient in XI 328-413
- Celandine**
 Change in organic correlation during flowering season I 125-28
 Variation and correlation in II 145-64
 — in number of sepals and petals I 11-20
- Cell-frequencies**
 Probable errors of X 40-47
- Cell size**
 and body size in *Daphnia magna* II 255-59
- Cephalic Index**
 of schoolchildren, inheritance of III 154
 reduction to cranial index VIII 68-70
 See also Cranial measurements and Head measurements
- Cercis canadensis**
 homotypic correlation of fertility characters XI 201-14
- Cereals**
 testing varieties of XV 271-93
- Cerebrum**
 weight of IV 74-76
- di Cesnola, A. P.**
 colour in *Mantis religiosa* III 58, 59
 snails, natural selection in V 387-99
- Charlier, C. V. L.** (reference)
 Notice of papers on Law of Errors V 206-9
- Chatham Islands**
 aborigines of, see Moriori
- Cheselden, W.** (reference)
 sesamoids XIII 150-1
- Chicory**
 Variation and homotypy V 184-89
- Chilomonas**
 Variation in V 53-72
- Chinese**
 cranial measurements IV 297, 298
 — — compared with Burmese XIII 235-47, 250, 251
 — — — Tibetan XIV 206-26
 head measurements IV 294
- Chiroptera**
 sesamoids in XIII 355
- Choice**
 in distribution of observations XII 1-85
- Chromatin**
 mass relation of chromatin and cytoplasm II 241-54
- Chrysanthemum leucanthemum**
 variation in I 309-15, 319
- Cichorium intybus, L.**
 variation and homotypy in V 184-89
- Claremont, C. A.**
 Correlation between corrected Cancer and Diabetes Death-rates XI 191-200
- Class-Index**
 correlation of a variate with its IX 116, 117, 124
 — — — probable error of XIV 261-80
- Class-Index Correction**
 See also IX 316-20
 Probable error of XIV 261-80
- Clausilia itala** (snails)
 selection in III 299-306
- Clausilia laminata** (snails)
 natural selection in I 109-24
- Clendinning** (reference)
 Brain-weights IV 31, 129, 133
- Climate**
 and cancer death-rate VII 283
 and Fertility I 32-33
- Clinograph**
 III 469
- Clover**
 experiments in growing I 371-73
- Coat-colour**
 inheritance of, in cattle IV 427-64
 — in greyhound III 245-98
 — in horses I 361-64
 — in mice II 101-4, 165-73, 282-85, 294-98, III 1-51, IV 1-12 (with plates)
 — in rabbits II 299-306
 — in racehorses II 229-34
- Cobb, J. A.**
 Correlation coefficient, effect of errors of observation on (sex-ratio) VI 109
 — — — (reference) VI 109-11, 121, 122
- Cockayne, E. A.**
 Piebald Family X 197-200
- Cockroach** (Blattidae)
 Four-jointed tarsus and regeneration of feet in VI 311-26
- Coelenterata**
 I 90-108, 255, VII 373-81
- Colligation**
 Coefficient of IX 291-94
- Colour**
 protective value of in *Mantis religiosa* III 58-59
 See also Coat-, Hair- and Eye-colour and Pigmentation
- Composite Photograph**
 Russian Types XV 270
- Compound Frequency Distributions**
 in which components can be described by Binomial series XI 139-44
 resolution of into component parts (Trypanosome strains) X 123-42
- Compound variable**
 Frequency constants of, determined from constants of components VI 437-38
 See also Index distributions

Congo

Crania, measurements and comparison with other races (with plates) VIII 292-337
— compared with Moriori XI 95-112, 125-32

— — Tibetan XIV 208-47
— nasal characters IX 394-437

Conjugation

in Paramecium V 213-97

Conscientiousness

inheritance of III 152-55, 187
intelligence and V 126-31, 134, 136, 146

Contingency

class-index correction, application of to IX 128-38
comparison with Yule's methods IX 180-83, 216-56
criticism of method V 472, 473
multiple, general theory of, with special reference to partial contingency XI 145-58
application to the question of significant difference of corrected death-rates XI 155-58, 163-84

Contingency, Coefficient of Mean Square

Mean value of XI 216
Probable error of V 191-97, X 570-73
— — without approximation XI 215-30
— — summary of formulae XI 229-30
— — corrigenda XII 259-60
Standard deviation of XI 220-22
Test for zero contingency XI 227, 228

Cool, C. and A. N. Koopmans

Umbelliferae, variation and correlation of number of umbel rays XI 38-49

Copts

cranial measurements, compared with Nagada I 425-65
— — — Negro VIII 302-14, 321

Correction

Class-Index IX 116-39, 316-20
— — Probable Error of XIV 261-80
for correlation ratio VIII 254-56, XIV 412-17
of death-rates for age distribution XI 159-60
for moments, Sheppard III 308-12, V 450-59
for moment-coefficients, Abruptness XII 231-58

Correlation

between a variable and the deviation of a dependent variable from its probable value VI 438-43
between the deviation in a product moment about a fixed axis and one about an axis through the centroid IX 6-9
danger of some formulae VIII 109-22
effect of changing scale order on V 176-78
History of, notes on XIII 25-45
influence of broad categories on IX 116-39
influence of selection on VIII 437-43
influence of double selection on variation and correlation of two characters VI 111, 112
Intra-class, spurious values X 412-16
normal, see Normal Correlation
Pseudo Ranks method of Yule IX 226-56

Correlation (cont.)

Ranks and Grades Method, extension, relation between actual variate correlation and correlation as determined from ranks or grades X 416-18

— — — correction for ties, experimental determination of probable error XIII 264-82

— — — application to Examination results XIII 302-5

Skew surface XIV 355-77
spurious, elimination of X 179-80

See also Variate Difference Method

spurious X 412-16

tetrachoric functions, tables VII 437-51

— — supplementary tables for high correlations VIII 385-95

— — further supplementary tables for high correlations XI 284-91

tetrachoric, probable error of IX 22-27

"theoretical value" VIII 110-22, IX 166-71

Variate Difference Method, see Variate Difference Method

Correlation Coefficient

Application of to Mendelian Distribution

VIII 420-24

Biserial Expression for VII 96-105

— — Probable error of X 384-90

effect of errors of observation on

VI 109, XII 357-59

Integral variates, method of calculation for

VII 214-18

inter- and intra-class, calculation of

IX 446-72

Polychoric Table, onneachoric method

XII 95-106

— — polychoric method, from weighted means of tetrachoric values XII 106-19

— — comparative results of various methods XII 121-23

— — method of fitting best Normal Surface XIV 127-56

— — approximate Method used in practice XIV 152-56

Probable Error of IX 4-6

— — abac for determining VII 410, 411

— — small samples IX 91-115

See also Probable error

Small samples, Frequency distribution of, in

Experimental work and empirical formula (Student) VI 302-10

Work to a second approximation (Soper) IX 91-115

Actual Frequency distribution (Fisher)

X 507-21, XI 328-413

Correlation, Multiple

errors with regard to X 181-87

generalised probable error in multiple normal correlation VI 59-68

Hyperspherical Goniometry and XV 173-208

and partial, properties of relations between coefficients of different orders XI 231-38

Correlation, Partial

Partial correlation ratio X 391-411, XI 50-66

Correlation, Partial (*cont.*)

- probable error of partial correlation coefficient VII 411-12
- and multiple, properties of relations between coefficients of different orders XI 231-38

Correlation Ratio

- Bi-serial and tri-serial methods VII 248-57
- Correction for grouping IX 316-20
- See also IX 116-39
- correction for, comparison with mean value for zero correlation VIII 254-56
- correction for XIV 412-17
- Partial. Part I. Theoretical X 391-411. Corrigenda, X vi
- Part II. Numerical XI 50-66
- Probable error of biserial XI 292-301
- table to assist computation of XI 302

Cows

- inheritance in production of butter fat VII 106-26
- of quantity and quality of milk VII 548-50

Crabs

- II 191-210, 307-20, V 19, 26

Craig, J. I.

- Anthropometry of Egyptians VIII 66-78. Corrigenda, IX 332

Crampton, H. E.

- Variation and Elimination in Lepidoptera III 113-30

Crangon vulgaris

- V 14, 16, 17

Crania

- anomalies of (with plates) Whitechapel III 217-21
- — — Burmese XIII 232-35
- — — inheritance of XV 406-10
- — — Moorfields V 100-3
- — — Moriori XI 134, 135
- — — Negro VIII 322-33
- — — Tibetan XIV 201-3
- See also "Remarks" on tables of individual measurements
- Anomalies of, Artificial deformation XIII 338-46
- Persistence of synchondrosis condylo-squamosa (with plates) VIII 257-61
- Pigmy crania (with plates) VIII 262-66
- Asymmetry of XIII 251-59
- Capacity, determination of I 419-22, III 203-6, V 94, XI 83, 84, XIII 178, 179
- formulae for determination of from external measurements X 188-93
- Measurement of from circumferences III 366-97
- Location of certain Cranial "points" I 413, XIII 180-85, XIV 200, 201
- Mandibles, measurements of, English, Whitechapel III 213. Table VIII to face 244
- — — Moriori XI 132, 133. Table to face 134
- — — Naqada I 417, 426, 427. Table to face 466
- — — Negro VIII 298-300, 308. Tables III A and B and IV to face 336
- — — Tibetan XIV 253-60
- Measurements and methods of measurement I 412-19, III 199-206, V 91-94, VIII 296, 297, XI 83-86, XIII 177-83, XIV 196-200

Crania (*cont.*)

- Mesodacryal Indices, discussion of use of in racial characterisation, etc. VIII 297, 315-20, IX 391-445, XIII 246, 247
- — — Tables of VIII 338, 339, IX 401, 402
- Methods of measurement and apparatus (with plates) I 412-19
- Nasal Bridge, study of in Anthropoid Apes and relation to that in man IX 391-445
- — study of in Congo and Gaboon crania VIII 315-20
- Occipital Bone, observations on VIII 257-61
- Index, Tables for calculating XIII 261-62
- Races. Burmese, measurements, contours and comparison with other races (with plates) XIII 176-262
- Egyptian, measurements and description of Pigmy crania (with plates) VIII 262-66
- — observations on occipital bone with special reference to persistence of synchondrosis condylo-squamosa (with plates) VIII 257-61
- English, Moorfields, variation and correlation in and comparison with Whitechapel (with plates) V 86-104
- — Whitechapel, variation and correlation in and comparison with other races (with plates) III 191-244
- Long Barrow and Round Barrow, measurements and descriptive catalogue IV 351-62
- Moriori, measurements, contours and comparison with other races (with plates) XI 82-135
- — question of artificial deformation of (with plates) XIII 338-46
- Naqada, variation and correlation in (with plates) I 408-67
- See also II 345-47, 504-8 on Homogeneity in Collections of Crania
- Negro, Congo-Gaboon, measurements and comparison with other races (with plates) VIII 292-337
- Tibetan, measurements, comparison with other races, contours, etc. (with plates) XIV 193-260
- See also under names of various races for comparative measurements
- Simotic Index, discussion of and use of in racial characterisation VIII 317-20, IX 391-445, XIII 246, 247
- Tables of Individual Measurements, Burmese XIII to face 262
- — — English, Moorfields V 104
- — — — Whitechapel III 244
- — — Moriori XI 134
- — — Naqada I 466
- — — Negro VIII 336
- — — Tibetan XIV 260
- Type Contours, comparison of direct measurements with contour values (Moriori) XI 125-32, (Burmese) XIII 210-17, (Tibetan) XIV 249-52
- — comparison of for Modern English and Whitechapel VIII 131-33

Crania (cont.)

- Type Contours, comparison of English and other races VIII 131-38
 — — — Moriori and other races XI 103-12
 — — — the three types of Burmese XIII 223-31
 — — — Tibetan and other races XIV 227-48
 — — construction of VIII 123-29
 — — — XI 86-89,
 XIII 185-210, XIV 227, 234, 239
 — — plates VIII 139-201, XI 113-28,
 XIII 188-93, 195-200, 203-208,
 XIV 229, 230, 235, 236, 243, 244
- Cranial measurements**
 and brain-weight IV 67-74
 discussion of frequency distributions of I 441-54, III 226-31
 various races IV 297, 298
- Cranial Types** II 508-12
- Craniological Notes** II 338-56, 504-12
- Criminal Anthropometry** XI 1-37
- Criminality**
 and Education in Egypt X 280-83
- Criminals**
 Anthropometry and Identification of I 177-227
 Australian, stature, etc. I 38-49
 Egyptians VIII 66-78, XI 67-81
 Head measurements of III 60-62
- Criminological Works**
 reviews of VII 231-33
- Cripps, L. D., M. Greenwood and E. M. Newbold**
 Inter-relation of vital capacity, stature, weight, etc. XIV 316-36
- Cro-magnon**
 cranial contours, plates VIII 149-53
 — — compared with Moriori XI 103-12
- Cruciferae**
 Statistical study of X 215-68
- Cuckoo**
 eggs of, dimensions, coloration, relation to egg of foster-parent, etc. I 164-76, IV 363-73
 — test of existence of sub-races IX 458-60
- Cuénot, L. (reference)**
 Mice-breeding IV 1-3
- Curve fitting** I 265-303, II 1-23
 Abruptness Coefficients, corrections for moments of limited range frequency curves XII 231-58
 Psychophysical data XII 216-30
 See also Frequency distributions, Goodness of fit
- Curves**
 Method of drawing to various scales III 469-71
- Cytoplasm**
 Mass relation of nucleus and cytoplasm II 241-54
- Czekanowski, J. (reference)**
 Notice of paper on head and skull measurements VI 123
 — — correlation between various muscles VI 123

Dante

- Brain-weight and head measurements of IV 147-48
- Daphnia magna**
 parthenogenetic generations of I 129
 relationship between size of cell and size of body II 255-59
- Darbishire, A. D.**
 Mice-breeding II 101-4, 165-73, 282-85, III 1-51
 — (reference) II 294-98
- Darwin, C. (reference)**
 I 1-6, III 400, 401, 424, 447, 449
- Darwin, L. (reference)**
 environment and heredity X 183-87
- Darwinism**
 Biometry and some recent Biology VII 368-85
- Davenport, C. B.**
 canaries, inheritance in VII 398-400
 — — (reference) VII 1-5, 401-3, 403-9
 jellyfish, variation and fertility in I 255, 256
 Pectinatella magnifica, statoblasts of I 128
- Davenport, E. (reference)**
 Principles of Breeding, Notice of book on VI 444
- Davin, A. G. and K. Pearson**
 Sesamoids of the knee-joint XIII 133-72
 — — — evolution of XIII 350-400
- Davis, J. Barnard (reference)**
 Crania III 192, 377, 378, 380-88
- Deafness**
 inheritance of IV 465-82
- Death**
 age at, during first year of life IV 510-16
- Death-rates**
 correlation of death-rates in infancy and childhood X 488-506, XIV 300-8
 — corrected cancer and diabetes death-rates XI 191-200
 corrected XI 159-60, 191-200
 criteria for the existence of differential death-rates XI 159-84
 diphtheria, effect of isolation on attack and death-rate X 549-69
 local, suggestion for work on I 384
 note on IX 537
 phthisis, check to fall of XII 374-76
 pigmentation and death-rate, schoolchildren in Scotland VI 187
 selective, in Man IX 58-68
- Deformities**
 Brachydactyly VI 327, X 17, 18
 Digital anomaly XIV 410-11
 Four-jointed tarsus in Blattidae VI 311-26
 in Nyasaland natives X 1-24
 Polydactyly X 18, 19
 Split-hand and split-foot VI 26-58, 69-79, 117-18, IX 381-90, 540
- Degeneracy**
 effect of differential fertility on VII 258-75
- Delinquents**
 Study of Women, in New York, Review XIII 305-8

- Deniker, J.** (reference)
 Anthropometry of inhabitants of Eastern Mediterranean XIII 94
 Table of Anthropometric measurements IV 296
- Derry, D. E.** (reference)
 sexing of crania IX 394, 396
- Deviates**
 of Normal Curve, Table of V 405
- Diabetes**
 Age distribution of deaths VIII 225-31
 Cancer and VII 284-95
 Correlation between cancer and diabetes death-rates XI 191-200
- Dietaries**
 Statistical Study of IX 530-33, X 169-72, 172-74
- Difference Method** of Correlation, see Variate Difference Method
- Difference Problem**
 Galton I 385-99
- Differentiation** I 321-26, 334-44
 and homotyposis in beech leaves III 104-7
- Digital Anomaly**
 unusual case of (with plates) XIV 410-11
 See also Brachydactyly, Polydactyly, Split-foot
- Digitalis gloxiniaeflora** (foxglove)
 Breeding experiments with XI 303-27
 inheritance in and result of selective breeding XIV 103-26
- Dimon, A. C.**
 Study of *Nassa obsoleta* and *Nassa trivittata* II 24-43
- Dimorphic frequency curves** III 84-98
 resolution of IV 230, 231
 See also Compound Frequency Distributions
- Diphtheria**
 Isolation, effect of on attack and death-rates X 549-69
 pigmentation and VIII 24-39, 360-65
- Discontinuity of variation** I 326-44
- Disease**
 class differentiation in mortality from different diseases XV 382-400
 distribution of cases in houses VIII 396-403, 404-12, 430-36, IX 28-33; see also VIII 413-19
 immunity IV 313-31, 483-510, V 423-34
 means of estimating severity of cases V 423-34
 See also under separate headings
- Divergence of Classes** V 198-203
 Coefficient for measuring V 334-38
- Dogs**
 colour in, compared with cattle IV 451-54
 inheritance of coat-colour in III 245-98
- Dominance**
 I 228-54, II 44-55, 211-15, 228
 coat-colour in mice II 101-4, 165-73, 282-85, III 1-51
 — in rabbit II 299-306
 Mendelian, Jew and Gentiles VIII 426, 427
 See also Mendelism
- Donaldson, H. H.** (reference)
 brain-weights IV 15, 18, 65, 78, 80
- Donkin, H. B.**
 head measurements of criminals (introductory note) III 60
- Doodson, A. T.**
 Frequency curves, relation of mean, median and mode XI 425-29
- Dravidians**, see Maravar
- Drawing**
 association with other capacities in school-children VII 222-26
- Dreyer, G.** (reference)
 Vital capacity, height, weight, etc. XIV 325-36
- Driesch, H.** (reference)
 morphogenesis V 53, 70-72
- Drinkwater, H.** (reference)
 Inheritance of intelligence XIV 394-405
- Duckworth, W. H. L.** (reference)
 Crania XI 82, 91, 97, XIII 339-44, XIV 220
- Duffell, J. H.**
 Gamma Function Table VII 43-47
- Dunbar, F. J. and R. Pearl**
 Variation and correlation in *Arcella* II 321-37
- Duncker, C.**
 Asymmetry in crabs II 307-20
- Duncker, G.**
 β_1 and β_2 , high values of VIII 238
- Duration of Life**
 Assortative-mating among English II 481-98
 correlation with age at marriage IV 256-63
 — — number of offspring I 34, IV 233-47
 inheritance of among English I 50-89
 mean, for individuals dying in first year of life IV 510-16
 and fertility I 34-38, IV 233-47
- Dwight, T.**
 Method of sexing X 209-12
- Earthworm**
 Variation and correlation in IV 213-29
- Echinodermata** II 463-73, VI 236-301
- Edentates**
 sesamoids in XIII 366
- Edgeworth, F. Y.**
 Frequency distributions (reference) IV 199-204, V 168-71
 Goodness of fit (reference) XI 418-25
 History of Correlation (reference) XIII 42-44
 notice of papers on Law of Error (reference) V 206-9
 problem of inverse probabilities (reference) XIII 4
 wasps and bees V 365-86
- Editorial** I -61
 Gamma Function, Formula for determining $\Gamma(x+1)$ VI 118-19
 Normal curve, table of ordinates of XIII 426-28

Editorial (cont.)

- "Peccavimus," Probable Error of Contingency coefficient without approximation, corrigenda XII 259-60
- Conditions under which Probable Errors of Frequency Distributions have a real significance, corrections and additions XII 260-66
- Probable Error and Frequency distribution of errors in mean and standard deviation of arrays XII 267-81
- Corrigenda to 2nd supplement to memoir on skew variation XII 281
- Polymorphism in plants I 304-6
- Probable Error of frequency constants, Pt I (1 variate) II 273-81
- Pt II (2 variates) IX 1-10
- Pt III, Grades Method XIII 113-32
- — of Mendelian Class frequency XI 429-32
- Sheppard's corrections, elementary proof of III 308-12
- Small samples, distribution of standard deviations of X 522-29
- Education**
- influence of, in Egypt X 280-87
- Edwards, C. L.**
- Variation, development and growth in Holothuria VI 236-301
- Egg**
- of cuckoo I 164-76, IV 363-73
- relation between symmetry of egg and embryo in frog V 147-67, VII 148-209
- of sparrow I 256
- of tern X 144-68, XII 308-54
- Egypt**
- Education in X 280-87
- Egyptians**
- Anthropometry, Cairo-born natives XI 67-81
- of criminals XI 67-81
- of Modern VIII 66-78. Corrigenda, IX 332
- Crania, observations on occipital bone (with plates) VIII 257-61
- pigmy, measurements and description of (with plates) VIII 262-66
- cranial measurements, compared with Naqada I 425-65
- — — Negro VIII 306-20
- — — Moriori XI 95-133
- — — Tibetan XIV 208, 227-48
- — nasal characters IX 395-432
- cranial types, compared with English and Negro VIII 135-38
- contours (plates) VIII 173-77
- Head measurements XIII 17-24
- prehistoric, see Naqada
- Elderton, E. M.**
- Finger prints, inheritance of XIII 57-91
- Infant Mortality and Employment of Women X 193-96
- Inheritance of Intelligence, summary of present position with regard to XIV 378-408

Elderton, E. M. (cont.)

- Life History Albums XII 373, 374
- Pigmentation, stature and weight of school-children VIII 340-53
- Schoolchildren, association of drawing and other capacities in VII 222-26
- Terns' eggs, co-operative study XII 308-54
- Weight and Height of Glasgow Schoolchildren X 288-339
- Women delinquents in New York, study of, review of XIII 305-8
- Elderton, E. M. and B. M. Cave**
- Probable error of Biscerial η , table to assist computation of XI 302
- Elderton, E. M. and K. Pearson**
- Diphtheria attack and death-rate, influence of isolation on X 549-69
- Hereditary character of general health IX 320-29
- Natural selection in man X 488-506
- Variate difference method XIV 281-310; see also X 488-506
- Elderton, E. M. and E. H. J. Schuster**
- Inheritance of psychical characters V 460-69
- Elderton, W. P.**
- Calculation and adjustment of moments and application of quadrature formulæ IV 374-84
- Goodness of fit, tables of P I 155-63
- Interpolation, two independent variables II 105-8
- in n -dimensional space VI 94-103
- Sickness-table, graduation and analysis of II 260-72. Addendum, II 503, 504
- Tables of powers and sums of powers of natural numbers II 474-80
- Elliot Smith, G.**
- Report on endocranial cast of Sir Thomas Browne's skull XV 67
- Ellipse**
- Instrument for drawing III 469
- Embleton, D. and T. Lewis**
- Split-hand and split-foot deformities, types, origin and transmission VI 26-58
- — — (reference) VI 69-79
- Emmons, A. B.**
- Variation in female pelvis IX 34-57
- Employment of Women**
- and infant mortality X 193-96
- English**
- Brain-weights and other anthropometrical characters IV 13-104, 105-23, 124-60
- Crania, Moorfields, variation in and comparison with Whitechapel V 86-104
- Whitechapel, variation and correlation in, comparison with other races (with plates) III 191-244
- Cranial measurements II 346-56
- — compared with Naqada I 424-65
- — — Negro VIII 302-24
- — — Moriori XI 95-133
- — — Tibetan XIV 208-49
- — nasal characters IX 395-432
- type contours, comparison of English with other races VIII 134-38

English (cont.)

- Cranial type contours, comparison of White-chapel with modern English VIII 131-33
 — — — plates VIII 143-47, 191-201
 criminals, anthropometry I 177-227, XI 1-37
 — measurements of III 60-62
 duration of life among I 50-89
 Inheritance of physical characters II 357-462
 Insane X 356-83
 schoolchildren, intelligence and head measurements V 105-46
 — pigmentation, disease, stature and weight (Birmingham) VIII 354-84
Enteric Fever
 inoculation VI 366-75
Environment
 and heredity, relative importance of X 183-87
 influence of on aphids I 132, 133
 — — conjugation in *Paramecium* V 213-97
 — — development of egg in frog V 161-62, VII 149-207
 — — *Helix nemoralis* I 468-92
 — — mortality in man IX 58-68
 — — *Nassa obsoleta* and *Nassa trivittata* II 24-43
 — — poppy II 62-67, 83, IV 401, 402
 — — termites VI 329-47
 — — variation in *Chilomonas* V 53-72
Error
 functional and mathematical, illustrated by the opsonic index VIII 203-24
Errors
 law of, notices of papers on V 206-10
 — see also Frequency Distributions
 of observation, effect of on correlation coefficient VI 109, XII 357-59
 — note on Burnside's paper XV 401-6
 probable, see Probable Error
Erythrocyte counts
 and altitude VIII 280-91
Eskimos
 Cranial measurements IV 297, 298
 — type contours compared with English VIII 135
 — — — — Moriori XI 103-12
 — — — — Tibetan XIV 222-49
 — — — plates VIII 179-83
Euler (reference)
 Euler-Maclaurin quadrature formula I 278
Eupagurus prideauxi (crab)
 variation in II 191-210
Eustachius (reference)
 sesamoids XIII 146
Everitt, P. F.
 Quadrature coefficients, table XII 282-83
 Tetrachoric Functions, tables VII 437-51
 — — supplementary tables for high correlations VIII 385-95
Evolution
 cranial measurements, with ancestral tree VIII 302-22, 333-37
 — — nasal bridge characters, with ancestral tree IX 401-36

Evolution (cont.)

- Committee of Royal Society V 22-25
 Darwinian theory VII 368-85
 in man IV 233-85
 — data for problem of I 30-49, 345-60
 of sesamoids of the knee-joint (with plates) XIII 350-400
Excitation
 in meristic series III 334-37
Expectation of Life
 change of, in 2000 years I 261-64
 in Ancient Rome, Hispania, Lusitania and Africa IX 366-80
Exponential Binomial Limit
 tables of X 25-35
Extrapolation
 dangers of III 99-103
Eye-colour
 and age in man III 462-66
 hair-colour and, correlation between III 459-62
 inheritance of in man II 237-40, III 149, 154, 167, V 471-76
 intelligence and V 126-28, 130, 131, 133, 143, 144
 pigmentation of human iris (with plates and pedigree) VIII 267-79
 schoolchildren in Scotland VI 129-235. Supplement, 1-67
 Scottish insane V 333-44
 stature and weight, relation to VIII 340-53, 369-75
 susceptibility to disease and VIII 13-39, 354-69
Facial Spasm
 inheritance of (with pedigree) XIV 311-15
Fagus sylvatica (beech tree)
 homotypy and differentiation of leaves (with plates) III 104-7
Fallopian (reference)
 sesamoids XIII 146
Fantham, H. B. (reference)
 Trypanosome strains X 89-97
Fat, Butter, see Cows
Fawcett, C. D.
 Crania, Naqada, variation and correlation of I 408-67
 — (reference) III 191-244
 frequency distribution for skull characters (reference) IV 37-40
Fay, E. A.
 data on hereditary deafness IV 465-82
Fechner (reference)
 Double Gaussian frequency distribution IV 196-99
Fecundity
 in sows VI 433-36
 See also Fertility
Femur
 measurement of medieval English femora, reply to Dr Parsons X 573, 574
Fertility
 among the deaf IV 474-78
 and morphology of fruit of *Sanguinaria* VII 314-24

Fertility (cont.)

- differential, effect of on degeneracy VII 258-75
 in Aphis I 133-34
 in *Cercis canadensis*, homotypic correlation of fertility characters XI 201-14
 in *Hibiscus*, correlation with somatic characters VIII 52-65
 in jellyfish I 255, 256
 in man I 30-38
 in man, and age at marriage, etc. XIV 337-54
 — distribution of IV 247-56
 — and duration of life IV 233-47
 — and duration of marriage IV 264-80
 — and occupation IV 280-85
 in poppy II 66, IV 394-98
 in rats, correlation with weight VII 381-85
 in sows, VI 433-36. Inheritance of, V 203-5
 inheritance of VII 368-85, VIII 244-47, 247-49
 — in mice V 436-49
- Ficaria (Celandine)**
 change in organic correlation during flowering season I 125-28
 variation and correlation in II 145-64
 variation in number of sepals and petals of I 11-20
- Finger prints**
 association of X 421-78
 inheritance of XIII 57-91
 — note re collection of data II 356
- Finns**
 head measurements IV 165, 295
- Fir tree**
 variation in length of needles of I 21-23
- Fish** II 115-20, III 313-65, VIII 444-55
- Fisher, R. A.**
 Small samples, frequency distribution of correlation coefficient in X 507-21
- Fisk, E. L. (reference)**
 notice of paper on force of adverse selection among entrants at the extremes of life (insurance) VI 444
- Fit, see Goodness of fit**
- Fitting of Curves**
 I 265-303, II 1-23, XII 216-58
- Fleming, A. (reference)**
 Opsonic Index VI 378-401, VIII 205-24
- Flower, W. (reference)**
 crania III 192, 199, 200, 206
- Flowering season**
 change in organic correlation during I 125-28
- Foster-parents**
 of cuckoo, I 164-76; and size of eggs, IV 363-73
- Fourfold Tables, see Tetrachoric**
- Fowl**
 inheritance of fecundity in poultry VII 370
 leucosis in hen VII 234-36
 malformation in head of IX 538-39
 variation in comb of VI 420-32
- Foxgloves (Digitalis gloxiniaeflora)**
 inheritance in XI 303-27, XIV 103-26

Foxgloves (cont.)

- inheritance of abnormalities XIV 115-17
 — coloration of corolla XI 312-17, XIV 108-14
 — colour of spots and area of spotting XI 309-12, XIV 114, 115, 118-22
 — pelorism XI 305-8, XIV 103-8
 — ratio of width to length of corolla XI 318, 319, XIV 122-124
 — seed length XIV 117
- Fraternal Correlation, see Inheritance**
- French**
 cranial measurements II 347, 349, 355
 — compared with Naqada I 424-65
 — — — Negro VIII 306-14, 321-24
 — — — Tibetan XIV 210-26
 — — — Whitechapel III 206-15, 221-26, 234-39
 — — nasal characters IX 395
- Frequencies of Occurrence**
 method of calculating from number of unequal probabilities VIII 413-19
 See also VIII 396-403, 404-12, 430-36, IX 28-33
- Frequency constants**
 "Best" values of XI 262-76
 β_1 and β_2 , high values of VIII 238
 $\beta_6, \beta_5, \beta_4, \beta_3$ in terms of β_1 and β_2 VII 146-47
 Binomial, Probable Error of X 37-38
 of a compound variable [$z=f(x_1, x_2)$] deduced from constants of components VI 437-38
 of index distributions, deduced from constants of components VII 531-41
 of normal distribution determined from moments of truncated tail VI 63-68
 Probable errors of, Pt 1 (1 variate), p.e. of moments, correlation between errors in moments II 273-81
 Probable errors of Pt II (2 variates), correlation coefficient, product moments, correlation of errors in product moments, means of arrays, coefficients of regression line IX 1-10
 Probable errors of Pt III, probable errors determined from grades XIII 113-32
 — — Tables to facilitate computation of VII 128-47
 Probable errors of β_1, β_2 , p.e. of skewness, p.e. of distance from mean to mode VII 136-45
 Value of higher β 's in terms of β_1 and β_2 VII 146-7
- Frequency distributions**
 compound, resolution of into components (Trypanosome strains) X 123-42
 — in which components can be individually described by Binomial series XI 139-44
 dimorphic, criteria for unimodality and bimodality III 84-98
 — resolution of IV 230-31, XV 260-67
- Edgeworth-Kapteyn**
 IV 176-89, 199-204, V 168-71
- Errors of type, diagram and table**
 VII 386-97

Frequency distributions (cont.)

- for anthropometric characters in Scottish Insane V 305-11
- for Australian anthropometric data I 30-49
- for brain-weights IV 37-42
- for fecundity in sows VI 433-36
- for haemacytometer counts V 351-60
- for phagocytic counts VI 376-401; see also VII 210, 214
- for sickness table II 264-72
- Galton, McAlister and Fechner's Double Gaussian IV 176-89, 193-99
- Goodness of fit, criteria of Edgeworth and Pearson compared XI 418-25
- Mathematical expectation of Moments of XII 140-69, 185-210, XIII 283-95
- Mean, Median and mode, relation of XI 425-29
- moments, calculation of V 450-59
- Normal IV 169-212
- curtailed IV 495-510, V 361-64
- determination of constants of, from moments of truncated tail VI 63-68
- deviations from V 470-76
- of correlation coefficient in small samples IX 91-115, X 507-21, XI 328-413
- of means of samples not drawn at random VII 210-14
- of mean and standard deviation of arrays XI 239-61, XII 267-81
- of moments of any order in samples, values of β -constants for XII 260-66
- Pearson hypergeometrical IV 169-212, V 168-75
- probability that two are samples from same population VIII 250-54, X 85-143
- suitable for describing frequency of random sample V 172-75
- type of, diagrams to determine from knowledge of β_1 and β_2 VII 131, 132
- probable error of, diagram and tables VII 386-97
- Frequency ratios**
 - classification of V 179-81
- Frequency surfaces**
 - bivariate, general forms when regression and variation are subjected to limiting conditions XV 77-88, 209-21
 - skew XIV 355-77, XV 222-30
 - non-skew XV 231-44
- Fridolin, J.** (reference) XIII 339
- Frogs**
 - symmetry of egg and embryo V 147-67, VII 148-209
- See also Tadpoles
- Fry, Agnes**
 - Variation in leaves of mulberry I 258, 259
- Fuegian**
 - cranial measurements compared with Moriori XI 95, 98-102
 - — — Tibetan XIV 222-26
- Fuller, W. N. and R. Pearl**
 - Variation and correlation in earthworm IV 213-29

Gaboon

- crania, measurements of and comparison with other races (with plates) VIII 292-337
- cranial measurements compared with Moriori XI 95-112, 125-32
- — nasal characters IX 394-437
- Gaillardia aristata**
 - Variation of flower heads in VI 106-8
- Gain, E.**
 - Pulmonaria officinalis III 398-458
- Galen** (reference)
 - sesamoids XIII 138-44
- Galloway, A. R.**
 - Canary breeding VII 1-42, VIII 435, 436
 - — (reference) VII 398-400, 401-3
 - pigmentation of human iris VIII 267-79
- Galton, F.**
 - Ancestral Inheritance, Law of (reference) II 211-28
 - Biometry I 7-10
 - Difference problem I 385-99
 - Finger Prints (reference) X 422, 429-33, XIII 57-67
 - Frequency Distributions (reference) IV 193-99
 - Grades and Deviates V 400-6
 - History of Correlation (reference) XIII 33-41
 - Inheritance of Intelligence (reference) XIV 379, 408
 - Notice of lecture on "Probability, the Foundation of Eugenics" V 477
 - Organic correlation (reference) I 125-28
- Gamma Function**
 - On a formula for determining $\Gamma(x+1)$ VI 118, 119
 - Table of Log $\Gamma(p)$ VII 43-47
 - Incomplete, expansion in tetrachoric functions XIV 161-69, 175-80
- Gauss, C. F.** (reference)
 - Frequency Distribution IV 169-212
 - History of Correlation, Normal Curve, Method of Least Squares XIII 25-27, 30-32
 - Problem of inverse probabilities XIII 8-16
- Gaussian Distribution**, see Normal Curve
- Gelasimus pugilator** (crab)
 - asymmetry in II 307-20
- German-Jews**
 - hair- and eye-colour III 460
- Germans**
 - cranial measurements II 347, 355
 - — compared with Naqada I 424-65
 - — — Whitechapel III 206-15, 221-26
- Gibson, W.**
 - Tables for facilitating computation of probable errors IV 385-93
- Gilby, W. H.**
 - Intelligence, Teachers' estimate of VIII 94-108
 - — — (reference) XIV 384
- Gillette** (reference)
 - sesamoids XIII 155, 156
- Giuffrida-Ruggeri, V.** (reference)
 - Moriori crania, deformation of XIII 338-47

- Gladstone, R. J.**
Brain-weight and head size IV 105-23
— — — analysis of measurement IV 124-60
- Glasgow**
Schoolchildren, Pigmentation, stature and weight VIII 340-53
— Stature, weight and age X 288-339
- Goodness of fit**
Application of tables to test regression curves and theoretical frequency curves XI 239-61
application to Trypanosome strains X 85-143
"Best" values of frequency constants XI 262-76
of Frequency curves, criteria of Edgeworth and Pearson compared XI 418-25
of observation to theory in Mendelian experiments IX 309-14
Pearson's reply to critic, with special reference to fourfold tables XIV 186-91; further note on XIV 418
Probability that two independent distributions are samples from the same population VIII 250-54
Psychophysical curves XII 216-30
Tables of *P* for testing I 155-63
Theory of Multiple and Partial contingency XI 146-58
— application to differential death-rates XI 159-84
- Gordon, Kate** (reference)
Inheritance of Intelligence XII 367-72, XIV 388-94
- Goring, C. B.**
Criminological Work, reviews of VII 231-33
Obituary notice and appreciations XII 297-307
- Goring, K. M.**
Appreciation of C. B. Goring XII 301-7
- Grades**
probable error of frequency constants determined from XIII 113-32
Ranks and, Method of Correlation. Relation between actual variate correlation and correlation determined from ranks and grades X 416-18
— — — Correction for ties, experimental determination of probable error XIII 264-82
— — — application to examination results XIII 302-5
— — — V 400-6
- Grades and Deviates**
- Graduation**
of sickness table II 260-72. Addendum, II 503-4
— — by Makeham's hypothesis III 52-57
- Greeks**
anthropometry and cranial measurements XIII 92-112
education in Egypt X 280-87
- Greenwood, M.**
General Hospital population (reference) IV 19, 20
Goodness of fit, χ^2 test for fourfold tables (reference) XIV 189-91
- Greenwood, M.** (*cont.*)
Human viscera, weight variability and correlation III 63-83, IX 473-85
Sampling, errors of random (small samples) IX 69-90
- Greenwood, M. and J. W. Brown**
Weight of human viscera IX 473-85
- Greenwood, M., L. D. Cripps and E. M. Newbold**
Inter-relation of vital capacity, stature, weight, etc. XIV 316-36
- Greenwood, M. and J. D. C. White**
Opsonic Index VI 376-401, VII 505-30
— — (reference) VII 532-41, VIII 204-24
- Greiner** (reference)
Skew variation IV 169-212
- Greyhound**
inheritance of coat-colour in III 245-98
- Grier, N. M.**
Variation and distribution of leaves in *sassafras* XII 372, 373
- Griffiths, G. B.**
Head measurements of criminals III 60-62
- Grouping**
Correction for IX 316-20
See also Class-Index Correction, Sheppard's Corrections
- Growth-rate**
in trout VIII 449-55
- Gruber, W.** (reference)
sesamoids XIII 133, 137, 156-67, 350-56, 363, 367
- Guanche**
cranial type contours, compared with English VIII 134, 135
— — — — Moriori XI 103-12
— — — — Tibetan XIV 228-47
— — — plates VIII 185-89
- Haemacytometer**
error of counting with V 351-60
- Hair-colour**
and age in man III 462-66
and eye-colour, correlation between in man III 459-62
and intelligence V 126-32, 142
inheritance of III 149, 154, 168, V 471-76
of inhabitants of Eastern Mediterranean XIII 105-7
of schoolchildren in Scotland VI 129-235. Supplement, 1-67
of Scottish insane V 333-44
standard hair-scale (plate) V to face 474
stature and weight, relation to VIII 340-53, 369-75
susceptibility to disease and VIII 13-39
- Hair-curliness**
of schoolchildren III 154, V 126
- Hair-set**
correlation of intelligence and V 126-33, 143
inheritance of III 151, 154, 169
- Hamy, E. T.** (reference)
Crania XIII 338, 340, XIV 220

- Hand**
 metacarpal bones I 350
 phalanx, proximal and distal I 351-60
 variability and correlation in I 345-60
- Handwriting**
 inheritance of III 153-55, 190
 and intelligence V 126-31, 133, 145
- Hanel, E.** (reference)
 Pure Line, *Hydra grisea* VII 373-81
- Hardy, G. F.**
 Notice of book of lectures on Construction of
 Mortality Tables VII 413
- Harris, J. A.**
 Adoxa, variation in VII 218-22
 Correlation between a variable and deviation
 of a dependent variable from its probable
 value VI 438-43
 Correlation coefficient, calculation of for in-
 tegral variates VII 214-18
 — coefficients, inter- and intra-class IX 446-72
 Fertility, correlation with somatic characters VIII 52-65
 Homotyposis in *Cercis canadensis* XI 201-14
 Intra-class correlation, spurious values X 412-16
 Sanguinaria, morphology of fruit of VII 305-51
 Staphylea, selection in VII 452-504
 Weight of seed, influence of on plant IX 11-21, X 72-84
- Hart, B.** (reference)
 Hierarchical order among correlation coeffi-
 cients XII 356-66
- Harvey, W. F. and H. W. Acton**
 Altitude and no. of erythrocytes VIII 280-91
- Harvey, W. F. and A. G. McKendrick**
 Opsonic index VII 64-95
- Haswell, W. A.** (reference)
 sesamoids XIII 389
- Haviland, G. D.** (reference)
 Termites VI 329-47
- Hawes** (reference)
 Anthropometry of inhabitants of Eastern
 Mediterranean XIII 95, 97, 103
- Head measurements**
 and brain-weight IV 105-23, 124-60
 and intelligence in schoolchildren V 119-25
 inheritance of in schoolchildren III 137-45
 in Man, comparison of sexes IV 161-68
 — inter-racial correlation IV 286-312
 of Afghans IV 293
 of Ainos IV 165, 293
 of Arabs IV 293
 of Armenians IV 165, 293
 of Buriats IV 293
 of Chinese IV 294
 of criminals in British Isles I 177-227, III 60-62
 of Egyptians VIII 66-78, XI 67-81, XIII 17-24
 of English IV 110, 111, 143
 of Estonians IV 295
 of inhabitants of Eastern Mediterranean XIII 97-104, 107, 108
 of Finns IV 165, 295
- Head measurements** (cont.)
 of Jews IV 165, 293
 of Kalmuks IV 165, 294
 of Kurds IV 165, 294
 of Letts IV 294
 of Lithuanians IV 165, 294
 of Livonians IV 294
 of Oxford undergraduates VIII 47, 48
 of Persians IV 295
 of Poles IV 165, 295
 of Russians IV 165, 293, 294, XV 254-70
 — Great IV 293-94
 — White IV 293-94
 of Scottish insane V 300-33 and supplement
 of Siberians IV 293-95
 of Tatars IV 165, 295
 of Turkomans IV 295
 of Turks IV 295
 of Uzbeks IV 295
 See also Anthropometry
- Health**
 General, Hereditary character of IX 320-29
 — scale of IX 321
 inheritance of in schoolchildren III 145-54
 intelligence and V 126-32, 142
- Hearing**
 Acuity of, and reaction times XV 346-72
- Heart**
 weight and variability of in man III 63-83, IX 473-85
- Height, see Stature**
- Heister, L.** (reference)
 sesamoids XIII 149, 150
- Helguero, F. de**
 Dimorphic Frequency curves III 84-98
 — — — resolution of IV 230-31
 — — — notice of paper on V 480
 Variation and Homotyposis in *Cichorium*
intybus V 184-89
- Helix arbustorum**
 natural selection in V 387-99
- Helix nemoralis**
 variation in I 468-92
- Hen, see Fowl**
- Henderson, J.**
 Tetrachoric Functions, expansions in XIV 157-85
 Variate Difference Method, Tables of Func-
 tions of Geometrical Decadence XIV 310
- Henderson, R.** (reference)
 Frequency curves and moments, notice of
 paper VI 124
- Henry, E. R.** (reference)
 Finger prints, classification X 421, 423, 447
- Hensgen, C.**
 Variation in *Helix nemoralis* I 468-92
- Heredity**
 and environment, relative importance of X 183-87
 See also Inheritance
- Heron, D.**
 Canaries, inheritance in VII 403-9
 Correlation coefficient, partial, probable error
 of VII 411-12
 — danger of some formulae VIII 109-22

- Heron, D. (cont.)**
 Inheritance of insanity X 356-83
 Probable error, abac for determining p.e. of correlation coefficient VII 410, 411
 Reproductive Selection X 419-20
 Sex-ratio, inheritance of V 79-85, VI 120-22
- Heron, D. and K. Pearson**
 On Theories of Association IX 159-316
- Hervieux (reference)**
 Evolution of canary VII 11-18
- Hessians**
 Brain-weights and other anthropometric characters IV 13-104, 133
- Heterogeneity**
 Coefficient of class heterogeneity V 198-203
 of material, compound frequency distributions in which components can be described by Binomial series XI 139-44
 Trypanosome Strains X 119-42
 See also under Homogeneity
- Heterostylism**
 in *Pulmonaria officinalis* III 398-458
- Heyer, A.**
 Variation in length of needles of conifers VI 354-65
- Heymans, G.**
 Data on inheritance of psychical characters V 460-69
- Hibiscus**
 Correlation of Fertility and somatic characters VIII 52-65
 Intra-class correlations IX 451-54
- Hierarchical**
 order among correlation coefficients XII 355-66, XV 150-60
- Hildebrand (reference)**
Pulmonaria officinalis III 400, 401, 423, 424, 449
- Hindus**
 cranial measurements, compared with Burmese XIII 235-47, 250, 251
 — — — Tibetan XIV 206-26
 — — — nasal characters IX 395, 399, 400, 404-21, 425, 427, 429, 432
- Hirshberg, L. K.**
 Selection and Intermediates in *Bacillus coli* IX 331, 332
- Holothuria**
 Variation, development and growth in VI 236-301 (with plates)
- Homogamy, see Assortative-mating**
- Homogeneity**
 of material, brain-weights IV 29-36
 and Heterogeneity in Collections of Crania II 345-47, 504-8
 — — — Naqada Crania I 422-24
 — — — Whitechapel Crania III 206
 and Heterogeneity of material, Scottish insane V 315-38
- Homogyne alpina**
 variation in I 24-26
- Homotypic correlation**
 IX 456-58, 463, 464
- Homotyposis**
 in Beech leaves III 104-7
 in blood corpuscles of tadpoles VI 403-19
- Homotyposis (cont.)**
 in *Cercis canadensis*, fertility characters XI 201-14
 in *Cichorium intybus* V 187-89
 in mulberry leaves I 258
 in *Paramecium caudatum* I 400-7
 in Shirley poppy II 67-71, IV 409-10
 in terns' eggs X 144-68, XII 331-35, XV 324-9
- Honduras**
 note on piebald boy (with plates) IX 330, 331
- Horses**
 American trotters II 2-6
 inheritance of coat-colour I 361-64, II 229-34
 Sex-ratio, V 83-85. Inheritance of, VI 120-22
- Hosny, M.**
 Education in Egypt X 280-87
- Hospital Population**
 compared with general population IX 473-85
 III 65, IV 127-32
- Houses**
 distribution of cases of disease in VIII 396-403, 404-12, IX 28-33
 Cancer-houses VIII 430-36; see also VIII 413-19
- Howitt, Mary (reference)**
 connection with Weldon V 4, 5
- Howitt, William (reference)**
 connection with Weldon V 3, 4
- Humphrey, G. (reference)**
 sesamoids XIII 153, 355
- Hungarians**
 cranial measurements II 338-49
- Hurst, C. C. (reference)**
 Pigmentation of Iris VIII 267-79
- Hutchinson, J. (reference)**
 Inter-relations of vital capacity stature and weight XIV 316-23, 333, 336
- Huxley, T. H. (reference)**
 connection with Weldon V 2, 20-21, 29
 on Origin of Species V 272
 Pearson, Huxley Lecture III 131, 147
- Hyalopterus trirhodus (aphis)**
 Variation and parthenogenetic inheritance in I 129-54
- Hydra grisea**
 Pure line VII 373-81
- Hyrtt, J. (reference)**
 sesamoids XIII 154, 171
- Identification of Criminals**
 I 205-13
- Illegitimate Children**
 death-rate in first year of life IV 511
- Immunity**
 smallpox and vaccination IV 313-31, 483-504, 504-10
 statistical study in V 423-34
- Independence**
 Theory of complete, of series of attributes II 127-32
- Index distributions**
 deduction of constants VII 531-41
- Inequalities**
 with possible applications in the theory of probability (limits to tails of frequency distributions) XV 245-53, 421-3

Infant mortality IV 277-80, 510-16
 and education in Egypt X 284-87
 and employment of Women X 193-96
 and mortality of childhood X 488-506, XIV 300-8

Inheritance
 Ancestral law of, see Ancestral Inheritance, law of
 Bateson's revision of Mendel's theory II 286-98
 Determinantal theory of V 44-45
 — mathematical theory from notes and suggestions of Weldon VI 80-93
 in bean II 499-503
 in canaries VII 1-42, 398-403, 403-9, VIII 435-36
 in cows, production of butter fat VII 106-26
 — quantity and quality of milk VII 548-50
 in foxgloves XI 303-27, XIV 103-26
 in Man, note *re* Treasury of Human Inheritance VI 327, 328
 in peas, Mendel's law I 228-54
 in poppies II 56-100, IV 394-426
 in statoblasts of *Pectinatella magnifica* I 128
 influence of change of sex on intensity of II 237-40

Mendelian, see Mendelism
 of brachydactyly VI 327
 of coat-colour in cattle IV 427-64
 — — greyhound III 245-98
 — — horse I 361-64, II 229-36
 — — mice II 101-4,
 165-73, 282-85, 294-98, III 1-51, IV 1-12
 — — rabbits II 299-306
 of deafness IV 465-82
 of duration of life I 50
 of eye-colour VIII 267-79
 of facial spasm (with pedigree) XIV 311-15
 of fertility VII 368-85, VIII 244-47, 247-49
 — in mice V 436-49
 of general health IX 320-29
 of hairiness in *Lychnis* II 47-55
 of insanity X 356-83
 of intelligence XII 367-72, XIV 378-408
 of meristic characters in *Spinax niger* III 341-44, 363-65
 of physical characters in man, stature, span and forearm II 357-462
 of psychical characters in man III 131-90, V 460-69
 of sex-ratio VI 109-11
 — — in horses V 83-85, VI 120-22
 — — in man V 73-78, V 79-85
 — — in mice V 436-49
 of size of litter in mice V 436-49
 — — — sows V 203-5
 of skin-colour, crosses between Negro and White VI 348-53
 — — piebald family (with plates and pedigree) X 197-200
 of split-foot and split-hand deformities (with pedigree and plates) VI 26-58, 117, 118
 — — and lobster claw (with pedigree and plates) VI 69-79, IX 381-90
 Addendum IX 540

Inheritance (cont.)
 of taste and occupation in man III 467-69
 parthenogenetic, in aphids I 129-54
 Piebald family X 197-200
 racial, and Mendelism VIII 424-30
 stability of population, conditions for X 175-78
 standard deviations of fraternal and parental correlation coefficients XIV 1-22
 White-lock family (with pedigree and plates) XIII 347-49

Inion
 difficulties of determination of III 375-77, 391, XIII 184, 185

Inoculation
 anti-typhoid, statistical study of VI 366-75

Insane
 Anthropometry of Scottish V 298-350 and supplement

Insanity
 and cancer VII 290-95
 inheritance factor in X 356-83

Insectivores
 sesamoids in XIII 356

Integration
 finite difference formulae for I 272-303

Intelligence
 and age, Drinkwater's data XIV 396-98
 — Pearson's data V 112-19
 and brain-weight IV 78-80, 83
 and cranial capacity III 392-96
 and head measurements and other physical and psychical characters V 105-46
 and home conditions in schoolchildren (critical notice) XV 161-72
 and temperature, pulse and breathing in criminals XI 1-19
 inheritance of, comparison of series tested by Binet-Simon method and series measured by broad categories XII 367-72
 — in schoolchildren III 147-49
 — summary of present position with regard to XIV 378-408

Mathematical VII 352-67
 Quotient, correlation of with Teachers' estimate XIV 396, 397
 Scale of V 106-12
 Teachers' estimate VII 542-48, VIII 79-93
 — — significance of VIII 94-108

Inter- and Intra-class correlation
 IX 446-72

Intercalation
 in meristic series III 337, 338

Interpolation
 by finite differences, two independent variables II 105-8
 in *n*-dimensional space VI 94-103
 review of paper, by Narumi, on XIV 420

Inter-racial Correlation I 460, IV 162, 163, 286-312, IX 423-33, XIV 193, 194
 Coefficient of Racial likeness XIII 247-51, XIV 205-27
 Cranial and head measurements II 347-56
 See also Inter- and Intra-class correlation

- Inter-racial Variation**
 coefficient of IV 290
- Intra-class Correlation** IX 446-72, X 412-16
- Introspection**, see Self-consciousness
- Irwin, J. O.**
 Terns' eggs, co-operative study XV 294-345
- Isaacs, E.**
 Terns' eggs, co-operative study XII 308-54
- Isolation**
 and Diphtheria attack and death-rate X 549-69
 Tuberculosis and segregation X 530-48
- Isotropy**
 of frequency distributions V 470-76
- Isserlis, L.**
 Corrigenda for paper on real significance of Probable Errors of frequency distributions, values of β -constants for distributions of moment coefficients of any order in samples XII 261-66
 Formula for determination of cranial capacity from external measurements X 188-93
 Mean values of products of deviations of mixed moment coefficients XII 183-84
 Partial correlation Ratio, Pt I Theoretical X 391-411. Corrigenda, X vi
 — — — Pt II Numerical XI 50-66
 Probable errors and correlation coefficient of multiple frequency distributions with skew regression XI 185-90
 Product-moment coefficients, high-order XII 134-39. Corrigenda, XII 266
 Representation of statistical data, frequency curves and goodness of fit criterion XI 418-25
 Schoolchildren, intelligence and home conditions (reference) XV 161-72
- Italians**
 Correlation between hair- and eye-colour III 460, 461
 in Egypt X 280-87
- Italy**
 Economic Index Values, Mortara's Table.
 Correlation by Variate Difference Method X 340-55
- Jacob, S., A. Lee and K. Pearson**
 Inter-racial correlation, cranial and head measurements II 347-56
- Javanese**
 cranial measurements, nasal characters IX 395, 399-432
- Jellyfish** (*Aurelia aurita*)
 variation in I 90-108
 variability, symmetry and fertility in I 255
- Jenkinson, J. W.**
 Frogs, symmetry of egg and embryo V 147-67, VII 148-209
 Trout, growth variability and correlation in VIII 444-55
- Jennings, H. S.** (reference)
 Pure line, *Paramecium* VII 370-72, 380, 381
- Jews**
 hair- and eye-colour III 460
 head measurements IV 165, 293
- Jews (cont.)**
 measurements of XIII 108
 and Gentiles, Mendelism and racial heredity VIII 424-30
- Johannsen, F.** (reference)
 Inheritance in *Phaseolus vulgaris* II 499-503
- Johannsen, W.**
 Notice of paper on cephalic index V 482
- John Dory**
 number and arrangement of bony plates (with plates) II 115-20
- Jones, H. G.**
 Intelligence, Teachers' opinion VII 542-48
- Judgments**
 correlation of successive XIV 23-102
- Kaffir**
 crania, measurements and comparison with other races VIII 292-337
- Kalmuks**
 Cranial measurements IV 297
 head measurements IV 165, 294
- Kapteyn, J. C.** (reference)
 Frequency distributions IV 199-204, V 168-71
- Karn, M. N.**
 Terns' eggs, co-operative study XV 294-345
- Keith, Arthur**
 Note on Sir Thomas Browne's skull XV 1-2
 sesamoids (reference) XIII 361-63
- Kellogg, V. L.** (reference)
 Variability in bees V 420
- Kidneys**
 weight of in man III 63-83, IX 473-85
- Koga, Y. and G. M. Morant**
 Degree of association between reaction times for different senses XV 346-72
- Koopmans, A. N. and Cool, C.**
 Umbelliferae, variation and correlation of number of umbel rays XI 38-49
- Kribs, H. G.**
Carabus auratus, sex variability in VI 103-5
- Kurds**
 head measurements IV 165, 294
- Kurtosis**
 of Frequency curves IV 172-212
- Laplace** (references)
 History of Correlation, Normal curve XIII 25
 Normal Curve IV 189-93
 Problem of inverse probabilities XIII 1-16
- Laski, H. J.**
 Mendelism and racial heredity VIII 424-30
- Latter, O. H.**
 Cuckoo's eggs I 164-76, IV 363-73
 Wasps X 201-7
- Laxton, T.** (reference)
 Inheritance in peas I 237, 245, 251
- Least Squares**
 Impossibility of, for systematic fitting I 295
 Method of, for curve-fitting I 279-82, II 9-12
- Lee, Alice**
 Capacity of skull, reconstruction of from external measurements (reference) III 366-97

- Lee, Alice** (*cont.*)
 Gaussian Tail Functions X 208-14
 inheritance in racehorses II 234-36
 Tetrachoric groupings, further supplementary tables for determining high correlations XI 284-91
 Tuberculosis and segregation X 530-48
 Variation and correlation in plants I 316-19
Lee, A., A. Barrington and K. Pearson
 Inheritance of coat-colour in greyhound III 245-98
Lee, A., S. Jacob and K. Pearson
 Inter-racial correlation, cranial and head measurements II 347-56
Lee, A. and K. Pearson
 Inheritance of physical characters in man II 357-462
 Probable error in multiple normal correlation VI 59-68
Lee, A., B. M. Cave, H. E. Soper, A. W. Young and K. Pearson
 Small samples, distribution of correlation coefficient in XI 328-413
Lee, A., A. Wright and K. Pearson
 Wasps V 407-22
Length of life, see *Duration of life*
Lenz, F.
 Attempt to ascertain the prevalence of syphilis in a large urban population (reference) VIII 437
Lepidium draba
 variation in flowers of X 215-68
Lepidoptera
 variation and elimination in III 113-30
Leucoderma
 Nyasaland natives IX 353-58
Leucosis
 in a hen VII 234-36
Lewenz, M. A.
 Comparison of results for hand measurements and finger prints (reference) X 451
Lewenz, M. A. and K. Pearson
 Measurement of capacity from cranial circumferences III 366-97
Lewenz, M. A. and M. A. Whiteley
 Variability and correlation of human hand I 345-60
Lewis, T. and D. Embleton
 Split-hand and split-foot deformities VI 26-58. Addendum, VI 117, 118
 Note on inheritance of brachydactyly VI 327 (reference) VI 69-79
Life-History Albums XII 373, 374
Life-tables
 Makeham's curve I 298-303
Limit
 to probability of deviations of given sizes without assumption as to distributions, Generalised Tehebycheff Limits XII 284-96
Lindsay, D. E. (reference)
 Dietaries IX 530-33, X 169-74
Linearity
 Test for linearity of regression, Blakeman's criterion IV 332-50
Lithuanians
 head measurements IV 165, 294
Litter
 inheritance of size of, in mice V 436-49
 — — in sows V 203-5
Liver
 weight of in man III 63-83, IX 473-85
Lloyd, R. E. (reference)
 Fertility in rats VII 381-85, VIII 244-47, 247-49
Lobster-claw, see *Split-foot*
Lock, R. H. (reference)
 notice of book on Variation, Heredity and Evolution V 478-80
Long Barrow
 Crania, measurements and descriptive catalogue IV 351-62
 Cranial measurements, compared with Whitechapel III 207, 243, 244
 — — — Moorfields and Whitechapel V 104
 — — — Moriori XI 95-102
Lucas, E. V.
 Appreciation of Goring XII 300, 301
Ludwig, F.
 Variation problems in plants I 11-29
 — — — (reference) I 316-19
Lumbricus (earthworm)
 Variation and correlation in IV 213-29
Lung capacity
 relation to other physical characters VIII 44-46, 49-51
 See also *Vital capacity*
Lungwort (*Pulmonaria officinalis*)
 Variation in flowers and heterostylism III 398-458
Luschan, F. von (reference)
 Anthropometry, inhabitants of Eastern Mediterranean XIII 92, 98, 102-7
Lutz, F. E.
 Change of sex and inheritance II 237-40
Lychnis diurna and Lychnis vespertina
 Inheritance of hairiness in II 47-55
Macalister, A. (reference)
 sesamoids XIII 154, 155, 171, 361, 382
McAlister, D. (reference)
 frequency distributions IV 193-99
MacCormick, A. (reference)
 sesamoids XIII 382
Macdonald, D.
 Pigmentation and susceptibility to disease VIII 13-39
 — — — (reference) VIII 368, 369
Macdonell, W. R.
 Crania (references) VIII 308, 309, 312, XI 101, 106, XIII 178-80
 — English, Moorfields V 86-104
 — — Whitechapel III 191-244
 Cranial measurements, Naqada (reference) I 429
Criminal anthropometry I 177-227
Expectation of Life in Ancient Rome IX 366-80
Frequency distribution for skull characters (reference) IV 37-40

- Macdonell, W. R. (cont.)**
 Obituary Notice XI 281-83
 Smallpox and Vaccination I 375-83, II 135-44
- McDougall**
 spot test (reference) VIII 41
- McIntosh, D. C.**
 Variation in *Ophiocoma nigra* II 463-73
- McIntosh, J. and J. E. Adler**
 Histological Examination of case of Albinism
 VII 237-43, (reference) VII 244, 245
- Maciver, D. R.**
 Cranial measurements I 424-27
- McKendrick, A. G.**
 Frequencies of occurrence calculated from
 number of unequal probabilities VIII 413-19
- McKendrick, A. G. and W. F. Harvey**
 Opsonic index VII 64-95
- Mackenzie, W. C. (reference)**
 sesamoids XIII 384, 385
- Maclaurin (reference)**
 Euler-Maclaurin quadrature formula I 273
 Expansion and curve-fitting I 267-72
- MacLeod, J. (reference)**
 Organic correlation in *Ficaria ranunculoides*
 I 125-28
- McMahon, J.**
 hyperspherical goniometry and its applica-
 tion to multiple correlation XV 173-208
- McMullan, G. and K. Pearson**
 Split-foot, inheritance of IX 381-90
- Maize**
 and De Vries' mutation theory I 369
- Makeham (reference)**
 Fitting of curve to mortality statistics
 I 298-303
 Hypothesis of, applied to graduation of sick-
 ness table II 503, 504, III 52-57
- Malaria**
 and Mosquitos VII 421-36
- Malays**
 Cranial measurements, compared with Bur-
 mese XIII 235-47, 250, 251
 — — — Tibetan XIV 206-26
 — — — nasal characters IX 395, 400-7, 410-21, 425, 427, 432
- Manners-Smith, T. (reference)**
 sesamoids XIII 377, 383
- Mantis religiosa**
 colour in III 58-59
- Maori**
 Cranial measurements, compared with Mo-
 riori XI 95-102
 — — — Tibetan XIV 222-26
 — — — nasal characters IX 395
- Maravar (Dravidians)**
 Cranial measurements, compared with Bur-
 mese XIII 238, 239, 244-47, 250
 — — — Tibetan XIV 206-26
- Marehand (reference)**
 brain-weight IV 16
- Marriage**
 ante-nuptial conceptions and births in
 Australia I 31
- Marriage, age at** II 20-23
 and duration of life IV 256-63
 — — marriage and number of offspring
 IV 264-80
- and fertility** XIV 337-54
- Marshall, John (reference)** IV 16
- Marsupials**
 sesamoids in XIII 371-75
- Martin, R. (reference)**
 Crania XI 94, 99, 100
- Mathematics**
 Intelligence in VII 352-67
- Matiegka, H. (reference)**
 Brain-weight IV 17, 18
- Maynard, G. D.**
 Anti-typhoid inoculation VI 366-75
 Cancer death-rates VII 276-304
 Diabetes death-rates VIII 225-31
 Human Fertility, study in XIV 337-54
 Piebald Negro X 193
 Shirley poppies VII 227-30
- Maynard, G. D. and J. McD. Troup**
 Distribution of cases of disease in houses
 VIII 396-403
- Mazes**
 Association of steadiness of hand with ra-
 pidity and artistic capacity XII 170-77
- Mean**
 Means of samples not drawn at random, dis-
 tribution of VII 210-18
 Median and Mode, relation of in Frequency
 curves XI 425-29
 Probable error of distance from Mode to
 VII 129, 130, 142, 143
 von Török's attack on II 339-45, 508-12
 See also Frequency constants, Frequency dis-
 tributions, Probable error and Small samples
- Measles and Pigmentation** VIII 25-39, 360-65
- Meckel, J. F. (reference)**
 sesamoids XIII 351-57, 362, 363, 368-71
- Mediterranean**
 anthropometry of inhabitants of Eastern
 XIII 92-112
- Mendelism** V 36, 39, 42, 47, 48
 Albinism in Sicily III 107, 108. Note on, III 471, 472
 Alternative Inheritance, law of in peas
 I 228-54
 Ambiguity of Mendel's categories II 44-55
 Ancestral Inheritance, law of, and
 II 211-29, III 109-12, VIII 241-243
 Bateson's revision of theory II 286-98
 Canaries VII 1-42, 403-9
 Coat-colour in cattle IV 427-64
 — — greyhound III 248, 263
 — — mice
 II 101-4, 165-73, 282-85, III 1-51, IV 1-12
 — — rabbits II 299-306
 Correlation Coefficient and VIII 420-24
 Eye-colour VIII 267-79
 Fowl, variation in comb of VI 420-32
 Foxgloves, inheritance correlations in
 XI 323-27, XIV 103-26
 Goodness of fit of observation to theory in
 Mendelian experiments IX 309-14

Mendelism (*cont.*)

Linearity of regression and VIII 421-23
Mathematical Theory of Inheritance and VI 80-93

Mendelian and anatomical units in connection with nasal bridge of crania IX 423, 424, 434

Mice-breeding II 101-4, 165-73, 282-85, III 1-51, IV 1-12

Piebaldism IX 330

Probable error of Mendelian class frequency XI 429-32

Rabbit-breeding II 299-306

Racial heredity and, Jews and Gentiles VIII 424-30

Skin-colour crosses between Negro and White VI 348-53

Split-foot and Lobster-claw VI 69-79, IX 383-90

Split-foot and split-hand VI 50-56, 117, 118

Sex-ratio, inheritance of and V 77, 79

Spinax niger III 345, 346, 363-65

Variation and VIII 423

Yule's coefficient of Association and Colligation and IX 206-13

Mental and Moral Characters, see **Psychical Characters**

Mental Defect and pigmentation VI 197

in criminals XI 7-15

Mérekowsky, C. de (reference)

Crania, nasal measurements VIII 316, 317, 320, IX 392-95, 398, 405

Merism and sex in *Spinax niger* III 313-65

Mice V 41, 44

Breeding experiments, records of matings (Weldon) XI. Appendix 1-60

Inheritance of coat-colour in II 101-4, 165-73, 282-85, 294-98, III 1-51, IV 1-12

Inheritance of sex-ratio and size of litter V 436-49

Milk inheritance in production of butter fat VII 106-26

— of quantity and quality of VII 548-50

Mode Criteria for uni- or bi-modality of dimorphic frequency curves III 84-98

Determination of I 260, 261

Median and Mean, relation of in Frequency curves XI 425-29

Probable Error of distance from mean to VII 129, 130, 142, 143

Mollusca II 24-43, III 299-306, V 32-34, 37, 38, 387-99

Molluscoidea I 128

Moment Coefficients Corrections for, when there are finite or infinite ordinates and any slopes at terminals of range of frequency distribution, Non-Asymptotic Curves XII 231-51

— — — — Asymptotic Curves XII 251-58

Deviations of, mean values of products of XII 183-84

Moment Coefficients (*cont.*)

Values of constants β_1 and β_2 for distributions of moment coefficients of any order in samples XII 260-66

Variation of in samples XII 140-69, 185-210, XIII 283-95

See also **Moments**

Moment Functions

Incomplete Normal, with tables VI 59-68

Moments

Adjustment of IV 380-84

Calculation of crude IV 374-78

Corrections for, Sheppard, calculation of V 450-59

— — Elementary proof of III 308-12

Curve fitting by method of I 265-303, II 12-23

determination of those of whole distribution from those of quadrant XIII 424-25

Incomplete Moments of Normal Solid XIII 401-25

Mathematical expectation of moments of frequency distributions XII 140-69, 185-210, XIII 283-95

of trapezoidal areas II 7

Probable errors of II 273-81

Sheppard's corrections for III 308-12, V 450-59

See also **Frequency constants**, **Moment coefficients**, **Product moments**

Monotremes

sesamoids in XIII 383-86

Moorfields Crania

Variation and correlation in, and comparison with Whitechapel (with plates) V 86-104

Comparison with Negro VIII 302-24

— — Tibetan XIV 208

— — Whitechapel III 212, 243, V 86-104

Morant, G.

Random occurrences in space and time XIII 309-37

Tibetan Crania XIV 193-260

Morant, G. M. and Y. Koga

Degree of association between reaction times for different senses XV 346-72

Morgagni, J. B. (reference) XIII 151

Moriori

Crania, measurements, contours and comparison with other races (with plates) XI 82-135

Cranial measurements, compared with Tibetan XIV 210-49

Question of artificial deformation of (with plates) XIII 338-47

Morphology

of fruit of *Sanguinaria* VII 305-51

Mortality

Gompertz Law of II 261

Social distribution of, from different causes in England and Wales, 1910-12 XV 382-400

Mortara, G. (reference)

Economic Index values for Italy X 340-55

Moschatel (*Adoxa Moschatellina*)

Variation in II 108-13, VII 218-22

- Mosquitoes and Malaria** VII 421-36
Moths V 32
Mott, F. W. (reference) X 356-83
 Anticipation and Insanity
Mouse, see Mice
Mulberry
 Variation in leaves of I 258, 259
Müller, G. E. (reference)
 Curve-fitting, psychophysical data XII 220-27
Multiple Contingency, see Contingency
Multiple Correlation, see Correlation, multiple
Mumford, A. A. and M. Young
 Inter-relationships of physical measurements and vital capacity XV 109-33
Mutation
 De Vries' Theory I 365-74
Myers, C. S. (references)
 Anthropometrical statistics, Egyptian VIII 67-68
 Homogeneity in collections of crania II 345-47, 504-8
Myres, J. L. (reference)
 Inhabitants of the Eastern Mediterranean XIII 94
Nagada
 Crania, variation and correlation in, comparison with other races (with plates) I 408-67
 — See also On homogeneity in collections of crania II 345-47, 348-56
 Cranial measurements compared with English, Whitechapel III 207-15, 221-26, 232-39
 — — — Negro VIII 302-14, 321-24
 — — — Tibetan XIV 208-26
Narumi, S.
 Bivariate frequency distributions, general forms when regression and variation are subjected to limiting conditions XV 77-88, 209-21
 Further inequalities with possible applications in the theory of probability (upper and lower limits to tails of frequency distributions) XV 245-53
 — — — note on XV 421-23
 Review of paper on interpolation by XIV 420
Nassa obsoleta and Nassa trivittata (snails) II 24-43
Natural Selection, see Selection
Neanderthal Skull II 352, 353
Negro
 Crania, Congo-Gaboon, Measurements and comparison with other races (with plates) VIII 292-337
 — Formulae for determination of capacity from external measurements X 188-93
 Cranial measurements, compared with Moriori XI 95-112, 125-32
 — — — Nagada I 426-65
 — — — Tibetan XIV 208-47
 — Nasal characters IX 394-437
 — Type, compared with English VIII 134-38
 — — Contour Plates VIII 155-71
Negro (*cont.*) X 193
 Piebald
 Skin-colour of crosses between Negro and White VI 348-53
Nesbit, R. (reference) XIII 136, 137
 sesamoids
Nettleship, E. (reference) VI 71, 73, 118
 night-blindness
Newbold, E. M.
 Note on paper by Burnside on errors of observation XV 401-6
Newbold, E. M., L. D. Cripps and M. Greenwood
 Inter-relation of vital capacity, stature, weight, etc. XIV 316-36
Newsholme, A. (reference) X 530-48
 Tuberculosis
Newton (reference) I 275
 Quadrature formula
New Zealand data XIV 337-54
 Study in Fertility
Nichols, J. B. (reference)
 Numerical proportions of Sexes at birth. VI 123
 Notice of book
Night-blindness VI 71-73
 Nettleship family
Noise, see Vivacity
Noorduyn, C. L. W. (reference) VIII 435-36
 Canary-breeding
Normal Correlation VI 59-68
 Incomplete moment functions
 Surface, 2 variables, product moments XII 86-92
 — n variables, product moments XII 134-39, 177-83.
Normal Curve
 Fitting of, when part only of frequency is given II 1-7
 Instrument for drawing III 469
 Probable error of skewness and modal divergence, calculation of V 190
 Problem of Inverse probabilities XIII 8-16
 Sheppard's Tables of areas and ordinates II 174-90
 Table of deviates for each permille of Frequency V 405
 — ordinates for each permille of Frequency XIII 426-28
 — "Tail" functions VI 68
 — — — when tail is more than half the curve X 208-14
Normal Solid
 Incomplete moments of XIII 401-25
Nubians
 cranial measurements, nasal characters IX 395, 403-7, 421, 425, 427, 429, 432
Nucleus
 Mass relation of nucleus and cytoplasm II 241-54
Nyasaland Natives
 Congenital anomalies (with plates) X 1-24
 Pigmentation anomalies (with plates) IX 333-65
Nystrom (reference)
 Hypothesis as to head-form IV 286

- Observations**
 Choice in distribution of XII 1-85
- Obstetric Prediction** IX 486-529
 Abac for determination of Conjugate IX 539-40
- Occipital Bone**
 Observations on, Egyptian Crania VIII 257-61
- Occipital Index**
 Tables for calculating XIII 261, 262
- Occupation**
 and cancer and diabetes VII 288, 289
 Contingency between occupations of father and sons III 467-69
 and number of offspring IV 280-85
 and smallpox vaccination II 138-44
- Offspring**
 number of, correlation with duration of life IV 233-47
 — — duration of marriage IV 264-80
- Ophiocoma nigra** (Brittle-star)
 Variation in II 463-73
- Opsonic Index**
 Mathematical and Functional Error VIII 203-24
 Phagocytic Counts, frequency distributions of VI 376-401
 — — distribution of means of samples VII 505-30
 — — frequency constants VII 531-41
 Reliability of for diagnosis, etc. VII 64-78
 Comparison of indices calculated by different observers VII 79-95
- Oraons of Chota Nagpur**
 head measurements II 346, 352-56
- Order**
 Effect on correlation of changing order in scale V 176-78
- Orensteen, M. M.**
 Anthropometry, Cairo natives XI 67-81
 Head measurements, Egyptian Natives XIII 17-24
- Oorschansky, O.** (reference)
 Inheritance of sex in man V 72, 78
- Ottomans**
 in Egypt X 280-87
- Owen, R.** (reference)
 sesamoids XIII 351, 356, 358, 365, 368-71, 377
- Oxford Undergraduates**
 Acuity of Vision VIII 43
 Head measurements VIII 47, 48
 Physical development VIII 44-47
- Pairman, E. and K. Pearson**
 Moment coefficients, corrections for XII 231-58
- Parabola**
 Instrument for drawing III 469
- Paramecium**
 Conjugation in V 213-97, VII 372
 Variation in V 53-72
- Parental Correlation**, see Inheritance
- Parisians**
 Cranial measurements compared with White-chapel III 221-26
- Parker, K. M., W. Rowan and J. Bell**
 Terns' eggs X 144-68
- Parker, T. J.** (reference)
 sesamoids XIII 389
- Parke, A. S.**
 Sex-ratio and related phenomena in pig-litters XV 373-81
- Parsnip** XI 39-49
- Parsons, F. G.** (reference)
 Crania XIV 221, 222
 English Femur X 209-13, 573, 574
 sesamoids XIII 355, 357, 359, 368, 369, 372, 374, 381
- Parthenogenetic Inheritance** I 129-54, 400
 and Pure Line Theory VII 372-81
- Partial Contingency**, see Contingency
- Partial Correlation**, see Correlation, partial
- Pastinaca sativa** XI 39-43
- Paton, D. N.**
 Dietaries, Statistical study of X 169-72
- Pauperism**
 and Tuberculosis X 530-48
- Pea**
 Inheritance in, Mendel's Law I 228-54, II 45
- Peacock** (reference)
 Brain-weights III 63, 68, IV 31, 129, 133
- Pearl, M. D. and R. Pearl**
 Variation in comb of Domestic Fowl VI 420-32
- Pearl, R.**
 Brain-weight, variation and correlation in IV 13-104
 — — comparison with Gladstone's material IV 132-44
 — — (reference) IX 478-80
 Chilomonas, variation in, under favourable and unfavourable conditions V 53-72
 Duration of Life, mean, for those dying within the first year of life IV 510-16
 Fertility in Poultry (reference) VII 370, 371
 Frequency constants of compound variable $z = f(x_1, x_2)$ VI 437, 438
 Mendelism (reference) IX 310-14
 Paramecium, conjugation in V 213-97
 Probable error of Mendelian Class Frequency, criticism of (reference) XI 429-32
 — errors of skewness and modal divergence of Normal Curve V 190
 — — of standard deviation, points concerning VI 112-17
- Pearl, R. and F. J. Dunbar**
 Variation and correlation in Arcella II 321-37
- Pearl, R. and W. N. Fuller**
 Variation and correlation in earthworm IV 213-29
- Pearl, R. and M. D. Pearl**
 Variation in comb of Domestic Fowl VI 420-32
- Pearson, E. S.**
 Natural Selection and the Age and Area theory of Dr Willis XV 89-108
 Personal Equation, Variations in and correlation of successive judgments XIV 23-102
 Probable Error of Class-Index Correction XIV 261-80

Pearson, E. S. and Karl Pearson

Polychoric coefficients of correlation
XIV 127-56

Pearson, H. S.

Terns' eggs, co-operative study XV 294-345

Pearson, Karl

Albinism, internal VII 244-47
Ancestral Heredity, Law of II 211-29
— Inheritance VIII 239-43
Association, surface of constant IX 534-37
Biology, Fundamental conceptions of
I 320-44

Broad Categories, influence of on Correlation
IX 116-39

Brain-weights (reference) IV 15, 29, 47

Cancer Houses VIII 430-35, IX 31-33

Compound Frequency Distributions in which
components can be described by Binomial
series XI 139-44

Correction of misstatement by Greenwood
on Phthisis death-rates X 418, 419

Correlation, effect of changing scale order on
V 176-78

Correlation coefficient, bi-serial expression for
VII 96-105

— — Partial and Multiple, properties of, and
relations between coefficients of different
orders XI 231-38

— Ratio, Bi-serial and tri-serial
VII 248-57

— — Correction for, comparison with mean
value for zero correlation
VIII 254-56, XIV 412-17

Cows, inheritance in VII 548-50

Crania (reference) III 207, 221

Cranial measurements (reference)
I 409-13, 458, 461

— Types II 509-12

Curve fitting I 265-303, II 1-23

Curves for describing Frequency of Random
samples V 172-75

Darwinism, Biometry and some recent Bio-
logy VII 368-85

Determination of Mode I 260, 261

Disease, multiple cases of in Same House
VIII 404-12, IX 28-33; see also VIII 430-36

Dietaries IX 530-33,
X 172-74, (reference) X 169-72

Expectation of Life, change of in 2000 years
I 261-64

Femur measurements, reply to Dr Parsons
X 573, 574

Fertility and Degeneracy VII 258-75

— Inheritance of
VII 381-85, VIII 244-47, 247-49

Frequency constants of index distributions
VII 531-41

— surfaces, skew XV 222-30

— — non-skew XV 231-44

Fundamental Problem of Practical Statistics.
Bayes' Theorem
XIII 1-16. Note, XIII 300-1

Galton's Difference Problem I 385-99

Goodness of Fit in Statistics and Physics
XI 239-61; see also XII 267-81

Pearson, Karl (cont.)

Goodness of Fit. χ^2 test XIV 186-91

— — note on XIV 418

Hair- and Eye-colour, correlation between in
man III 459-62

Heredity in Sex, remarks on Cobb's note
VI 109

Heterogeneity, coefficient of class V 198-203

History of Correlation XIII 25-45

Homogeneity and Heterogeneity in Crania
II 345-47

Homotyposis in *Paramecium caudatum*
I 400-7

Honduras Piebald IX 330-31

Index Distributions, remarks on constants
of VII 531-41

Inheritance of Intelligence XII 367-72

— Mathematical Theory of Determinantal
VI 80-93

— of Meristic characters, note on III 363-65

— of psychical characters
III 131-90, XII 367-72

Intelligence, relationship to head measure-
ments and other physical and mental
characters V 105-46

Limits to Area of Tails of Frequency Distri-
butions, Generalised Tchebycheff Theorems
XII 284-96

Mean square contingency, probable error of
X 570-73

Mendelians views of law of ancestral in-
heritance III 109-12

Moriori Crania, question of artificial deforma-
tion of XIII 338-47

Multiple and Partial Contingency, general
theory XI 145-58

— Correlation, errors with regard to
X 181-87

Note on attack of Prof. A. von Török on use
of arithmetic mean in craniometry
II 339-45

— on the separate inheritance of quantity
and quality in cow's milk VII 548-50

— on Dr Simpson's memoir on *Paramecium*
caudatum I 404

Notice of paper on Past Experience and
Future Expectation (reference) V 478

— — Tuberculosis (reference) V 478

Opsonic Index VII 533-41, VIII 203-24

Phthisis Death-rate XII 374-76

Probable error of Biserial η XI 292-301

— — in Multiple Normal Correlation. De-
termination of frequency constants of
Normal distribution from moments of tail.
Incomplete Normal moment functions
VI 59-68

— — of coefficient of mean square contin-
gency X 570-73

— — of tetrachoric r IX 22-27

Probability that two independent frequency
distributions are samples from same popu-
lation VIII 250-54, X 85-143

Ranks and Grades Correlation X 416-18

— — — application to examination results
XIII 302-5

Pearson, Karl (cont.)

- Reply to criticisms of G. U. Yule V 470-76
 Scale order, certain points connected with,
 in the correlation of two characters which
 for some arrangement give a linear re-
 gression line V 176-78
 Selection, influence of on variation and corre-
 lation VI 111-12, VIII 437-43
 Sex-ratio, remarks on Cobb's note VI 109-11
 Sexing of osteometric material X 479-87
 Sickness table (reference) II 260-72
 Significance of difference of sample and sub-
 sample V 181-83
 Skew regression line, method of determining
 successive turns XIII 296-300
 — variation, rejoinder to Ranko and Greiner
 IV 169-212
 — — rejoinder to Kapteyn V 168-71
 Skin-colour of crosses between Negro and
 White VI 348-53
 Smallpox, distribution of severity of attack
 IV 505-10, V 362-64
 Split-foot and lobster-claw, inheritance of
 VI 69-79, IX 381-90
 Stability of offspring population, conditions
 for X 175-78
 Tadpoles, biometric study of blood cor-
 puscles in VI 402-19
 Terns' eggs, co-operative study XII 308-54
 Terns' eggs, co-operative study XV 294-345
 Trypanosome strains X 85-143
 Variation in sparrow's egg I 256, 257
 White-lock family, Barton XIII 347-49
 See also Editorial
- Pearson, Karl and A. Barrington**
 Inheritance of coat-colour in cattle IV 427-64
- Pearson, Karl, A. Barrington and A. Lee**
 Inheritance of coat-colour in greyhound
 III 245-98
- Pearson, Karl and M. Beeton**
 Inheritance of duration of life I 50-89
- Pearson, Karl and J. Blakeman**
 Probable error of mean square contingency
 V 191-97
- Pearson, Karl and B. M. Cave**
 Variate Difference Method X 340-55
- Pearson, Karl and A. G. Davin**
 Sesamoids of the knee-joint XIII 133-72
 — — — evolution of XIII 350-400
- Pearson, Karl and E. M. Elderton**
 Diphtheria attack and death-rate, influence
 of isolation on X 549-69
 General Health, heredity character of
 IX 320-29
 Natural Selection in Man X 488-506
 Variate Difference method
 XIV 281-310; see also X 488-506
- Pearson, Karl and D. Heron**
 On Theories of Association IX 159-316
- Pearson, Karl, S. Jacob and A. Lee**
 Inter-racial correlation, cranial and head
 measurements II 347-56
- Pearson, Karl and A. Lee**
 Inheritance in man, physical characters
 II 357-462
- Pearson, Karl and M. A. Lewenz**
 Measurement of capacity from cranial cir-
 cumferences III 366-97
- Pearson, Karl and G. McMullan**
 Split-foot, inheritance of IX 381-90
- Pearson, Karl and E. Pairman**
 Moment coefficients, corrections for
 XII 231-58
- Pearson, Karl and E. S. Pearson**
 Polychoric coefficients of correlation
 XIV 127-56
- Pearson, Karl and Marion Radford**
 Homotyposis in Beech leaves III 104-7
- Pearson, Karl, H. E. Soper, A. W. Young,
 B. M. Cave and A. Lee**
 Small samples, distribution of correlation
 coefficient in XI 328-413
- Pearson, Karl and P. Stocks**
 Unusual case of digital anomaly (with plates)
 XIV 410, 411
- Pearson, Karl, E. Y. Thomson and J. Bell**
 Wasps VII 48-63, VIII 1-12
- Pearson, Karl and J. F. Tocher**
 Differential death-rates, criteria for existence
 of XI 159-84
- Pearson, Karl and W. F. R. Weldon**
 Inheritance in *Phaseolus vulgaris* II 499-503
- Pearson, Karl, A. Wright and A. Lee**
 Wasps V 407-22
- Pearson, Karl and A. W. Young**
 Probable error of Contingency coefficient
 without approximation XI 215-30,
 Corrigenda XII 259-60
 Product moments, normal correlation surface
 XII 86-92
- "Peccavimus," Editorial**
 Probable error of contingency coefficient
 without approximation. Corrigenda
 XII 259-60
 On the conditions under which the probable
 errors of frequency distributions have a
 real significance, corrections and additions
 XII 260-66
 Probable error and frequency distribution
 of errors in mean and s.d. of arrays
 XII 267-81
 Corrigenda to 2nd Supplement to Memoir
 on Skew Variation XII 281
- Pectinatella magnifica**
 statoblasts of I 128
- Pedigrees**
 Albinism VII 243
 Lobster-claw VI to face 71, IX to face 381
 Piebald Family X to face 200
 Pigmentation of human iris VIII 276
 Split-foot VI to face 27
 White-lock family, Barton XIII 347
- Pelle, W. H. (reference)**
 Whitechapel crania III 194, 196
- Pelvis**
 Abac for determining obstetric conjugate
 IX 539-40
 Correlation of measurements of IX 486-529
 Variation in Female, American Indians (with
 plates) IX 34-57

- Perrin, Emily**
 Contingency between occupation of father and sons III 467-69
 Extrapolation III 99-103
- Persians**
 Head measurements IV 295
- Personal Equation** V 472-76
 Effect of in sexing crania and in taking measurements IX 393-98
 Variations in and correlation of successive judgments XIV 23-102
- Persons, W. M. (reference)**
 Variate difference method, Reply to criticism *re* correlations of X_p and X_{p+s} , X_p and Y_{p+s} etc. XIV 282-309
- Petrie, W. M. Flinders (reference)**
 Naqada Crania I 411, 412, 422
 Notice of lecture on Migrations V 480
- Pfitzner, W. (references)**
 Hair- and eye-colour III 464, 465
 Hand measurements I 345-60
 Sesamoids XIII 133, 134, 137, 158, 163-67, 170, 171, 351
- Pflüger, E. (reference)**
 Frog's egg V 161, VII 201
- Phagocytic Counts. Opsonic Index**
 Frequency distributions (Greenwood and White) VI 376-401
 — of means of samples (Greenwood and White) VII 505-30
 — Constants of (Pearson) VII 531-41
 Reliability of for diagnosis, etc. (Harvey and McKendrick) VII 64-78
 Comparison of indices calculated by different observers (Harvey and McKendrick) VII 79-95
 Mathematical and Functional Error (Pearson) VIII 204-24
- Phaseolus**
 Inheritance in II 290-92, 499-503
 Weight of seed and characteristics of plant IX 11-21, X 72-84
- Philippines**
 Cranial measurements, nasal characters IX 395, 399-432
- Phillips, E. F. (reference)**
 Variability in bees V 419-21
- Phillips, E. F. and G. M. Rommel**
 Inheritance of size of litter in sows V 203-5
- Philosamia cynthia (silkworm)**
 Variation and elimination in III 113-30
- Phthisis**
 Death-rate, check to fall of XII 374-76
 See also Tuberculosis
- Physical characters**
 in man, inheritance of II 357-462
 — compared with that of psychical characters III 131-90
- Physical Defects**
 and pigmentation VI 197
- Physical Development**
 Oxford Undergraduates VIII 44-47
- Piebalds**
 Honduras, note on with plates IX 330-31
 Negro (with plate) X 193
- Piebalds (cont.)**
 Nyasaland Natives (with plates) IX 347-52
 Cockayne's Family (with plates and pedigree) X 197-200
- Pig**
 Fecundity in sows VI 433-36
 Inheritance of size of litter in sows V 203-5
 Sex-ratio and related phenomena in pig litters XV 373-81
- Pigmentation**
 Anomalies among Nyasaland Natives IX 333-65
 Colour of cuckoo's eggs ... I 164-76
 Eye-colour, inheritance of (with plates and pedigree) VIII 267-79
 Examples of anomalies IX 338-46
 of Scottish Insane V 333-44
 Piebalds and spotlings IX 347-52
 Hair pigmentation anomalies IX 352-53
 Leucoderma IX 353-58
 Mesoblastic pigmentation in foetal eyes (with plates) XIII 51-56
 Relation of Stature and Weight to VIII 340-53, 369-75
 Skin-colour of crosses between Negro and White VI 348-53
 Survey of Schoolchildren in Scotland, VI 129-235. Appendix of tables, etc. Supplement to VI 1-67
 and susceptibility to disease VIII 13-39, 354-69
 See also Albinism, Coat-, Hair- and Eye-colour, piebald
- Pinnipedia**
 sesamoids in XIII 355
- Pinus silvestris**
 Variation in length of needles I 21-23
- Plots**
 Arrangement of, to secure most efficient results in testing cereals XV 271-93
- Poisson**
 Exponential Binomial limit in connection with compound frequency distributions XI 139-44
 Explanation of deviation from Poisson's Law in practice XII 211-15
 Law of Small numbers. Table of exponential limit, X 25-35. Theory and application to cell frequencies, X 36-47. Criticisms of applications of, X 48-71
 Normal Curve (reference) IV 189-93
- Poles**
 head measurements IV 165, 295
- Poll, H. (reference)**
 Moriori Crania XIII 339-45
- Polychoric Functions**
 properties of, etc. XIII 409-17
- Polychoric Table**
 Correlation coefficient, see under Correlation coefficient
- Polydactyly**
 Nyasaland natives (with plates) X 18, 19

Polymorphism

Sources of apparent, in plants
I 304-19, II 113-14, 114

Polynomial Function

Standard deviations of adjusted values of
and guidance they give in choice of distri-
bution of observations XII 1-85

Poppy

inheritance in
II 56-100, (with plate) IV 394-426
Variability in VII 227-30

Popularity

inheritance of III 152, 155, 186
intelligence and V 126-31, 136, 146

Population

density of and pigmentation VI 185, 186

Powers and Sums of Powers

of Natural Numbers. Tables II 474-80

Powys, A. O.

Anthropometric data from Australia for the
problem of evolution in Man
I 30-49, IV 233-85

Fertility in Man (reference) XIV 337-45

Prediction Formulae

Brain-weight from head measurements
IV 146-49
Capacity from cranial circumferences
III 370-74

— — external measurements X 188-93

See also Reconstruction formulae

Primates

sesamoids in XIII 360-65

Prizes

most suitable proportion between the values
of first and second I 385-99

Probabilities

problem of inverse IX 69-90, XIII 1-16

Probability

Integral, Sheppard's Tables of II 174-90
Limit to probability of deviations of given
sizes without assumption as to distribu-
tion, Tchebycheff generalised limits
XII 284-96

Probable Error

of Binomial Frequency constants X 37-38
of Class-Index Correction, Broad Categories
XIV 261-75

— — — Quantitative Method XIV 275-80

of Contingency, coefficient of mean square
V 191-97, X 570-73

— — — — without approximation
XI 215-30

— — — — Corrigenda XII 259-60

of Correlation coefficient IX 4-6

— — Abac for VII 410, 411

— — Biserial X 384-90

— — Polychoric Table, Enneachoric Method
XII 97-106

— — — Polychoric Method XII 115-19

— — Ranks and Grades method, experi-
mental determination XIII 264-82

— — Small samples, experimental work and
empirical formula (Student) VI 302-10

— — — — P.E. to a 2nd approximation
(Soper) IX 91-115

Probable Error (cont.)

of Correlation coefficient, Small samples
(Fisher) X 507-21, XI 328-413

— — Tetrachoric IX 22-27

of Correlation Ratio, Biserial XI 292-301

— — — Table to assist computation of XI 302

of counting with haemacytometer V 351-60

of Criterion κ_2 for frequency types (Table)
VII 396-97

of difference between Correlation coefficient
and Correlation ratio IV 332-50

of difference of sample and sub-sample
V 181-83, 315-33

of distance of mean of group from mean of
wholesample in broad categories XIV 262-64

of Frequency constants, one variate. Mo-
ments, mean, correlation between errors
in moments II 273-81

— — two variates, Correlation coefficient,
product moments, means of arrays from
regression line, coefficients of regression
line IX 1-10

— — determined from grades, with special
reference to medians, quartiles and per-
centiles XIII 113-32

— — tables to facilitate computation of,
Probable error of β_1 and β_2 , of skewness,
of distance from mean to mode, Values of
higher β 's in terms of β_1 and β_2 VII 128-47

— distributions, significance of. Corrigenda
for paper XII 261-66

of Mean II 274

— small samples from Normal population
VI 1-25, X 522-29

— — — table for estimating probability that
a mean lies between $-\infty$ and a given dis-
tance from mean of population
VI 19, XI 414-17

— and Standard deviation of arrays
XI 239-61, XII 267-81

of Mendelian Class Frequency, criticism of
paper by Pearl XI 429-32

in Multiple Normal Correlation VI 59-68

Multiple Skew Regression XI 185-90

of Partial Correlation Coefficient VII 411-12

of Skewness and modal divergence, calcula-
tion of, for Normal Curve V 190

of small frequencies, application of law of
small numbers to determine X 40-47

of standard deviation, points concerning,
significance of assuming normality in
practice when actual distribution is not
normal, effect of Sheppard's correction
VI 112-17

of Standard Deviations and fraternal and
parental correlation coefficients XIV 1-22

Tables for facilitating computation of x_1 and
 x_2 IV 385-93

Variate Difference Method, m th difference
correlation (Anderson) X 278

— — — note on (Ritchie-Scott), when
population is kept constant by taking in
an additional observation at each suc-
cessive difference XI 136-38

Table of $2\phi(m) - 1$ for $m = 1$ to 20 XI 138

Product moments

- Correlation between product moments of different orders IX 1-3
 — — product moment about a fixed axis and one about an axis through the centroid IX 6-9

Formulae requisite for the determination of probable errors in the case of two variables IX 3

of Normal correlation surface of two variates, Tables of in terms of correlation coefficient XII 86-92

of Normal distribution in n variables XII 177-83

of any order Normal distribution in any number of variables, formulae for XII 134-39. Corrigenda, XII 266

Standard deviations of product moments of any order IX 1-3

See also Frequency constants

Protective Colouring, see Colour

Protozoa I 400-7, II 241-54, 321-37, V 53-72, 213-97

Prussians

Age and hair- and eye-colour III 462-65
 Hair- and eye-colour correlations III 459, 461

Pseudoclytia pentata (jellyfish) I 255

Psychical Characters

Inheritance of, Heymans and Wiersma data V 460-69

— Pearson's data for schoolchildren III 131-90

— Comparison of method of Broad categories and Binet-Simon tests for Intelligence XII 367-72

Correlation with Intelligence in School-children, Pearson's data V 126-36

See also Intelligence

Psychophysical Curves

Criterion of Goodness of fit of XII 216-30

Pulmonaria officinalis (lungwort)

Variation in flowers and heterostylism III 398-458

Pulse

Association with physique and intelligence in criminals XI 1-19

and Breathing rates and Stature VIII 232-36

Punnett, R. C.

Brachydactyly (reference) VI 118, 327

Merism and sex in *Spinax niger* III 313-62

Pure Line

Johannsen II 499-503

Hanel, Jennings, Johannsen, Warren VII 370-81

Purity of Gametes

I 228-54, II 44-55, 286-98, III 1-51

See also Mendelism

Quadrature Coefficients

Table of, for Sheppard's (c) formula XII 282, 283

Quadrature Formulae

I 272-282

Application of IV 378, 379

Quakers

Assortative-mating among II 481-98

Inheritance of duration of life I 50-89

Qualitative Variates, see Broad categories**Quatrefages, A. de** (reference)

Crania XI 100, XIII 338, 340, XIV 220

Rabbit-breeding

II 299-306

Race

Inter-racial Variation and Correlation between Man and Woman IV 162, 286-312

Racehorses

Inheritance of sex-ratio in VI 120-22

Races of Man

Comparison of Cranial measurements, Coefficient of racial likeness

XIII 247-51, XIV 205-27, 248, 249

— — — Burman and adjacent races XIII 235-51

— — — English and other races III 208-13, 221-26, 231-39

— — — Moriori and other races XI 94-133

— — — Naqada and other races I 424-40

— — — Negro and other races VIII 298-324, 333-36

— — — Tibetan and other races XIV 203-49

— — type contours VIII 131-38, XI 103-12, XIV 227-48

— races for nasal characters IX 409-17

Inter-racial prediction formulae for capacity from cranial circumferences

III 371, 380-90

See also Inter-racial correlation

Racial Heredity

Jews and Gentiles VIII 424-30

Radford, M. and K. Pearson

Homotyposis in beech leaves III 104-7

Rana (frog)

Symmetry of egg and symmetry of embryo V 147-67, VII 148-209

Rana temporaria (tadpole)

Study of red-blood corpuscles of VI 402-19

Random Occurrences

in space and time XIII 309-37

Random Sampling

On the test for I 155

Ranke, J. (reference)

Cranial measurements I 413-15, III 206, 226, IV 169, 170, 172

Ranke, K. E. (reference)

Skew Variation IV 169-212

Ranks and Grades (Method of Correlation)

Application to Examination results XIII 302-5

Correction for ties, Experimental determination of Probable Error XIII 264-82

Relation between actual variate correlation and correlation as determined from Ranks or Grades X 416-18

Rats

Fertility and weight in VII 381-85

Reaction Times

Degree of association between age, acuity and reaction times for different senses

XV 346-72

Reconstruction Formulae

- Capacity from cranial circumferences III 370-74
 Stature from other characters I 209-13
 See also Prediction formulae

Regeneration

- of feet in Blattidae VI 311-26

Regression

- I 322, 323, 365-74, II 217-28
 Curves, goodness of fit XI 239-61
 General forms of bivariate frequency distributions, when regression and variation are subjected to limiting conditions XV 77-88, 209-21
 Line, probable error of coefficients of IX 9
 — skew, method of determining successive terms XIII 296-300
 Linearity of, tests for IV 332-50
 Multiple VIII 239
 — skew, probable errors in XI 185-90
 Non-linear, three or more variables X 391-411

Reid (reference)

- Brain-weights III 63, 68, IV 31, 129, 133

Reproductive selection, see Selection

Reptiles

- sesamoids in XIII 389-90

Resemblance

- between Man and Woman IV 161-8

Retzius, A. (reference)

- Brain-weight IV 17

Reversion

- II 172, 289

See also Mendelism

Reviews

- Frequency Arrays (H. E. Soper) XIV 418, 419
 Some Formulas in the Theory of Interpolation of Many Independent Variables (S. Narumi) XIV 420
 Study of Women Delinquents in New York XIII 305-8
 Tuberculosis as an acute disease of Childhood (K. F. Andvord) XIV 191, 192

Rhind, A.

- Frequency distributions, errors of type VII 386-97 (tables)
 Probable errors, Tables for computation of, Probable errors of β_1 and β_2 etc. VII 128-47

Rhodes, E. C.

- Skew Correlation Surface XIV 355-77
 Time intervals between births XV 412-21

Ridgeway (reference)

- Anthropometry of inhabitants of Eastern Mediterranean XIII 93

Rietz, H. L.

- Inheritance in Cows VII 106-26

Ripley, W. Z. (reference)

- Anthropometry of inhabitants of Eastern Mediterranean XIII 93, 109-11

Ritchie-Scott, A.

- Correlation Coefficient, Polychoric Table XII 93-133
 — — — (reference) XIV 127-56
 Incomplete moments of Normal Solid XIII 401-25

Ritchie-Scott, A. (cont.)

- Probable error of Correlation Coefficient in Variate Difference Method, note on XI 136-38

Robbins, W. W.

- Gaillardia aristata, variation in VI 106-8

Rock, F.

- Teeth and use of Tooth brush VIII 237, 238

Rodents

- sesamoids in XIII 357-59

Romanovsky, V.

- Moments of binomial about its mean XV 410-12

Rommel, G. M. and E. F. Phillips

- Inheritance of size of litter in sows V 203-5

Ross, R. (reference)

- Malaria and Mosquitoes VII 421-36

Round Barrow Crania

- Measurements and descriptive catalogue IV 351-62

Roux, W. (reference)

- Egg and embryo of frog V 147, 148, 157, 161-67, VII 201, 204, 206

Rowan, W.

- Co-operative Study on Terns' Eggs X 144-68, XII 308-54

Royal Engineers

- Head measurements and cranial type contours VIII 131-33, 197-201

Russians

- Head measurements IV 161-68, 286-312
 — — Pigmentation and stature XV 254-70

Ryley, K. V. and J. Bell

- Study of Nasal Bridge in Anthropoid Apes IX 391-437

Salaman, R. (reference)

- Mendelism and racial heredity VIII 424-30

Saltzmann (reference)

- sesamoids XIII 150

Samples

- Curves for describing frequency of random samples V 172-75
 Probability that two independent frequency distributions are samples from the same population VIII 250-54, X 85-143
 Test for significance of difference of sample and sub-sample V 181-83
 — — Application to Scottish Insane data V 315-33

- Small, see Small samples

Sampling

- Probable occurrences in second small samples (with tables) IX 69-90

Sanguinaria (bloodroot)

- Morphology of fruit of VII 305-51

Sassafras

- Variation and Distribution of leaves XII 372, 373

Saunders, A. M. Carr

- Pigmentation, selection and anthropometric characters VIII 354-84

Saunders, E. R.

- Mendelism II 44-55

Scale order

- effect of changing, on correlation V 176-78

- Scarlet Fever**
and Pigmentation (Macdonald) VIII 22-39
— — (Saunders) VIII 360-65
- Schoolchildren**
Association of Drawing with other capacities VII 222-26
Inheritance of Intelligence. Gordon and Drinkwater data, etc. XIV 378-408
— Psychological characters in. Pearson's data III 131-90
Intelligence and head measurements and other physical and mental characters. Pearson's data V 105-46
— and home conditions XV 161-72
— Teachers' estimate VII 542-48, VIII 79-93, 94-108
Pigmentation of, in Scotland VI 129-235
Supplement to VI 1-67
— Stature and Weight (Elderton) VIII 340-53
— — — (Saunders) VIII 369-77
— and susceptibility to disease VIII 13-39
Stature and Weight. Glasgow data X 288-339
- Schtscherbakow, Th. S.**
Blattidae, four-jointed tarsus and regeneration of feet in VI 311-26
- Schulze, O. (reference)**
Egg and embryo of Frog V 148, 163, 167
- Schuster, E. H. J.**
Ancestral Inheritance, law of and Prof. Ziegler V 184
Anthropometric Laboratory, Oxford VIII 40-51
Crabs, variation in *Eupagurus prideauxi* II 191-210
Hereditary Deafness IV 465-82
Long and Round Barrow Crania IV 351-62
Mice, crossing of grey and albinos IV 1-12
Vital capacity, height, weight, etc. (reference) XIV 323-26
- Schuster, E. H. J. and E. M. Elderton**
Inheritance of Psychological characters V 460-69
- Scotland**
Pigmentation Survey VI 129-235. Supplement 1-67
- Scott (reference)**
Crania XI 82, 92-97, 104, XIII 340, 341, 344, 345
- Scottish**
Cranial measurements, comparison with English, Whitechapel III 241, 242
— — — Negro VIII 321-24
Insane, anthropometry of V 298-350 and supplement
Schoolchildren, Pigmentation and stature and weight VIII 340-53
— — and susceptibility to disease VIII 13-39
— stature and weight of, in Glasgow X 288-339
- Sea-cucumber (Holothuria)**
Variation, development and growth VI 236-301
- Seasonal polymorphism**
in plants I 304-19, II 113, 114
- Seasonal variation**
Termites VI 334, 335
Terns' eggs XII 310, 311
Wasps VIII 6-8
- Seed**
influence of weight of on plant IX 11-21, X 72-84
- Segregation**
influence of on Tuberculosis X 530-48
Law of I 228-54
- Selection**
Ancestral Heredity, law of II 224-28
Influence of in modifying intensity of inheritance in poppies IV 403-8
— on correlation and variation VI 111, 112, VIII 437-43
— on heredity in cows VII 113-17
— on inheritance in foxgloves XIV 103-26
Intermediates in *Bacillus coli* IX 331, 332
Pigmentation and VIII 13-39, 354-69
Selective elimination during development of fruits of *Staphylea* VII 452-504
Sexual selection in man IV 161-68, 287, 292
- Selection, natural**
in *Clausilia laminata* I 109-24
in Lepidoptera III 113-30
in Man, correlation of death-rates in infancy and childhood X 488-506
— intensity of IX 58-68
— — among the English I 50-89
— Snow's reply to critics VIII 456-60
in snails V 387-99
in wasps VIII 6-12
- Selection, periodic**
in *Clausilia laminata* I 119-24
in Man II 371, 395
in snails III 290-306
- Selection, reproductive**
in Man II 371-73, 395, 396, IV 280-85
in mice V 441-42
- Self-consciousness (introspection)**
III 152, 155, 185, V 126-31, 134, 135, 146
- Sergi, S. (reference)**
Inhabitants of Eastern Mediterranean XIII 93
- Sesamoids (of the knee-joint)**
Part I. Man (with plates) XIII 133-72
Part II. Evolution of sesamoids (with plates) XIII 350-400
Addendum XIV 409
- Severity of cases of disease**
means of estimating V 423-34
distribution of severity of attack in smallpox IV 505-10, V 361, 362, 362-64
- Sex**
Brain-weight and IV 45-51
Dimorphism in *Spinax niger* III 318-21
Heredity in VI 109-11
Influence of number of changes of on inheritance II 237-40, III 257
Inter-racial correlation and variation between the sexes IV 161-68
and merism in *Spinax niger* III 313-65
- Sex-ratio**
and related phenomena in pig-litters XV 373-81

- Sex-ratio** (*cont.*)
 Note on by Cobb VI 109
 — — Pearson's remarks on VI 109-11
 Inheritance of, in man V 73-78
 — — — and horses V 79-85
 — in mice V 436-49
 — in racehorses VI 120-22
 in *Spinax niger* III 321
- Sexing**
 Mathematical sexing of osteometric material X 479-87
 — — Dwight's method X 209-12
 Personal Equation, effect of IX 393-98
- Sexual selection**, see Selection
- Sheppard, W. F.**
 Corrections for moments I 287, V 450-59
 (reference) III 308-12, VIII 443
 Moments, calculation of V 450-59
 Quadrature Formulæ and curve fitting (reference) I 273-279
 Table of Deviates of Normal Curve V 405
 — of Probability Integral II 174-90
- Sheppard's Corrections**
 for Moments V 450-59
 — Elementary Proof of III 308-12
 — Fallacious Proof of VIII 443
- Sheppard's Tables**
 of Probability Integral II 174-90
- Shorthorns**
 Inheritance of coat-colour in IV 427-64
- Shrimps** V 14, 16, 17
- Shrubsall, F. C.** (reference)
 Crania VIII 292-96, 302
- Shufeldt, R. W.** (reference)
 Sesamoids XIII 386, 387
- Shull, G. H.**
 Astors I 311, II 113
- Shyness** (assertiveness)
 Inheritance of III 152, 155, 184
 Intelligence and V 126-31, 134, 135, 146
- Sickness-table**
 Graduation and Analysis of II 260-72, III 52-57
 Addendum II 503, 504
- Significance of difference**
 of death-rates, criteria for XI 159-84
 of sample and sub-sample V 181-83, 315-33
 See also VIII 250-54, X 85-143, on the probability that two independent frequency distributions are samples from same population
- Silkworms** (*Philosamia cynthia*)
 Variation and elimination in III 113-30
- Simpson** (reference)
 Quadrature Formula I 274
- Simpson, J. J.**
 Statistical Study of Cruciferae X 215-68
- Simpson, J. Y.**
Paramecium caudatum I 400-7
- Sims** (reference)
 Brain-weights IV 31, 129-33
- Sium latifolium** XI 47-49
- Skeletal Measurements**, see Anthropometry
- Skew Correlation Surface** (with plate) XIV 355-77
- Skew Regression**, see Regression
- Skew Variation**
 Pearson's reply to Prof. Kapteyn V 168-71
 Reply to criticisms of Ranke and Greiner IV 169-212
 Second supplement to memoir on, *Corrigenda* XII 281
- Skewness**
 Probable Error of VII 129, 144, 145
- Skin-colour**, see Albinism, Piebalds, Pigmentation
- Skull**
 Browne, Sir Thomas, skull, portraits and ancestry (with plates) XV 1-76
- Skulls**, see Crania
- Small Numbers**, Poisson's Law
 Table of Exponential Binomial limit X 25-35
 Application to Cell Frequencies X 36-47
 Criticisms of Applications of X 48-71
 Explanations of Deviations from in practice XII 211-15
- Small Samples**
 Frequency distribution of Correlation Coefficient in, Experimental work, etc. (Student) VI 302-10
 — — — — Distribution to a second approximation (Soper) IX 91-115
 — — — — Actual Distribution (Fisher) X 507-21
 — — — — Determination of constants and ordinates and of most probable value of correlation in sampled population XI 328-413
 — — of Standard Deviations of VI 3-6, X 522-29
 Probable Error of Correlation Coefficient, Experimental work (Student) VI 302-10
 — — — — To a second approximation (Soper) IX 91-115
 — — — — (Fisher) X 507-21
 — — — — (Co-operative Paper) XI 328-413
 — — of a mean VI 1-25, X 522-29
 — — — Table for estimating probability of deviations from mean of population VI 19, XI 414-17
 — occurrences in second small samples (with tables) IX 69-90
 Standard Deviations of samples of two or three, note on XI 277-80
 Tables, see under Tables, Small samples
- Smallpox** V 431-35
 Distribution of severity of attack IV 505-10, V 361-64
 Influence of previous vaccination I 375-83, II 135-44
 Vaccination IV 313-31, 483-504
- Smith, G.**
 Relation of nucleus and cytoplasm II 241-54
- Smith, H. D.**
 Crania, Egyptian, observation on occipital bone (with plates) VIII 257-61
 — — Pigmy (with plates) VIII 262-66
- Smith, Kirstine**
 "Best" values of frequency constants XI 262-76

Smith, Kirstine (*cont.*)

Choice of the Distribution of Observations
XII 1-85

Fraternal and Parental Correlation Coefficients
XIV 1-22

Snails V 32-34, 37, 38

Natural selection in I 109-24, V 387-99

Periodic selection in I 109-24, III 299-306

Variation in I 109-24, 468-92, II 24-43

Snow, E. C.

Application of Correlation Coefficient to Mendelian Distributions
VIII 420-24

Natural Selection in Man, reply to critics
VIII 456-60

— — — Second Paper
IX 58-68

Somatic Characters

Correlation with fertility in "hibiscus"
VIII 52-65

See also Ancestral heredity and Mendelism

Sömmering (reference)

Sesamoids
XIII 151

Sommerville, D. M. Y.

Classification of Frequency ratios V 179-81

Soper, H. E.

Exponential Binomial Limit, Tables X 25-35

Frequency Arrays, Review XIV 418, 419

Probable Error of Biserial correlation coefficient
X 384-90

— — of Correlation Coefficient, small samples
IX 91-115

Small samples, Distribution of Correlation coefficients in (co-operative paper) XI 328-413

— — — — (reference) X 507-21

de Souza, D. H.

Measurements of Pelvis with special reference to obstetric prediction
IX 486-529

Sow, see Pig

97

Sparrow

variation in egg
I 256, 257

Spasm, Facial

Inheritance of, with pedigree XIV 311-15

Spearman, C. (references)

Curve-fitting, psychophysical data XII 219

Hierarchical order among correlation coefficients
XII 356-66

Ranks and Grades Method of Correlation
XIII 264-82

Species

Investigation as to existence of sub-species in cuckoo
IV 363-73

Origin of I 365-74

Spencer, J.

Graduation of sickness table III 52-57

Spherical Trigonometry

and Multiple Correlation XV 173-208

Spiegel, A. (reference)

Sesamoids XIII 147

Spinax niger

Sex and merism in (with plates) III 313-65

Spleen

weight of human III 63-83

Split-foot

and Lobster Claw (Pedigree and plates)
VI 69-79, IX 381-90

Addendum IX 540

Split-foot (*cont.*)

and split-hand deformities (Pedigree and plates)
VI 26-58, 117-18

— — Nyasaland Natives X 17

See also note on Brachydactyly VI 327

Spurious Correlation

Elimination of X 179-80

See also Variate Difference Method

Fictitious Association from Mixing of Records
II 132-34

Stability

of offspring population, conditions for
X 175-78

Standard Deviation and Standard Deviation of Arrays

See Frequency Constants, Frequency Distributions, Probable Error

Stannus, H. S.

Congenital Anomalies in Native African Race
X 1-24

Pigmentation Anomalies among Nyasaland Natives
IX 333-65

Staphylea (American Bladder-Nut)

Selective elimination during development of fruits
VII 452-504

Statoblasts

of *Pectinatella magnifica* I 128

Stature

and Age, Australian Criminals I 38-49

— Glasgow schoolchildren X 288-339

and Brain-weight IV 58-64, 115-23

of Criminals I 38-49, 192-202, 209-13

of Egyptians VIII 66-78, XI 67-81

Family Measurements, relation to span and forearm, inheritance
II 357-462

of Inhabitants of Eastern Mediterranean
XIII 104, 105

Inter-relations of Vital capacity, stature, stem length, weight, etc.
XIV 316-36, XV 109-33

of Oxford Undergraduates VIII 45, 46

and pigmentation
VIII 340-53, 369-75

reconstruction of from other characters
I 209-13

relation to pulse and breathing rates
VIII 232-36

of Scottish insane V 298-350 and Supplement

See also Anthropometry

Steadiness and rapidity of hand

Association with Artistic Capacity
XII 170-77

Stephens, J. W. W. (reference)

Trypanosome Strains X 89-97

Stevenson, T. H. C.

Social distribution of mortality from different causes in England and Wales, 1910-12
XV 382-400

Stocks, P.

Facial spasm inherited through four generations
XIV 311-15

Inheritance of cranial anomalies XV 406-10

Stocks, P. and K. Pearson

Unusual case of Digital Anomaly (with plates)
XIV 410-11

Strangeways, T. S. P. (reference)	
Opsonic Index	VI 380-401, VIII 207-15
Student	
Correlation Ratio, correction for grouping	IX 316-20
Error of counting with haemocytometer	V 351-60
Explanation of deviations from Poisson's Law in practice	XII 211-15
Frequency Distributions, Means of samples not drawn at random	VII 210-14
Ranks and Grades Correlation Method, Correction for Ties, Experimental Determination of Probable Error	XIII 264-82
Small samples, distribution of correlation coefficient (reference)	X 507, 508, 512
— — — — — probable error of correlation coefficient	VI 302-10
— — — — — of mean	VI 1-25
— — — — — Table for estimating probability of deviations from Mean of population	XI 414-17
Spurious Correlation, elimination of, Variate Difference Method	X 179, 180
Testing varieties of cereals	XV 271-93
Variate Difference Method (reference)	X 340, 489, XIV 285, 289, 300, 306, 309
Sub-sample	
test for significance of difference of, from sample from which it is drawn	V 181-83, 315-33
Sulman, P. L.	
'Terns' eggs, co-operative study	XII 308-54
Summation Method	
of calculating moments	IV 374-78
Surface, F. M.	
Fecundity in Sows	VI 433-36
Susceptibility	
to disease and pigmentation	VIII 13-39, 354-69
Sutherland, G. F. (reference)	
Criminals	VII 232, 233
Swedes	
Brain-weights and other anthropometric characters	IV 13-104, 133, 134, 135
Cranial Measurements, compared with English, Whitechapel	III 243
Hair- and eye-colour correlations	III 459, 461
Swine, see Pig	
Sylvius, Jacob (reference)	
Sesamoids	XIII 145
Symmetry	
in crabs	II 307-20
in John Dory	II 115-20
in jellyfish	I 255, 256
of egg and embryo in frogs	V 147-67, VII 148-209
Principle of, Bateson	I 324
Syphilis	
Attempt to ascertain the prevalence of, in a large urban population (reference)	VIII 437

Tables

Corrective terms for moments of trapezia	II 9
Errors of Type of Frequency Distributions, determination of	VII 390-97
Gamma Function, Log $\Gamma(p)$ from $p=1$ to $p=2$	VII 43-47
Goodness of Fit, tables for testing	I 155-63
Integral	
$q_n = \int_0^{\frac{\pi}{2}} \sin^{n-1} \phi d\phi = \int_0^{\frac{\pi}{2}} \cos^{n-1} \phi d\phi$	XI 377
Mesodacryal Indices	VIII 338, 339
Supplementary Tables	IX 401-2
Moment Functions, Incomplete Normal	VI 66, 67
Normal Curve, Areas and Ordinates, Sheppard's Tables	II 174-90
— — — — — Deviates of, for each permille of frequency	V 405
— — — — — Ordinates of, for each permille of frequency	XIII 428
— — — — — values of ψ_1 and ψ_2 to determine constants from moments of Tail, VI 68; when Tail is larger than body, X 214	
Occipital Index, table for calculating	XIII 261, 262
Poisson-Exponential for cell frequencies 1 to 30	X 45-47
Poisson's Exponential Limit Tables of e^{-mx}/x	X 27-35
Powers and Sums of Powers of Natural Numbers 1 to 100	II 474-80
— of Natural Numbers 1 to 20, sums of	II 10
Probable Error, Tables of χ_1 and χ_2	IV 385-93
— — — — — of Biserial r	X 389
— — — — — of Biserial η . Values of ψ' and ψ''	XI 302
— — — — — of frequency constants, β_1 and β_2 ; Probable error of skewness and of distance from mean to mode, Values of higher β 's in terms of β_1 and β_2	VII 128-47
— — — — — of Tetrachoric r . Tables of χ_r and χ_a	IX 26, 27
Probability Integral, Sheppard	II 174-90
Product Moments, high order normal	XII 90-91
Quadrature Coefficients for Sheppard's Formula	XII 283
Small Samples, Correlation in, Ordinates and Constants of Frequency Curves	XI 379-404
Small Samples, Correlation in, To assist calculation of Ordinates of Correlation Frequency Curves from expansion formulae	XI 405-11
— — — — — Position of Origin and Abscissal Unit in terms of standard deviation	XI 412-13
— — — — — Constants of Frequency distributions of Standard Deviation	X 529, XI 279

Tables (cont.)

- Small Samples, Probable error of Mean,
Tables of
- $$\frac{n-2}{n-3} \cdot \frac{n-4}{n-5} \cdots \left\{ \begin{array}{l} \frac{3}{2} \cdot \frac{1}{2} n \text{ odd} \\ \frac{2}{1} \cdot \frac{1}{\pi} n \text{ even} \end{array} \right\} \left\{ \tan^{-1} z \cos^{n-2} \theta d\theta, \right.$$
- for $n=4$ to 10 VI 19
 — Probable occurrence in 2nd small samples IX 82-90
 — Tables for estimating probability that the mean of a sample lies between $-\infty$ and any given distance from the Mean of whole population XI 416-17
 Tetrachoric Functions VII 442-51
 — Supplementary tables for high correlations VIII 390-95
 — — — — — r negative XI 288-91
 Variate Difference Method, Functions for Geometrical Decadence XIV 310
- Tadpoles**
 Study of blood corpuscles in VI 402-19
- Tail**
 Constants of Normal Frequency Distribution determined from moments of tail VI 63-68
 Functions, Normal, Table of VI 68
 — — — when tail is more than half curve X 208-14
 Upper and lower limits to the tails of frequency distributions XV 245-53, 421-23
 See also Tchebycheff Generalised Limits
- Tarnowsky, Pauline** (reference)
 Criminals VII 231, 232
- Tatars**
 Head measurements IV 165, 295
- Taylor, G.** (reference)
 Sesamoids XIII 378
- Tchebycheff Generalised Limits**
 Limit to probability of deviations of given sizes without assumption as to distribution XII 284-96
- Tohouproff, A. A.**
 Mathematical Expectation of Moments XII 140-69, 185-210, XIII 283-95
- Teeth**
 and Use of Tooth Brush VIII 237, 238
- Temper**
 Inheritance of III 152, 155, 188
 Intelligence and V 126-31, 134, 135, 145
- Temperature**
 Association with physique and intelligence, in criminals XI 1-19
- Termites**
 Statistical observations on VI 329-47
 Variation in, compared with wasps VII 53, 59
- Terns**
 Homotyposis and allied characters in eggs of X 144-68 (with plates)
 Nest and Eggs of (with plates) XII 308-54, XV 294-345
 Association of Nest and Egg Pattern XII 311-18, XV 308-17

Terns (cont.)

- Change of Type of Egg with Season XII 310, 311, XV 306-8
 Homotyposis XII 331-35, XV 324-29
 Organic Correlation XII 325-31, XV 317-24
 Problem of Mixed Colour clutches XII 318-25
- Tetrachoric Functions**
 Expansions in XIV 157-85
 Tables VII 437-51
 — Supplementary Tables for high correlations VIII 385-95
 — — — — — r negative XI 284-91
- Tetrachoric Tables**
 Goodness of fit XIV 189-91
- Thane, G. D.** (references)
 Determination of Inion III 376, 393
 Sexing of Crania I 411, IV 351, IX 394, 396
- Thebans**
 Cranial measurements, compared with Naga I 426-65
 — — — Negro VIII 306-20
- Thiele, T. N.** (reference)
 Notice of Book on Interpolation VII 413
- Thompson, H.** (reference) I 419-21
- Thompson, W. D'Arcy** (reference)
 Sesamoids XIII 388
- Thomson, E. Y.**
 Crania, Moriori XI 82-135
 (references) XIII 338-47, XIV 228, 232, 233, 240, 241, 246, 247
 Cranial measurements XIII 179, 180, 216
- Thomson, E. Y., J. Bell and K. Pearson**
 Wasps VII 48-63, VIII 1-12
- Thomson, G. H.**
 Goodness of Fit of psychophysical curves XII 216-30
 Hierarchical order among correlation coefficients XII 355-66, XV 150-60
- Tildesley, M. L.**
 Association of Artistic Capacity and steadiness and rapidity of hand XII 170-77
 Browne, Sir Thomas, his skull, portraits and ancestry (with plates) XV 1-76
 Burmese Crania (with plates) XIII 176-262
 Crania (reference) XIV 200, 228, 232, 250
 Terns' eggs, co-operative study XII 308-54
- Tocher, J. F.**
 Anthropometry of Scottish Insane V 298-350 and Supplement
 Pigmentation Survey of Schoolchildren in Scotland VI 129-235 and Supplement
 — comparison with children suffering from scarlet fever (reference) VIII 18-39
- Tocher, J. F. and K. Pearson**
 Differential Death-rates, criteria for existence of XI 159-84
- Török, A. von**
 Note on Cranial types II 508
 (reference) Remarks on Note II 509-12
 (reference) Note on his attack on the use of the arithmetic mean in craniometry II 339-45
- Tower, W. L.**
 Chrysanthemum leucanthemum I 309-15
- Trew, C. J.** (reference)
 Sesamoids XIII 148, 149

- Trifolium pratense quinquifolium** (clover)
I 371-73
- Troup, J. McD. and G. D. Maynard**
Distribution of cases of disease in houses
VIII 396-403
- Trout**
growth, variability and correlation in
VIII 444-55
- Trypanosome Strains**
X 85-143
Probability of identity of
X 92-101
Influence of host in which trypanosome is
cultivated
X 101-19
Heterogeneity in measurements
X 119-42
- Tschepourkowsky, E.**
Inter-racial Correlation
IV 286-312
Resemblance between Man and Woman
IV 161-68
Russian Anthropometry (with plate)
XV 254-70
- Tuberculosis**
as an acute disease of childhood. Review
XIV 191, 192
and Segregation
X 530-48
See also Phthisis
- Turks**
head measurements
IV 295
- Turnbull, H. M.**
Fowl, malformation in head of
IX 538, 539
Hospital data for study of variability and
weight of human viscera (reference)
IX 475, 476
- Turner, F. M.**
Distribution of severity of attack in smallpox
V 361, 362
Vaccination and smallpox
IV 483-504
- Turner, William** (reference)
Crania
III 192, 200, 241, 242
- Typhoid**
Anti-typhoid inoculation
VI 366-75
- Typhus**
V 424-30
- Umbelliferae**
Variation and correlation of number of umbel
rays
XI 38-49
- Ungulates**
sesamoids in
XIII 353, 354
- Urban, F. M.** (reference)
Goodness of fit, psychophysical data
XII 216-30
- Usher, C. H.**
Examination of Albinotic Eye
XIII 46-56
- Vaccination**
and Smallpox
I 375-83,
II 135-44, IV 313-31, 483-504
- Variate Difference Method**
Fundamental Formulae (Student)
X 179, 180
Standard Deviation of m th difference and
Probable Error of m th difference correla-
tion, when correlation has become steady
(Anderson)
X 269-79
Illustrations of Method, Application to Mor-
tara's table of Index Values for Italy
X 340-55
- Variate Difference Method** (cont.)
Application to correlation of death-rates in
infancy and childhood
X 488-509
Tests for "Steadiness" of difference correla-
tions
X 494-500
Note on Probable Error of Correlation
Coefficient when population is kept con-
stant by taking in additional observation
at each difference
XI 136-38
Table of $2\phi(m) - 1$ for $m = 1$ to 20
XI 138
Reply to criticism of Yule *re* swamping of
random fluctuations by periodic term, Reply
to criticism of Persons *re* neglect of corre-
lation between X_p and Y_{p+s} , X_p and X_{p+s}
etc. and modification of theory to cover this
XIV 282-309
Table of Functions of Geometrical Decadence
XIV 310
Application to correlation of successive judg-
ments
XIV 37-45
Criteria for distinguishing various types of
residuals
XV 134-49
- Variation**
I 321-44
Continuous and discontinuous and Men-
delism
VIII 423
De Vries' Mutation Theory and
I 365-74
Hanel on
VII 373-81
influence of selection on
VI 111, 112, VIII 437-43
in Adoxa
VII 218-22
in Anemone, number of sepals
I 307-9
in Aphis
I 129-54
in Arcella
II 321-37
in Aster
II 114
in Aurelia aurita
I 90-108
in Brain-weight
IV 13-104, 124-60
in Carabus auratus, variation of sexes
VI 103-5
in Celandine
II 145
in Chilomonas in different environment
V 53-72
in Cichorum intybus, L.
V 184-87
in Earthworm
IV 213-29
in Eupagurus prideauxi
II 191-210
in Fowl, comb of domestic
VI 420-32
in Foxgloves, of race and families
XI 319-20
in Gaillardia aristata, flower heads of
VI 106-8
in Helix nemoralis
I 468-92
in Holothuria, variation, development and
growth
VI 236-301
in Human Hand
I 345-60
in Human Skull
I 408-66, III 191-245
in Jellyfish
I 255, 256
in Length of needles in Conifers
VI 354-65
in Lepidium draba, flowers of
X 215-68
in Lepidoptera, and elimination
III 113-30
in Man, Table of coefficients of variation for
various head and body measurements
IV 32
in Meristic series, Spinax niger
III 321-38
in Moschatel
II 108-13
in Mulberry tree, leaves of
I 258, 259
in Needle-Length of Conifers
VI 354-65

Variation (*cont.*)

- in *Ophiocoma nigra* II 463-73
- in *Paramecium* V 224-39
- in plants I 11-29
- in Poppies, Shirley VII 227-30
- in *Pulmonaria officinalis* III 398-458
- in Sassafras, leaves of XII 372-73
- in Scottish Insane V 298-350
- in Snails V 387-99
- in Sparrow's egg I 256, 257
- in Termites, VI 329-47; compared with that in Wasps, VII 53, 59
- in Trout VIII 449-55
- in Umbelliferae, number of umbel rays XI 38-49
- in Wasps, clypeal markings X 201-7
- wings of V 407-22, VII 48-63
- in Weight of human Viscera III 63-83, IX 473-85

Veddahs

- Cranial measurements, nasal characters IX 395, 399-407, 410-21, 425, 427, 432

Velde, G. (reference)

- Anthropometry, Inhabitants of Eastern Mediterranean XIII 94, 95

Venn, John (reference)

- Problem of inverse Probabilities XIII 2, 3

Verschaffelt (reference)

- Correlation I 125-28

Vertebrates, see Cattle, Dogs, Frogs, Horses, Mice, etc.**Vesalius** (reference)

- Sesamoids XIII 145-47

Vespa vulgaris, see Wasps**Viscera**

- Weight, variability and correlation of human III 63-83, IX 473-85

Vision

- Acuity of in Oxford Undergraduates VIII 43
- of, and Reaction Times XV 346-72

Vital Capacity

- Inter-relations of vital capacity, stature, stem length, weight, etc. XIV 316-36, XV 109-33
- See also Lung capacity

Vivacity (noise)

- Inheritance of III 152, 155, 183
- Intelligence and V 126-31, 134, 135, 146

De Vries (reference)

- Hairiness of *Lychnis* II 47-49
- on the origin of species I 365-74

Waite, H.

- Finger-prints, Association of X 421-78, (reference) XIII 61-63
- Intelligence, Teachers' Estimate VIII 79-93, (reference) XIV 383, 384
- Malaria and Mosquitoes VII 421-36

Warren, E.

- Aphis, variation and inheritance in I 129-54
- Cranial Measurements (reference) I 411, 435, 463
- Daphnia magna* II 255-59

Warren, E. (*cont.*)

- Foxgloves, Breeding experiments with XI 303-27
- Inheritance in XIV 103-26
- Parthenogenesis (reference) I 400
- Tadpoles (reference) VI 402-19
- Termites, Statistical observations on VI 329-47
- comparison of observations with those on wasps (reference) VII 53-59

Wasps

- Average length of absence from nest V 365-86
- Clypeal markings X 201-7
- Comparison of queens of single nest and queens of general population VII 48-63
- of Spring and Autumn Queens VIII 1-12
- Variability of wings (with plate) V 407-22
- of, compared with termites VII 53, 59
- Water-flea** (*Daphnia magna*)
- Relationship between cell and body size II 255-59

Watson, D. M. S.

- Terns' eggs, co-operative study XV 294-345

Watson, K. M.

- Terns' eggs, co-operative study XV 294-345

Webb, T. L.

- Cancer-houses VIII 430-36

Weddle (reference)

- Quadrature Formula I 275

Weight

- and Age, Glasgow schoolchildren X 288-339
- and Brain-weight IV 64-66
- and Fertility in Rats VII 381-85
- and Height, Glasgow Schoolchildren X 288-339
- and Pigmentation (Elderton) VIII 340-53
- (Saunders) VIII 376, 377
- of seed, influence of on plant IX 11-21, X 72-84
- Vital capacity, stature and stem-length, inter-relation of XIV 316-36
- See also Anthropometry

Welcker, H. (reference)

- Moriori Crania XIII 338

Weldon, Walter (reference)

- V 3-7, 12

Weldon, W. F. R.

- Albinism and Mendel's Laws III 107, 108
- Asters II 113, 114
- Bateson's revision of Mendel's theory II 286-98

- Celandine, Organic correlation of *Ficaria ranunculoides* I 125-28
- Clausilia itala*, selection in III 299-306
- *laminata*, Natural selection in I 109-24

- Cranial measurements, Naqada (reference) I 411, 453, 464

- History of Correlation (reference) XIII 41, 42


- Inheritance, Mathematical Theory VI 80-93

- Mendel's Law in Peas I 228-54

- Memoir of his life V 1-50

- Weldon, W. F. R. (cont.)**
 Memoirs by, List of V 51, 52
 Mendelism II 44-55
 Mice, Inheritance of sex-ratio and size of litter V 436-49
 Mice, Records of matings XI, Appendix 1-60
 Origin of Species, De Vries on I 365-74
 Snails, selection in I 109-24, III 299-306
- Weldon, W. F. R. and K. Pearson**
 Inheritance in *Phaseolus vulgaris* II 499-503
- Wheat**
 influence of environment on I 367
- Whitaker, L.**
 Law of Small Numbers, Poisson X 36-71
- White, J. D. C. and M. Greenwood**
 Opsonic Index VI 376-401, VII 505-30
 — (reference) VII 532-41, VIII 203-24
- Whitechapel Crania**
 Variation and Correlation in, comparison with other races (with plates) III 191-244
 Cranial Measurements, compared with Moorfields V 92-104
 — — — Moriori XI 95-133
 — — — Negro VIII 302-24
 — — — Tibetan XIV 208-49
 Cranial Types, comparison of contours with Modern English VIII 131-33
 — — contours (plates) VIII 143-47
- Whitehead, H.**
 Variation in Moschatel II 108-13
 — — (reference) VII 218
- Whiteley, M. A. and M. A. Lewenz**
 Variability and correlation of human hand I 345-60
 Comparison of results for hand measurements and finger-prints (reference) X 451
- White-lock Family**
 X 197-200, (Barton) XIII 347-49
 See also Piebalds
- Whiting, M. H.**
 Criminal Anthropometry XI 1-37
- Whitney Family**
 V 80-85
 Inheritance of sex-ratio in VI 110-11
- Whooping-cough**
 and pigmentation (Macdonald) VIII 25-39
 — (Saunders) VIII 360-65
- Wiersma, E.**
 Data on inheritance of psychical characters V 460-69
- Willis, J. C. (reference)**
 Age and Area theory and Natural Selection XV 89-108
- Windle, B. C. A. (reference)**
 Sesamoids XIII 368, 369, 372, 374
- Wishnewsky**
 Cephalic Index and Stature of Russians XV 267
- Wolff, E.**
 Terns' Eggs, co-operative study XII 308-54
- Woods, F. A.**
 Rabbit-breeding II 299-306
 Sex-ratio in man, inheritance of V 73-78
 (reference) Notice of Book on Mental and Moral Heredity in Royalty VI 445
- Wright, Alexandra, A. Lee and K. Pearson**
 Wasps V 407-22
- Wright, Almroth (reference)**
 Opsonic Index VI 376-401, VIII 204-24
- Würtemberg**
 Cranial Measurements, compared with English, Whitechapel III 207-15
 — — — Moriori XI 95
 — — — Negro VIII 302-14, 321
- Young, A. W.**
 Small samples, standard deviations of samples of two or three XI 277-80
- Young, A. W. and K. Pearson**
 Probable Error of Contingency Coefficient, without Approximation XI 215-30
 — — — Corrigenda XII 259, 260
 Product Moments, Normal Correlation surface of 2 variates XII 86-92
- Young, A. W., H. E. Soper, B. M. Cave, A. Lee and K. Pearson**
 Small samples, distribution of Correlation Coefficient in XI 328-413
- Young, M. and A. A. Mumford**
 Inter-relationships of physical measurements and vital capacity XV 109-33
- Yule, G. U.**
 Age and Area theory and Natural Selection (reference) XV 89-108
 Anemone, variation of number of sepals in I 307-9
 Ancestral Heredity (reference) II 228, 229
 Association of Attributes II 121-34
 — Theories of (reference) IX 159-316
 Convenient means of drawing curves to various scales III 469
 Correlation Formulae (reference) VIII 109-22
 Crania, Whitechapel (reference) III 205
 Death-rates, Local I 384
 Goodness of Fit, χ^2 test for fourfold tables (reference) XIV 189-91
 History of Correlation (reference) XIII 45
 Notice of paper on Correlation treated by a new notation VI 124
 — — on Inheritance and Mendelism V 481
 Reply by Karl Pearson to his Criticisms (reference) V 470-76
 Variate Difference Method, reply to criticism re swamping by periodic term (reference) XIV 282-309
- Ziegler**
 and Galton's Law of Ancestral Inheritance V 184
- Zulus**
 Cranial measurements, and comparison with other races VIII 292-337

**PRINTED IN GREAT BRITAIN BY
W. LEWIS AT THE
CAMBRIDGE UNIVERSITY PRESS**



BIOMETRIKA INDEX

Author Index: Vols 1–40 (1901–1953)

Subject Index: Vols 1–37 (1901–1950)

**ARRANGED BY
MAXINE MERRINGTON**

PRICE: SIX SHILLINGS

**ISSUED BY
THE BIOMETRIKA OFFICE, UNIVERSITY COLLEGE, LONDON
PRINTED AT THE UNIVERSITY PRESS, CAMBRIDGE
1955**

BIOMETRIKA INDEX

Author Index: Vols 1–40 (1901–1953)

Subject Index: Vols 1–37 (1901–1950)

ARRANGED BY
MAXINE MERRINGTON

47374

ISSUED BY

THE BIOMETRIKA OFFICE, UNIVERSITY COLLEGE, LONDON

PRINTED AT THE UNIVERSITY PRESS, CAMBRIDGE

1955

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)*

PREFATORY NOTE

The first index to *Biometrika* was compiled by Mr L. F. Richardson in 1908 and covered Volumes 1–5. In 1924 Dr J. O. Irwin and Miss Margaret Moul produced an Index to Volumes 1–15. Authors and subjects were not separated in this second Index. A similar Index for Volumes 16–30 was prepared by Dr F. N. David but was not published. In 1951 Professor Pearson asked me to combine the Indexes for Volumes 1–15 and 16–30, to add Volumes 31–37 and to prepare the whole as separate Subject and Author Indexes. Since then three more Volumes of *Biometrika* have been issued. The Author Index has been extended in proof to cover Volumes 1–40 but, to avoid delay in publication, the Subject Index is limited to Volumes 1–37.

In the Index of Authors, the title appearing at the head of each page of the paper is given instead of the full title. Contributions by two writers are listed under both authors, each time giving both names; papers by three or more authors are entered under each name with the words *et al.* Certain papers described as ‘co-operative investigations’ are entered only under K. Pearson *et al.*, unless the other authors were named. Editorials appear in the Subject Index under Editorials unless the author is indicated by initials. In the few instances where an author has a double surname, e.g. Crewdson Bennington, the paper has been entered under both names.

The arrangement of the Subject Index is a little unusual in that the detailed entries under each heading are listed in volume order rather than in alphabetical order. Apologies are offered for this when the subject is a large one, but the method seemed simpler in dealing with papers touching on many subjects.

A volume of *Biometrika* is composed of four parts which for considerable periods of the journal’s history have been issued as two separate double parts. All parts have not always been issued in the same calendar year; indeed, during the Second World War the issue of Volume 33 was spread over four years. The date in the Author Index associated with a paper is that of the year in which the particular part or parts containing it were published. The table following this Note shows the dates of issue.

I wish to thank the following for their kind help with certain of the entries in the Subject Index: Professor E. S. Pearson for help with χ^2 ; Dr N. L. Johnson with Correlation; Dr G. M. Morant with Crania; Mr P. G. Moore with Frequency Curves; Dr F. N. David with Probability; and Dr H. O. Hartley with the entries on Tables. It would have been quite impossible for me to have compiled the Index without their expert help and advice. I would like also to thank the staff of the Cambridge University Press for excellent advice on the general arrangement and Miss J. H. Edmiston for help in checking the Author Index.

October 1954

M. MERRINGTON
Department of Statistics
University College, London

DATES OF PUBLICATION OF BIOMETRIKA

Vol. 1	pp. 1-128	1901	Vol. 12	pp. 1-184	1918	Vol. 28		1936
	129-492	1902		185-376	1919	Vol. 29	pp. 1-160	1937
Vol. 2	1-120	1902	Vol. 13	1-132	1920		161-407	1938
	121-512	1903		133-428	1921	Vol. 30	1-205	1938
Vol. 3		1904	Vol. 14	1-192	1922		206-474	1939
Vol. 4	1-384	1905		193-420	1923	Vol. 31	1-220	1939
	385-516	1906	Vol. 15		1923		221-396	1940
Vol. 5	1-212	1906	Vol. 16		1924	Vol. 32	1-201	1941
	213-486	1907	Vol. 17		1925		202-350	1942
	Supplement	1906	Vol. 18		1926	Vol. 33	1-104	1943
Vol. 6	1-328	1908	Vol. 19		1927		105-182	1944
	329-451	1909	Vol. 20A		1928		183-268	1945
	Supplement	1908	Vol. 20B		1928		269-362	1946
Vol. 7	1-236	1909	Vol. 21		1929	Vol. 34		1947
	237-550	1910	Vol. 22	1-252	1930	Vol. 35		1948
Vol. 8	1-256	1911		253-427	1931	Vol. 36		1949
	257-460	1912	Vol. 23		1931	Vol. 37		1950
Vol. 9		1913	Vol. 24		1932	Vol. 38		1951
Vol. 10	1-420	1914	Vol. 25		1933	Vol. 39		1952
	421-574	1915	Vol. 26		1934	Vol. 40		1953
Vol. 11	1-144	1915	Vol. 27		1935			
	145-280	1916						
	281-432	1917						
	Appendix	1917						

NB. When no page numbers are quoted, the whole volume appeared in the single year shown.

AUTHOR INDEX

- Acton, H. W. & Harvey, W. F.** (1912). Increase of the number of erythrocytes with altitude, 8, 280-91
- Adler, J. E. & McIntosh, J.** (1910). Histological examination of a case of albinism, 7, 237-43
- Adyanthaya, N. K. & Pearson, E. S.** Distribution of frequency constants from symmetrical populations. Part I (1928), 20A, 356-60; Part II (1929), 21, 259-86
- Aitken, A. C.** (1949). On the Wishart distribution in statistics, 36, 59-62
- (1950). Statistical independence of quadratic forms in normal variates, 37, 93-6
- Anderson, D.** (1933). An empirical age scale, 25, 61-70
- Anderson, O.** (1914). Die verallgemeinerung der Cave-Hookersche methode, 10, 269-79
- (1923). Weiteres über die 'variate-difference' methode, 15, 134-49 (correction, 15, 423)
- Die anwendung der differenzenmethode. Part I (1926), 18, 293-320; Part II (1927), 19, 53-86
- Anis, A. A. & Lloyd, E. H.** (1953). Range of partial sums of normal variates, 40, 35-42
- Anoochin, A. V.** (1928). Similarities and differences in species of mulberry silkworm, 20A, 69-78
- Anscombe, F. J.** (1948). Transformation of Poisson, binomial and negative-binomial data, 35, 246-54
- (1949). Large-sample theory of sequential estimation, 36, 455-8
- (1950). Negative-binomial and logarithmic series distributions, 37, 358-82
- Armitage, P.** (1947). Comparison of stratified with unrestricted sampling, 34, 273-80
- (1949). An overlap problem arising in particle counting, 36, 257-66
- Aroian, L. A.** (1947). Cumulants of Fisher's z distribution, 34, 359-60
- (1950). Levels of significance of the incomplete Beta function and the F distribution, 37, 219-23
- Arthur, W.** (1924). Strength of grip and certain mental and sensory characters, 16, 299-327
- Aspin, A. A.** (1948). The problem of comparing two mean values, 35, 88-96
- Aspin, A. A. & Welch, B. L.** (1949). Comparisons whose accuracy involves two variances, 36, 290-6
- Ayyangar, A. A. K.** (1934). Formulae for the moments of the point binomial, 26, 262-4
- (1934). Moments of the hypergeometrical series, 26, 264-5
- Babington Smith, B. & Kendall, M. G.** (1940). The method of paired comparisons, 31, 324-45
- Babington Smith, B. et al.** (1939). Spearman's coefficient of rank correlation, 30, 251-73
- Bailey, N. T. J.** (1950). A simple stochastic epidemic, 37, 193-202
- (1951). On estimating the size of mobile populations from recapture data, 38, 293-306
- (1953). The total size of a general stochastic epidemic, 40, 177-85
- Bailey, N. T. J.** (1953). Chain-binomials in analysis of intra-household epidemics, 40, 279-86
- Baker, A. G.** (1950). Properties of some tests in sequential analysis, 37, 334-46
- Baldwin, E. M.** (1946). Percentage points of the distribution, 33, 362
- Banerjee, K. S.** (1950). Balanced incomplete block designs, 37, 50-8
- (1951). The practical aspects of weighing designs, 38, 248-51
- Barnard, G. A.** (1947). Significance tests for 2×2 tables, 34, 123-38
- (1947). 2×2 tables. A note on E. S. Pearson's paper, 34, 168-9
- (1947). Meaning of a significance level, 34, 179-82
- (1950). The Fisher-Behrens test, 37, 203-7
- (1952). The frequency justification of certain sequential tests, 39, 144-50
- (1953). Time intervals between accidents, 40, 212-13
- (1953). The frequency justification of sequential tests—addendum, 40, 468-9
- Barrington, A. & Pearson, K.** (1906). Inheritance of coat colour in shorthorns, 4, 427-64
- Barrington, A. et al.** (1904). Inheritance of coat colour in greyhounds, 3, 245-98
- Bartlett, M. S.** (1940). Interpretation of quasi-sufficiency, 31, 391-2
- (1941). Statistical significance of canonical correlations, 32, 29-37
- (1950). Periodogram analysis and continuous spectra, 37, 1-16
- (1951). Effect of standardization on a χ^2 approximation, 38, 337-43
- (1952). A sampling test of the χ^2 theory for probability chains, 39, 118-21
- (1952). Statistical significance of odd bits of information, 39, 228-37
- (1953). Approximate confidence intervals. Part I, 40, 12-19; Part II, 40, 306-17
- Barton, D. E. & Dennis, K. E.** (1952). The conditions under which Gram-Charlier and Edgeworth curves are positive, definite and unimodal, 39, 425-7
- Bateman, G. I.** (1948). Power function of the longest run test, 35, 97-112
- (1949). Characteristic function of weighted sum of non-central squares of normal variates, 36, 460-2
- (1950). Power of the χ^2 index of dispersion test, 37, 59-63
- Baten, W. D.** Statistical study of *Daucus carota*. Part I (1933), 25, 186-95; Part II (1934), 26, 443-68
- (1935). Number of ligulate flowers of *Chrysanthemum leucanthemum*, 27, 260-6
- (1936). Inflorescences of *Cicuta maculata*, 28, 64-83
- (1941). Inflorescences of *Daucus carota*, 32, 82-7
- Bateson, W.** Albinism in Sicily, a correction. (1904), 3, 471-2; A further correction (1905), 4, 231-2

- Batrabi, A. & Morant, G. M. (1947). First dynasty series of Egyptian skulls, 34, 18-27
- Bayley, N. & Davis, F. C. (1935). Growth changes in infants, 27, 26-87
- Bayly, B. de F. (1938). Gauss's quadratic formula, 30, 193-4
- Beall, G. (1939). Estimating insect population in a field, 30, 422-39
- (1942). Transformation of data from entomological field experiments, 32, 243-62
- Beeton, M. & Pearson, K. (1901). Inheritance of the duration of life, 1, 50-89
- Bell, J. (1911). Relation of pulse and breathing rates to stature, 8, 232-6
- (1912). Table of mesodacryal indices, 8, 338-9
- (1933). Plural births with a new pedigree, 25, 110-20
- Bell, J. & Ryley, K. V. (1913). Study of nasal bridge of anthropoid apes, 9, 391-445
- Bell, J. *et al.* *Vesper vulgaris*. Part II (1909), 7, 48-63; Part III (1911), 8, 1-12
- (1914). Homotyposis in eggs of the common tern, 10, 144-68
- Bennington, R. Crewdson (1911). Cranial type-contours, 8, 123-201
- (1912). A study of the negro skull, 8, 292-337
- Berge, P. O. (1938). Tchebycheff's theorem for two variables, 29, 405-6
- Bergström, S. (1918). Sur les moments de la fonction de corrélation normale de n variables, 12, 177-83
- Birbaum, A. (1953). Procedures for comparing Poisson processes, 40, 447-9
- Bishop, D. J. (1939). A test for the homogeneity of variances and covariances, 31, 31-55
- Black, A. N. (1950). Weighted probits and their use, 37, 158-67
- Blakeman, J. (1905). Tests for linearity of regression, 4, 332-50
- Blakeman, J. & Pearson, K. (1906). Probable error of mean square contingency, 5, 191-7
- Blakeman, J. *et al.* (1905). Biometric constants of English brain weights, 4, 124-60
- Blanchard, N. Inheritance of coat colour in thoroughbred horses. Part I (1902), 1, 361-4; Part II (1903), 2, 229-34
- Bonin, G. von (1930). Beitrag zur kranologie von Ost-Asien, 23, 52-113
- (1931). Craniology of the Easter Islanders, 23, 249-70
- (1936). Crania from New Britain, 28, 123-48
- Bonin, G. von & Morant, G. M. (1938). Indian races in the United States, 30, 94-129
- Bowdler Henry, C. & Morant, G. M. (1936). Eruption of the mandibular third molar tooth, 28, 378-427
- Box, G. E. P. (1949). A general distribution theory for a class of likelihood criteria, 36, 317-46
- (1952). Multi-factor designs of first order, 39, 49-57
- (1953). Non-normality and tests on variances, 40, 318-35
- (1953). Regions for tests of kurtosis, 40, 465-8
- Bradley, R. A. & Terry, M. E. (1952). Rank analysis of incomplete block designs, 39, 324-45
- Brandner, F. A. (1933). Significance of difference in correlation coefficients, 25, 102-9
- Brash, J. C. & Young, M. (1935). Anglo-Saxon skulls from Bidford-on-Avon, 27, 373-87
- Brown, J. W. & Greenwood, M. (1913). A second study of the human viscera, 9, 473-85
- Brown, W. (1910). Study of mathematical intelligence, 7, 352-67
- Browne, E. T. (1901). Variation in *Aurelia aurita*, 1, 90-108
- Brownlee, J. (1905). Smallpox and vaccination, 4, 313-31
- (1907). Estimating the severity of acute disease, 5, 423-35
- Brownlee, K. A. & Loraine, P. K. (1948). Finite groups and completely orthogonal squares and cubes, 35, 277-82
- Brownlee, K. A. *et al.* (1948). Fractional replication arrangements for factorial experiments, 35, 268-76
- Burman, J. P. & Plackett, R. L. (1946). Design of optimum multifactorial experiments, 33, 305-25
- Burnside, W. (1924). On Bayes's formula, 16, 189
- Buxton, L. H. Dudley (1920). Inhabitants of the eastern Mediterranean, 13, 92-112
- Byrne, L. W. (1902). Bony plates of John Dory, *Zeus faber*, 2, 115-20
- Cadwell, J. H. (1951). The bivariate normal integral, 38, 475-9
- (1952). The symmetrical incomplete beta function, 39, 204-7
- (1952). The distribution of quantiles of small samples, 39, 207-11
- (1953). Approximating to distributions by a power of χ^2 , 40, 338-46
- Camp, B. H. (1923). Note on Professor Narumi's paper, 15, 421-3
- (1924). Probability integrals for the point binomial, 16, 163-71
- (1925). Probability integrals for a hypergeometric series, 17, 61-7
- (1925). Mutually consistent multiple regression surfaces, 17, 443-58
- (1932). The converse of Spearman's two-factor theorem, 24, 418-27
- (1934). Spearman's general factor again, 26, 260-1
- Carr Saunders, A. M. (1912). Pigmentation, selection and anthropometric characters, 8, 354-84
- Carter, A. H. (1947). Approximation to percentage points of the z distribution, 34, 352-8
- (1949). The estimation and comparison of residual regressions, 36, 26-46
- Cave, B. M. & Pearson, K. (1914). Illustrations of the variate difference correlation method, 10, 340-55
- Cave, B. M. *et al.* (1917). Distribution of the correlation coefficient in small samples, 11, 328-413
- Cesnola, A. P. di (1904). The protective value of colour in *Mantis religiosa*, 3, 58-9
- (1907). Natural selection in *Helix arbustorum*, 5, 387-99
- Chambers, E. G. (1946). Statistical techniques in applied psychology, 33, 269-73
- Chandler, K. N. (1950). Deviations in multivariate correlation, 37, 451-2
- Chandra Sekar, C. & Pearson, E. S. (1936). A criterion for the rejection of outlying observations, 28, 308-20

- Chapelin, J.** (1932). Cell frequencies and ordinates in a bivariate frequency surface, **24**, 495-7
- Chapman, R. A.** (1938). Application of the z test to a Poisson distribution, **30**, 188-90
- Cheeseman, E. A. & Martin, W. J.** (1938). Rural mortality, **30**, 57-64
- Cheeseman, E. A. et al.** (1939). Disease and environment, **30**, 341-62
- Chitty, D. & Leslie, P. H.** (1951). The estimation of population parameters from capture-recapture data. Part I, **38**, 269-92
- Chitty D. et al.** (1953). The estimation of population parameters from capture re-capture data. Part III, **40**, 137-69
- Chitty, H. et al.** (1953). The estimation of population parameters from capture re-capture data. Part III, **40**, 137-69
- Chokhate, J.** See **Shohat, J.**
- Chown, L. N. & Moran, P. A. P.** (1951). Rapid methods for estimating correlation coefficients, **38**, 464-7
- Church, A. E. R.** (1925). Moments of the distribution of variances, **17**, 79-83
- (1926). Means and variances of small samples, **18**, 321-94 (correction, **24**, 292)
- Church, A. E. R. & Holzinger, K. J.** (1928). On the means of samples from a U-shaped population, **20A**, 361-88
- Church, A. E. R. et al.** (1930). Tables for determining the volume of the normal bivariate surface, **22**, 12-35
- Claremont, C. A.** (1916). Correlation of cancer and diabetes death-rates, **11**, 191-200
- Cleaver, F. H.** (1937). Biometric study of the human mandible, **29**, 80-112
- Clopper, C. J. & Pearson, E. S.** (1934). Confidence or fiducial limits of the binomial, **26**, 404-13
- Cobb, J. A.** (1908). Effect of errors of observation on the correlation coefficient, **6**, 109
- Cochran, W. G.** (1938). Note on J. B. S. Haldane's paper, **29**, 407
- (1950). Comparison of percentages in matched samples, **37**, 256-66
- Cockayne, E. A.** (1914). A piebald family, **10**, 197-200
- (1935). A second Suffolk piebald family, **27**, 1-4
- (1936). Cleft palate, dacryocystitis and lobster claw, **28**, 60-3
- (1940). Visceral and other reversals of symmetry in monozygotic twins, **31**, 287-94
- Cohen, A. C.** (1953). Estimating parameters in truncated Pearson frequency distributions, **40**, 50-7
- Collett, M.** (1933). Study of twelfth- and thirteenth-dynasty skulls from Kerma, **25**, 254-84
- Comrie, L. J. & Hartley, H. O.** (1941). Table of Lagrangian coefficients for harmonic interpolation, **32**, 183-6
- Cook, M. B.** (1951). Bi-variate k -statistics and cumulants of their joint sampling distribution, **38**, 179-95
- (1951). Two applications of bivariate k -statistics, **38**, 368-76
- Cool, C. & Koopmans, A. N.** (1915). Variation and correlation in Umbelliferae, **11**, 38-49
- Cox, D. R.** (1948). Asymptotic distribution of the range, **35**, 310-15
- (1951). Some systematic experimental designs, **38**, 312-23
- Cox, D. R.** (1952). Estimation by double sampling, **39**, 217-27
- (1953). Simple approximate tests for Poisson variates, **40**, 354-60
- Cox, D. R. & Smith, W. L.** (1953). Superposition of several strictly periodic sequences of events, **40**, 1-11
- Craig, C. C.** (1929). Sampling from Pearson's Type III population, **21**, 287-93
- (1953). Use of marked specimens in estimating populations, **40**, 170-6
- (1953). Estimating biological populations in the field, **40**, 216-18
- Craig, J. I.** (1911). Anthropometry of modern Egyptians, **8**, 66-78
- Crampton, H. E.** (1904). Experimental and statistical studies upon Lepidoptera, **3**, 113-30
- Crewdson Bennington, R.** (1911). Cranial type-contours, **8**, 123-201
- (1912). A study of the negro skull, **8**, 292-337
- Cripps, L. D. et al.** (1923). Study of the interrelations of vital capacity, height and weight in men, **14**, 316-36
- Daniels, H. E.** (1941). A property of the distribution of extremes, **32**, 194-5
- (1944). Measures of correlation in the universe of sample permutations, **33**, 129-35
- (1948). A property of rank correlations, **35**, 416-17
- (1952). The covering circle of a sample from a circular normal distribution, **39**, 137-43
- Daniels, H. E. & Kendall, M. G.** (1947). Significance of rank correlation where parental correlation exists, **34**, 197-208
- Darbishire, A. D.** Report on crosses of waltzing and albino mice. Part I (1902), **2**, 101-4; Part II (1903), **2**, 165-73; Part III (1903), **2**, 282-5
- (1904). Result of crossing Japanese waltzing and albino mice, **3**, 1-51
- Darwin, J. H.** (1953). Population differences between species, **40**, 370-82
- Davenport, C. B.** (1902). Variability, symmetry and fertility in an abnormal species, **1**, 255-6
- (1910). Dr Galloway's 'Canary breeding', **7**, 398-400
- David, F. N.** (1934). P_λ test for randomness, **26**, 1-11
- (1937). Unbiased limits for the correlation coefficient, **29**, 157-60
- (1939). Neyman's 'smooth' test for goodness of fit, **31**, 191-9
- (1947). A χ^2 'smooth' test for goodness of fit, **34**, 299-310
- (1947). A power function for tests of randomness in a sequence, **34**, 335-9
- (1948). Correlations between χ^2 cells, **35**, 418-22
- (1949). Note on the application of Fisher's k -statistics, **36**, 383-93
- (1949). Moments of the z and F distributions, **36**, 394-403
- (1950). Two combinatorial tests, **37**, 97-110
- (1950). An alternative form of χ^2 , **37**, 448-51
- (1953). The evaluation of the multivariate normal integral, **40**, 458-9
- David, F. N. & Johnson, N. L.** (1948). The probability integral transformation, **35**, 182-90

- David, F. N. & Johnson, N. L. (1950). The probability integral transformation when the variable is discontinuous, **37**, 42-9
- (1951). The effect of non-normality on the power function of the F -test, **38**, 43-57
- David, F. N. & Kendall, M. G. Tables of symmetric functions. Part I (1949), **36**, 431-49; Parts II and III (1951), **38**, 435-62; Part IV (1953), **40**, 427-46
- David, F. N. *et al.* (1932). Applications in statistics of the $T_m(x)$ Bessel function, **24**, 292-350
- David, H. A. (1951). Further applications of range to the analysis of variance, **38**, 393-409
- (1952). Upper 5 and 1% points of the maximum F -ratio, **39**, 422-4
- (1953). Power function of some tests based on range, **40**, 347-53
- David, S. T. *et al.* (1951). Some questions of distribution in the theory of rank correlation, **38**, 131-40
- Davies, O. L. (1932). The betas of quadrilateral distributions, **24**, 498-510
- Asymptotic formulae for the hypergeometric series. Part I (1933), **25**, 295-322; Part II (1934), **26**, 59-107
- Davin, A. G. & Pearson, K. (1921). Sesamoids of the knee joint. Part I, **13**, 133-75; Part II, **13**, 350-400 (correction, **14**, 409)
- (1924). Biometric constants of the human skull, **16**, 328-63
- Davis, F. C. & Bayley, N. (1935). Growth changes in infants, **27**, 26-87
- Dawson, W. M. *et al.* (1939). Observed and theoretical ratios in Mendelian inheritance, **31**, 56-66
- Deemer, W. L. & Olkin, I. (1951). The Jacobians of certain matrix transformations, **38**, 345-67
- Dennis, K. E. & Barton, D. E. (1952). The conditions under which Gram-Charlier and Edgeworth curves are positive, definite and unimodal, **39**, 425-7
- Dieulefait, C. E. (1934). Contribution à l'étude de la théorie de la corrélation, **26**, 379-403
- Dimon, A. G. (1902). Study of *Nassa obsoleta* and *Nassa trivittata*, **2**, 24-43
- Dingwall, D. & Young, M. (1933). Skulls from Dunstable, **25**, 147-57
- Dodd, S. C. (1927). On criteria for factorising correlated variables, **19**, 45-52
- Donkin, H. B. (1904). Introduction to paper giving measurements of criminals, **3**, 60
- Doodson, A. T. (1917). Relation of the mode, median and mean in frequency curves, **11**, 426-9
- Downton, F. (1953). A note on ordered least-squares estimation, **40**, 457-8
- Draper, J. (1952). Properties of transformed normal distributions, **39**, 290-301 (correction, **40**, 236)
- Dudley Buxton, L. H. (1920). The inhabitants of the eastern Mediterranean, **13**, 92-112
- Duffell, J. H. (1909). Tables of the Γ function, **7**, 43-7
- Dumas, M. (1948). Sur les courbes de fréquence de K. Pearson, **35**, 113-17
- Dunbar, F. J. & Pearl, R. (1903). Variation and correlation in *Arcella*, **2**, 321-37
- Duncker, G. (1903). Ueber asymmetrie bei *Gelasimus pugilator*, **2**, 307-20
- (1911). Note on high values of β_1 and β_2 , **8**, 238
- Durbin, J. & Kendall, M. G. (1951). The geometry of estimation, **38**, 150-8
- Durbin, J. & Watson, G. S. Testing for serial correlation in least squares regression. Part I (1950), **37**, 409-28; Part II (1951), **38**, 159-78
- Edgeworth, F. Y. (1907). Observations on wasps and bees, **5**, 365-86
- Edwards, C. L. (1908). *Holothuria floridana* and *Holothuria atra*, **6**, 236-301
- Ehrenberg, A. S. C. (1950). Unbiased estimation of heterogeneous error variances, **37**, 347-57
- (1952). On sampling from a population of rankers, **39**, 82-7
- Elderton, E. M. (1909). Drawing associated with other capacities in schoolchildren, **7**, 222-6
- (1912). The relation of stature and weight to pigmentation, **8**, 340-53
- (1914). Infant mortality and employment of women, **10**, 193-6
- (1914). Height and weight of Glasgow schoolchildren, **10**, 288-339
- (1919). Life-history albums, **12**, 373-4
- (1920). Inheritance of the finger print, **13**, 57-91
- (1923). Present position with regard to the inheritance of intelligence, **14**, 378-408
- (1929). Variability of girls' and boys' height and weight, **21**, 429-30
- Elderton, E. M. & Kondo, T. (1931). Table of normal curve functions to each permille of frequency, **22**, 368-76
- Elderton, E. M. & Moul, M. (1931). Table of the differences of the powers of zero, **22**, 306-8
- Elderton, E. M. & Pearson, K. (1913). The hereditary character of general health, **9**, 320-9
- (1915). Evidence of natural selection in man, **10**, 488-506
- (1915). Study of the effects of diphtheria isolation, **10**, 549-69
- (1923). The variate difference method, **14**, 281-310
- (1925). Differences of the powers of zero, **17**, 200
- (1928). Correlation of two first-order multiple correlation coefficients, **20A**, 310-13
- Elderton, E. M. & Schuster, E. (1907). The inheritance of psychical characters, **5**, 460-9
- Elderton, E. M. & Thompson, C. M. (1935). Strength of vision in relation to eye and hair pigmentation, **27**, 266-8
- Elderton, E. M. & Woo, T. L. (1932). Normality of cranial measurements, **24**, 45-54
- Elderton, E. M. *et al.* (1919). Nest and eggs of the common tern, **12**, 308-54
- (1929). Distribution and table of the first product moment-coefficient, **21**, 164-201
- (1930). Tables for determining the volume of the normal bivariate surface, **22**, 12-35
- Elderton, W. P. (1902). Tables for testing the fit of frequency curves, **1**, 155-63
- (1902). Interpolation by finite differences, **2**, 105-8
- (1903). Graduation and analysis of a sickness table, **2**, 260-72 (correction, **2**, 503-4)
- (1903). Tables of powers and sums of powers of natural numbers, **2**, 474-80

- Elderton, W. P. (1905). Notes on calculation of moments, 4, 374-84
 — (1908). Interpolation in n -dimension space, 6, 94-103
 — (1933). Adjustments for moments of J-shaped curves, 25, 179-80
 — (1951). *Biometrika*, 1901-1951, 38, 267-8
- Elfvig, G. (1947). Asymptotical distribution of range in samples from a normal population, 34, 111-19
- Embleton, D. & Lewis, T. (1908). Split-hand and split-foot deformities, 6, 26-58 (correction, 6, 117-18)
- Emmons, A. B. (1913). Variations in the female pelvis, 9, 34-57
- Evans, D. A. (1953). Experimental evidence concerning contagious distributions in ecology, 40, 186-211
- Everitt, P. F. (1910). Tetrachoric functions for four-fold correlation tables, 7, 437-51
 — (1912). Supplementary tables for tetrachoric groupings, 8, 385-95
 — (1919). Quadrature coefficients, 12, 282-3
- Fawcett, C. D. & Lee, A. (1902). Variation and correlation of Naqada crania, 1, 408-67
- Fieller, E. C. (1931). The duration of play, 22, 377-404
 — (1931). A problem in probability, 22, 425-7
 — (1931). The game of heads and tails, 23, 419-23
 — (1932). Distribution of the index in a normal bivariate population, 24, 428-40
- Fieller, E. C. *et al.* (1930). Tables for determining the volumes of the normal bivariate surface, 22, 12-35
- Finch, D. J. (1950). The effect of non-normality on the z test, 37, 186-9
- Finney, D. J. (1938). Distribution of ratio of two estimated variances, 30, 190-2
 — (1947). Individual records of dose and quantal response, 34, 320-34
 — (1948). Fisher-Yates significance test in 2×2 tables, 35, 145-56
 — (1949). A method of estimating frequencies, 36, 233-4
 — (1949). Estimation of the parameters of tolerance distributions, 36, 239-56 (correction, 39, 439)
- Finney, D. J. & Stevens, W. L. (1948). Table of working probits, 35, 191-201
- Fisher, R. A. (1915). Distribution of the correlation coefficient, 10, 507-21
- Fitch, E. R. & Hartley, H. O. (1951). A chart for the incomplete Beta-function, 38, 423-6
- Fog, D. (1948). The geometrical method in the theory of sampling, 35, 46-54
- Fraser, D. A. S. (1950). Note on the χ^2 smooth test, 37, 447-8
- Freeman, G. H. (1953). Spread of diseases in a rectangular plantation with vacancies, 40, 287-96
- Freeman, G. H. & Halton, J. H. (1951). Exact treatment of contingency and goodness of fit, 38, 141-9
- Frisch, R. (1925). Recurrence formulae for the moments of the point binomial, 17, 165-71
- Fry, A. (1902). Variation in leaves of mulberry trees, 1, 258-9
- Fucks, W. (1952). On mathematical analysis of style, 39, 122-9
- Fuller, W. N. & Pearl, R. (1905). Variation and correlation in the earthworm, 4, 213-29
- Gain, E. (1904). Étude biométrique sur la *Pulmonaria officinalis*, 3, 398-458
- Galloway, A. R. (1909). Canary breeding, 7, 1-42
 — (1910). Canary breeding. A rejoinder to C. B. Davenport, 7, 401-3
 — (1912). Pigmentation of the human iris, 8, 267-79
 — (1912). Hybridization of canaries, 8, 435-6
- Galton, F. (1901). Biometry, 1, 7-10
 — (1902). Values of first and second prizes, 1, 385-90
 — (1907). Grades and deviates of the normal curve, 5, 400-4
- Garwood, F. (1933). Probability integral of the correlation coefficient, 25, 71-8
 — (1936). Fiducial limits for the Poisson distribution, 28, 437-42
 — (1941). Maximum likelihood and dosage-mortality curves, 32, 46-58
 — (1947). The variance of the overlap of geometrical figures, 34, 1-17
- Gayen, A. K. (1949). Distribution of 'Student's' t from non-normal universes, 36, 353-69
 — (1950). Variance ratio in random samples from non-normal universes, 37, 236-55
 — (1950). Significance of difference between the means of two non-normal samples, 37, 399-408
 — (1951). Frequency distribution of the product-moment correlation coefficient, 38, 219-47
- Geary, R. C. (1933). Moments of symmetrical functions of normal samples, 25, 185-6
 — (1936). Ratio of the mean deviation to the standard deviation, 28, 295-305
 — (1943). Minimum range for quasi-normal distributions, 33, 100-3
 — (1944). Efficiency and closeness for consistent estimates of a parameter, 33, 123-8
 — (1947). Frequency distribution of $\sqrt{b_1}$, 34, 68-97
 — (1947). Testing for normality, 34, 209-42
- Geary, R. C. & Pearson, E. S. (1935). Part I, New test of normality, 27, 310-32; Part II, Comparison of β_2 and of w_n criteria, 27, 333-45; Part III, The correlation between β_2 and w' , 27, 353-5
- Geary, R. C. & Worlledge, J. P. G. (1947). Computation of universal moments of tests of statistical normality, 34, 98-110 (correction, 37, 189)
- Georgescu, N. St (1932). Contributions to the sampling problem, 24, 65-107
- Ghurye, S. G. (1949). The use of Student's t -test in an asymmetrical population, 36, 426-30
 — (1950). A method of estimating the parameters of an autoregressive time-series, 37, 173-8
- Gibson, G. D. (1950). A rapid method for ascertaining serial lag correlation, 37, 288-307
- Gibson, W. (1906). Tables for facilitating the computation of probable errors, 4, 385-93
- Gilby, W. H. (1911). Teachers' appreciation of general intelligence, 8, 93-108
- Gil-Pelaez, J. (1951). Note on the inversion theorem, 38, 481-2
- Gladstone, R. J. (1905). Brain-weight and head-size, 4, 105-23
- Godwin, H. J. (1948). Note on the mean deviation, 35, 304-9
 — (1949). On the estimation of dispersion by linear systematic statistics, 36, 92-100

- Godwin, H. J. & Hartley, H. O. (1945). Probability integral and percentage points of the mean deviation in normal samples, **33**, 254-65
- Good, I. J. (1950). The inversion of circulant matrices, **37**, 185-6
- (1953). The population frequencies of species, **40**, 237-64
- Goodman, C. N. & Morant, G. M. (1940). Human remains of the Iron age and other periods from Maiden Castle, **31**, 295-312
- Gordon, R. D. (1939). Estimating bacterial populations by the dilution method, **31**, 167-80
- Goring, C. B. (1909). Some recent criminological works, **7**, 231-3
- Goring, K. M. *et al.* (1919). Charles B. Goring, 1870-1919, **12**, 297-307
- Gosset, W. S. *See* 'Student'
- Grant, A. M. (1952). Runs in smoothed random series, **39**, 198-204
- Gray, H. (1928). Relation of weight to stature, bi-crystal diameter and age, **20A**, 299-309
- Greenwood, M. (1904). Weights of human viscera, **3**, 63-83
- (1913). On errors of random sampling, **9**, 69-90
- Medical statistics from Graunt to Farr. Part I (1941), **32**, 101-27; Part II (1942), **32**, 203-25; Part III (1943), **33**, 1-24
- (1948). James Fowler Tocher, 1864-1945, **35**, 1-5
- (1949). The infectiousness of measles, **36**, 1-8
- (1950). Accident proneness, **37**, 24-9
- Greenwood, M. & Brown, J. W. (1913). A second study of the human viscera, **9**, 473-85
- Greenwood, M. & Newbold, E. M. (1925). Excess mortality of males in the first year of life, **17**, 327-42
- Greenwood, M. & Russell, W. T. (1938). Bright's disease, nephritis and arteriosclerosis, **29**, 249-76
- Greenwood, M. & White, J. D. C. Biometric study of phagocytosis. Part I (1909), **6**, 376-401; Part II (1910), **7**, 505-30
- Greenwood, M. *et al.* (1923). Biometric study of the interrelations of vital capacity, height and weight in men, **14**, 316-36
- Greenwood, R. *et al.* (1925). Heights and weights of patients in mental hospitals, **17**, 142-58
- Grier, N. M. (1919). Variation and distribution of leaves in sassafras, **12**, 372-3
- Griffiths, G. B. (1904). Measurements of criminals, **3**, 60-2
- Gronow, D. G. C. (1951). Significance test for the difference between means, **38**, 252-6
- (1953). Non-normality in two-sample *t*-tests, **40**, 222-5
- Grundy, P. M. (1951). Expected frequencies where the abundances of species are log-normal, **38**, 427-34
- (1952). Grouping truncated and censored normal distributions, **39**, 252-9
- Grüneberg, H. & Haldane, J. B. S. (1937). Mendelian segregation in mice, **29**, 144-53
- Guest, P. G. (1953). The Doolittle method and the fitting of polynomials, **40**, 229-31
- Gumbel, E. J. (1924). Eine darstellung der sterbetafel, **16**, 283-96 (correction, **16**, 411)
- (1925). Lebenserwartung und mittleres alter der lebenden, **17**, 173-5
- Gumbel, E. J. (1942). Simple tests for given hypotheses, **32**, 317-33
- (1949). Probability tables for the range, **36**, 142-8
- Gupta, A. K. (1952). Estimation from a censored normal sample, **39**, 260-73
- Hacker, H. P. & Pearson, H. S. The long-tailed fieldmouse, *Apodemus sylvaticus*. Part I (1944), Growth, **33**, 136-92; Part II (1946), Survival, **33**, 333-61; Part III (1952), Wandering power, **39**, 389-413
- Haldane, J. B. S. (1937). The moments of the distribution of χ^2 , **29**, 133-43 (correction, **31**, 220)
- (1937). Moments of χ^2 when some expectations are small, **29**, 389-91 (corrections, **31**, 220)
- (1937). Normalization of frequency distributions, **29**, 392-404
- (1938). Heterostylism of the primrose, *Primula acaulis*, **30**, 196-8
- (1939). Note on the analysis of Mendelian segregation, **31**, 67-71
- (1940). The mean and variance of χ^2 , **31**, 346-55
- (1940). Cumulants and moments of the binomial distribution and cumulants of χ^2 , **31**, 392-6
- (1941). Cumulants of the distribution of the square of a variate, **32**, 199-200
- (1942). Moments of the distributions of powers and products of normal variates, **32**, 226-42
- (1942). Mode and median of a distribution, **32**, 294-9
- (1945). On a method of estimating frequencies, **33**, 222-5
- (1945). Moments of r and χ^2 for a fourfold table in the absence of association, **33**, 231-3
- (1945). The use of χ^2 as a test of homogeneity, **33**, 234-8
- (1948). The precision of observed values of small frequencies, **35**, 297-300
- (1948). Note on the median of a multivariate distribution, **35**, 414-15
- (1949). Note on non-normal correlation, **36**, 467-8
- Haldane, J. B. S. & Grüneberg, H. (1937). Mendelian segregation in mice, **29**, 144-53
- Haldane, J. B. S. & Kermack, K. A. (1950). Organic correlation and allometry, **37**, 30-41
- Hall, P. (1927). Multiple and partial correlation coefficients, **19**, 100-9
- (1927). Distribution of means of equally probable value, **19**, 240-5
- Halton, J. H. & Freeman, G. H. (1951). Exact treatment of contingency and goodness of fit, **38**, 141-9
- Halton Thomson, D. (1947). Approximate formulae for the percentage points of the incomplete beta function and of the χ^2 distribution, **34**, 368-72
- Hammersley, J. M. (1953). Capture-recapture analysis, **40**, 265-78
- Hansmann, G. H. (1934). Non-normal symmetrical frequency distributions, **26**, 129-95
- Harmon, G. E. (1926). Relationship between head measurements and reaction time, **18**, 207-20
- Harris, J. A. (1909). Correlation between a variable and the deviation of a dependent variable from its probable value, **6**, 438-43

- Harris, J. A. (1909). Calculating the correlation coefficient in the case of integral variates, 7, 214-18
 — (1909). Variation in *Adowa*, 7, 218-22
 — (1910). Morphology of the fruit of *Sanguinaria canadensis*, 7, 305-51
 — (1910). Selective elimination in *Staphylea*, 7, 452-504
 — (1911). Correlation between somatic characters and fertility, illustrated by whorl of *Hibiscus*, 8, 52-65
 — Influence of weight of seed on characteristics of plant. Part I (1913), 9, 11-21; Part II (1914), 10, 72-84
 — (1913). Intra-class and inter-class correlation coefficients, 9, 446-72
 — (1914). Spurious values of intra-class correlation coefficients, 10, 412-16
 — (1916). Homotyposis in the legume *Cercis canadensis*, 11, 201-14
 Harrower, G. (1928). Crania of the Hylam Chinese, 20B, 245-78
 — (1928). Biometric study of Asiatic mandibles, 20B, 279-93
 Hartley, H. O. (1940). Testing the homogeneity of a set of variances, 31, 249-55
 — (1942). The range in random samples, 32, 334-48
 — (1944). Studentization, 33, 173-80
 — (1948). Non-linear parameters by 'internal least squares', 35, 32-45
 — (1948). Approximation errors in distributions of independent variates, 35, 417-18
 — (1949). Tests of significance in harmonic analysis, 36, 194-201
 — (1950). Simplified form of Sheppard's correction formulae, 37, 145-8
 — (1950). Use of range in analysis of variance, 37, 271-80
 — (1950). Maximum F ratio as a short-cut test for heterogeneity of variance, 37, 308-12
 — (1951). The fitting of polynomials to equidistant data with missing values, 38, 410-13
 Hartley, H. O. & Comrie, L. J. (1941). Lagrangian coefficients for harmonic interpolation, 32, 183-6
 Hartley, H. O. & Fitch, E. R. (1951). A chart for the incomplete Beta-function, 38, 423-6
 Hartley, H. O. & Godwin, H. J. (1945). Probability integral and percentage points of the mean deviation in normal samples, 33, 254-65
 Hartley, H. O. & Khamis, S. H. (1947). Numerical solution of the problem of moments, 34, 340-51
 Hartley, H. O. & Pearson, E. S. (1942). Probability integral of the range in normal samples, 32, 301-10
 — (1943). Tables of the probability integral of the studentized range, 33, 89-99
 — (1946). Prefatory note to tables for testing the homogeneity of a set of estimated variances, 33, 296-301
 — (1950). Table of the probability integral of the t distribution, 37, 168-72
 — (1950). Tables of the χ^2 integral and of the cumulative Poisson distribution, 37, 313-25
 — (1951). Charts of the power function for analysis of variance tests, 38, 112-30
 — (1951). Moment constants for the distribution of range, 38, 463-4
 Harvey, W. F. & Acton, H. W. (1912). Increase in the number of erythrocytes with altitude, 8, 280-91
 Harvey, W. F. & McKendrick, A. (1909). The opsonic index, 7, 64-95
 Hasluck, M. M. & Morant, G. M. (1929). Measurements of Macedonian men, 21, 322-36
 Heiden, J. A. van der (1952). A correction term in the method of paired comparisons, 39, 211-12
 Helguero, F. de (1904). Sui massimi delle curve dimorfiche, 3, 84-98
 — (1905). Per la risoluzione delle curve dimorfiche, 4, 230-1
 — (1906). Variazione ed omotiposi nelle infiorescenze di *Cichorium intybus*, 5, 184-9
 Henderson, J. (1922). Expansions in tetrachoric functions, 14, 157-85
 Hendricks, W. A. (1937). Application of the method of maximum likelihood, 29, 154-5
 Henry, C. Bowdler & Morant, G. M. (1936). Eruption of the mandibular third molar tooth, 28, 378-427
 Heron, D. (1906). Inheritance of the sex-ratio, 5, 79-85
 — (1908). Inheritance of the sex-ratio in thoroughbred racehorses, 6, 120-2
 — (1910). Inheritance in canaries, 7, 403-9
 — (1910). Abac for determining the probable errors of correlation coefficients, 7, 410-11
 — (1910). Probable error of a partial correlation coefficient, 7, 411-12
 — (1911). The danger of certain correlation formulae, 8, 109-22
 — (1914). Recent studies in the inheritance factor in insanity, 10, 356-83
 — (1914). Note on reproductive selection, 10, 419-20
 Heron, D. & Pearson, K. (1913). Theories of association, 9, 159-315
 Hensgen, C. (1902). Die spielarten von *Helix nemoralis*, 1, 468-92
 Hey, G. B. (1938). Sampling non-normal populations, 30, 68-80
 Heyer, A. (1909). Über die längenvariation de coniferennadeln, 6, 354-65
 Hirschberg, L. K. (1913). Selection and intermediates in *Bacillus coli*, 9, 331-2
 Hirschfeld, H. O. (1937). Ratio of covariance estimates, 29, 65-79
 Hoadley, M. F. (1928). Association of relative laterality of hand and eye, 20B, 401-8
 — (1929). On measurement of the internal diameters of the skull, 21, 85-123
 Hoadley, M. F. & Morant, G. M. (1931). A study of the Spitalfields crania, 23, 191-248
 Höfding, W. (1947). Distribution of the rank correlation coefficient, τ , 34, 183-96
 Hojo, T. (1931). Distribution of median, quartiles and interquartile distance, 23, 315-60
 — (1933). Median and quartiles in small samples, 25, 79-90
 Holzinger, K. J. (1924). Vital capacity and certain psychical characters, 16, 139-56
 Holzinger, K. J. & Church, A. E. R. (1928). Means of samples from a U-shaped population, 20A, 361-88
 Hooke, B. G. E. (1926). A third study of the English skull, 18, 1-55

- Hooke, B. G. E. & Morant, G. M. (1926). British craniology in late prehistoric and historic times, 18, 99-104
- Horsnell, G. (1953). Effect of unequal group variances on the F -test, 40, 128-36
- Hosny, M. (1914). Notes on the influence of education in Egypt, 10, 280-7
- Hotelling, H. (1936). Relations between two sets of variates, 28, 321-77
- Hsu, C. T. & Lawley, D. N. (1940). Sampling moments of b_2 , 31, 238-48
- Hsu, P. L. (1940). Generalized analysis of variance, 31, 221-37
- (1941). Limiting distribution of canonical correlations, 32, 38-45
- (1941). Analysis of variance from the power function standpoint, 32, 62-9
- Huntington, E. V. (1940). Stirling's formula with remainder, 31, 390
- Hussey, R. & Thompson, W. R. (1932). Islets of Langerhans in the pancreas of a monkey, 24, 27-38
- Huzurbazar, V. S. (1949). A property of distributions admitting sufficient statistics, 36, 71-4
- Hyrenius, H. (1950). Distribution of 'Student'-Fisher's t , 37, 429-42
- (1952). Sampling from bivariate non-normal universes, 39, 238-46
- Irwin, J. O. (1925). Theory of Francis Galton's individual difference problem, 17, 100-28
- (1925). A criterion for the rejection of outlying observations, 17, 238-50
- (1927). Distribution of the means of samples, 19, 225-39; Note, 21, 431-2
- (1949). Subdivision of χ^2 into components, 36, 130-4
- Irwin, J. O. *et al.* (1923). Nest and eggs of the common tern, 15, 294-345
- Isaacs, E. *et al.* (1919). Nest and eggs of the common tern, 12, 308-54
- Isserlis, L. (1914). Capacity of negro skull, 10, 188-93
- Partial correlation ratio. Part I (1914), 10, 391-411 (correction, 10, vi); Part II (1915), 11, 50-66
- (1916). Probable errors in multiple skew regression, 11, 185-90
- (1917). Representation of statistical data, 11, 418-25
- (1918). High product-moment coefficients, 12, 134-9 (correction, 12, 266)
- (1918). Formulae for means of products of deviations of mixed moment coefficients, 12, 183-4
- (1927). Note on Chebycheff's interpolation formula, 19, 87-93
- Iyer, P. V. Krishna (1949). Probability distributions arising from points on a lattice, 36, 135-41
- Jacob, S. *et al.* (1903). Interracial characters and their correlation in man, 2, 347-56
- James, G. S. (1951). Comparison of several groups of observations, 38, 324-9
- James, S. F. & Orcutt, G. H. (1948). Testing the significance of correlation between time series, 35, 397-413
- Jeffery, G. B. *et al.* (1929). Distribution of the first product moment-coefficient, 21, 164-93
- Jeffreys, H. (1939). Random and systematic arrangements, 31, 1-8
- Jenkinson, J. W. Symmetry of the egg and of the embryo in the frog. Part I (1906), 5, 147-67; Part II (1909), 7, 148-209
- (1912). Growth, variability and correlation in young trout, 8, 444-55
- Johnson, N. L. (1948). Alternative systems in the analysis of variance, 35, 80-7
- (1948). Tests of significance in the variate difference method, 35, 206-9
- (1949). Systems of frequency curves generated by methods of translation, 36, 149-76
- (1949). Bivariate distributions based on simple translation systems, 36, 297-304
- (1950). Comparison of estimators, 37, 281-7
- (1952). Approximations to the probability integral of the distribution of range, 39, 417-19
- (1952). Comparison of analysis of variance power function, 39, 427-9
- Johnson, N. L. & David, F. N. (1948). The probability integral transformation, 35, 182-90
- — (1950). The probability integral transformation when the variable is discontinuous, 37, 42-9
- — (1951). The effect of non-normality on the power function of the F -test, 38, 43-57
- Johnson, N. L. & Welch, B. L. (1939). Cumulants of the χ distribution, 31, 216-18
- — (1940). Applications of the non-central t distribution, 31, 362-89
- Jones, A. E. (1946). Routine estimation of dispersion from large samples, 33, 274-82
- (1948). Systematic sampling of continuous parameter populations, 35, 283-90
- Jones, H. G. & Pearson, K. (1910). Teachers' opinion of intelligence of schoolchildren, 7, 542-8
- Kamat, A. R. (1953). Absolute moments of the multivariate normal distribution, 40, 20-34
- (1953). The mean successive difference, 40, 116-27
- (1953). The third moment of Gini's mean difference, 40, 451-2
- Kaplan, E. L. (1952). Tensor notation and the sampling cumulants of k -statistics, 39, 319-23
- Karn, M. N. (1933). Life tables with eliminated diseases, 25, 91-101
- Karn, M. N. *et al.* (1923). Nest and eggs of the common tern, 15, 294-345
- — (1927). Goitre in adolescence, 19, 292-353
- Kathirgamatamby, N. (1953). The Poisson index of dispersion, 40, 225-8
- Kelly, B. K. *et al.* (1948). Fractional replication arrangements for factorial experiments, 35, 268-76
- Kempthorne, O. (1947). Confounding and fractional replication in factorial experiments, 34, 255-72
- Kendall, D. G. (1948). Modes of population growth, 35, 6-15
- (1948). A stochastic birth process, 35, 316-30
- Kendall, D. G. & Rao, K. S. (1950). Second limit-theorem in the calculus of probabilities, 37, 224-30
- Kendall, M. G. (1938). A new measure of rank correlation, 30, 81-93
- (1941). A theory of randomness, 32, 1-15
- (1941). Recurrence relation for the semi-invariants of Pearson curves, 32, 81-2

- Kendall, M. G. (1941). Relations connected with the tetrachoric series and its generalization, **32**, 196-8
- (1942). Partial rank correlation, **32**, 277-83
- (1944). Autoregressive time series, **33**, 105-22
- (1945). Treatment of ties in ranking problems, **33**, 239-51
- (1947). Variance of τ when both rankings contain ties, **34**, 297-8
- (1948). Systematic sampling of continuous parameter populations, **35**, 291-6
- (1949). Reconciliation of theories of probability, **36**, 101-16
- (1949). Rank and product-moment correlation, **36**, 177-93
- (1949). Tables of autoregressive series, **36**, 267-89
- Regression, structure and functional relationship. Part I (1951), **38**, 11-25; Part II (1952), **39**, 96-108
- (1952). Moment-statistics in samples from a finite population, **39**, 14-16
- Kendall, M. G. & Babington Smith, B. (1940). The method of paired comparisons, **31**, 324-45
- Kendall, M. G. & Daniels, H. E. (1947). Significance of rank correlations where parental correlation exists, **34**, 197-208
- Kendall, M. G. & David, F. N. Tables of symmetric functions. Part I (1949), **36**, 431-49; Parts II and III (1951), **38**, 435-62; Part IV (1953), **40**, 427-46
- Kendall, M. G. & Durbin, J. (1951). The geometry of estimation, **38**, 150-8
- Kendall, M. G. *et al.* (1939). Distribution of Spearman's coefficient of rank correlation, **30**, 251-73
- (1951). Some questions of distribution in the theory of rank correlation, **38**, 131-40
- Kendall, S. F. H. *et al.* (1939). Distribution of Spearman's coefficient of rank correlation, **30**, 251-73
- Ker, W. P. (1917). W. R. Macdonell, 1852-1916, **11**, 281-3
- Kermack, K. A. & Haldane, J. B. S. (1950). Organic correlation and allometry, **37**, 30-41
- Khamis, S. H. & Hartley, H. O. (1947). Numerical solution of the problem of moments, **34**, 340-51
- Kitson, E. (1931). Negro crania from the Teita Hills, **23**, 271-314
- Kitson, E. & Morant, G. M. (1933). Study of the Naga skull, **25**, 1-20
- Kôga, Y. & Morant, G. M. (1923). The degree of association between reaction times, **15**, 346-72
- Kolodziejczyk, S. (1935). An important class of statistical hypotheses, **27**, 161-90
- Kondo, T. (1929). Standard error of the mean square contingency, **21**, 376-428
- (1930). Sampling distribution of standard deviations, **22**, 36-64
- Kondo, T. & Elderton, E. M. (1931). Table of normal curve functions to each permille of frequency, **22**, 368-76
- Koopmans, A. N. & Cool, C. (1915). Variation and correlation in Umbelliferae, **11**, 38-49
- Kribs, H. G. (1908). Relative variability of the sexes in *Carabus auratus*, **6**, 103-5
- Krishna Iyer, P. V. (1949). Probability distributions arising from points on a lattice, **36**, 135-41
- Kupperman, M. (1952). Exact grouping corrections to moments and cumulants, **39**, 429-34
- Laha, G. R. (1953). On an extension of Geary's theorem, **40**, 228-9
- Lancaster, H. O. (1949). Partition of χ^2 in certain discrete distributions, **36**, 117-29 (corrections, **37**, 452)
- (1949). Combination of probabilities, **36**, 370-82 (correction, **37**, 452)
- (1950). Exact partition of χ^2 , **37**, 267-70
- (1952). Statistical control of counting experiments, **39**, 419-22
- Laski, H. J. (1912). Mendelian view of racial heredity, **8**, 424-30
- Latscha, R. (1953). Significance tests in a 2×2 contingency table, **40**, 74-86
- Latter, O. H. The cuckoo's egg. Part I (1902), **1**, 164-76; Part II (1905), **4**, 363-73
- (1914). Clypeal markings of *Vespa vulgaris*, **10**, 201-7
- Lawley, D. N. (1938). Generalization of Fisher's z test, **30**, 180-7 (correction, **30**, 467-9)
- Lawley, D. N. & Hsu, C. T. (1940). Sampling moments of b_2 , **31**, 238-48
- Layard, D. & Young, M. (1935). Anglo-Saxon skulls from Burwell, **27**, 388-408
- Ledermann, W. (1939). Sampling distribution and selection in a normal population, **30**, 295-304
- (1951). Appendix to M. S. Bartlett's paper on the effect of standardization on a χ^2 -approximation, **38**, 343-4.
- Lee, A. (1902). Variation and correlation in plants, **1**, 316-19
- (1903). Inheritance in thoroughbred racehorses, **2**, 234-6
- (1914). Table of the Gaussian 'tail' functions, **10**, 208-14
- (1915). Tuberculosis and segregation, **10**, 530-48
- (1917). Supplementary tables for high tetrachoric correlations, **11**, 284-91
- (1925). Table of tetrachoric functions to seven decimal places, **17**, 343-54
- (1927). Supplementary tables for tetrachoric correlation, **19**, 354-404
- Lee, A. & Fawcett, C. D. (1902). Variation and correlation of Naqada crania, **1**, 408-67
- Lee, A. & Pearson, K. (1903). Laws of inheritance in man, **2**, 357-462
- (1908). Generalized probable error in multiple normal correlation, **6**, 59-68
- Lee, A. *et al.* (1903). Interracial characters and their correlation in man, **2**, 347-56
- (1904). Inheritance of coat-colour in greyhounds, **3**, 245-98
- (1905). Biometric constants of English brain weights, **4**, 124-60
- (1907). A study of *Vespa vulgaris*, **5**, 407-22
- (1917). Distribution of the correlation coefficient in small samples, **11**, 328-413
- Leigh-Dugmore, C. H. (1953). Estimation of the correlation coefficient from the range of deviations, **40**, 218-19
- Le Roux, J. M. (1931). Distribution of the variance in small samples, **23**, 134-90
- Leser, C. E. V. (1942). Inequalities for multivariate frequency distributions, **32**, 284-93
- Leslie, P. H. (1945). The use of matrices in certain population mathematics, **33**, 183-212

- Leslie, P. H. (1948). Matrices in population mathematics, 35, 213-45
- (1952). The estimation of population parameters from capture-recapture data. Part II, 39, 363-88
- Leslie, P. H. & Chitty, D. (1951). The estimation of population parameters from capture-recapture data. Part I, 38, 269-92
- Leslie, P. H. *et al.* (1953). The estimation of population parameters from capture-recapture data. Part III, 40, 137-69
- Lesser, P. C. V. (1933). Illustration of the use of χ^2 , *P* methods, 25, 197-202
- Lewenz, M. A. & Pearson, K. (1904). Measurement of internal capacity from cranial circumferences, 3, 366-97
- Lewenz, M. A. & Whiteley, M. A. (1902). A study of the hand, 1, 345-60
- Lewis, Thomas (1908). Inheritance of brachydactyly, 6, 327
- Lewis, Thomas & Embleton, D. (1908). Split-hand and split-foot deformities, 6, 26-58 (correction, 6, 117-18)
- Lewis, Tobias (1953). 99.9 and 0.1 % points of the χ^2 distribution, 40, 421-6
- Lindley, D. V. (1946). Solution of equations in least squares, 33, 326-7
- (1953). Estimation of a functional relationship, 40, 47-9
- Little, K. (1943). Human skulls from Castle Hill, Scarborough, 33, 25-35
- Lloyd, E. H. (1952). Least-squares estimation of location and scale parameters, 39, 88-95
- Lloyd, E. H. & Anis, A. A. (1953). Range of partial sums of normal variates, 40, 35-42
- Lloyd, R. E. (1911). Inheritance of fertility, 8, 244-7
- Long, W. M. (1951). Estimation problems when a simple type of heterogeneity is present, 38, 90-101
- (1951). Quality control systems based on inaccurate measurements, 38, 472-5
- Loraine, P. K. & Brownlee, K. A. (1948). Finite groups and completely orthogonal squares and cubes, 35, 277-82
- Loraine, P. K. *et al.* (1948). Fractional replication arrangements for factorial experiments, 35, 268-76
- Lord, E. (1947). Range in place of standard deviation in the *t* test, 34, 41-67 (correction, 39, 442)
- (1950). Power of modified *t* test based on range, 37, 64-77
- Lucas, E. V. *et al.* (1919). Charles B. Goring, 1870-1919, 12, 297-307
- Lüders, R. (1934). Die statistik der seltenen ereignisse, 26, 108-28
- Ludwig, F. (1901). Variationsstatistische probleme und materialien, 1, 11-29
- Lutz, F. E. (1903). Influence of change in sex on heredity, 2, 237-40
- Macdonald, D. (1911). Pigmentation, susceptibility and race selection, 8, 13-39
- Macdonell, W. R. (1902). Criminal anthropometry, 1, 177-227
- (1902). Influence of vaccination, 1, 375-83
- (1903). Vaccination and smallpox, 2, 135-44
- (1904). Variation and correlation of the human skull (Whitechapel series), 3, 191-244
- Macdonell, W. R. (1906). Study of the English skull (Moorfields series), 5, 86-104
- (1913). Expectation of life in ancient Rome, 9, 366-80
- McIntosh, D. C. (1903). Variation in *Ophiocoma nigra*, 2, 463-73
- McIntosh, J. & Adler, J. E. (1910). Histological examination of a case of albinism, 7, 237-43
- Mack, C. (1953). Overlapping in bacterial counts, 40, 220-2
- McKay, A. T. (1932). A Bessel function distribution, 24, 39-44
- (1933). Distribution of $\sqrt{\beta_1}$ in samples of four from a normal universe, 25, 204-10
- (1933). Distribution of β_2 in samples of four from a normal universe, 25, 411-15
- (1935). Sampling distribution of the difference between the extreme observation and the mean, 27, 466-71
- McKay, A. T. & Pearson, E. S. (1933). Note on distribution of range in samples of *n*, 25, 415-20
- McKendrick, A. G. (1912). Calculation of frequencies from unequal probabilities, 8, 413-19
- McKendrick, A. G. & Harvey, W. F. (1909). The opsonic index, 7, 64-95
- McKinlay, P. L. (1951). Major Greenwood, 1880-1949, 38, 1-3
- McLearn, I. *et al.* (1928). Racial value of type silhouette, 20B, 389-400
- McMahon, J. (1923). Hyperspherical goniometry, 15, 173-208
- McMullan, G. & Pearson, K. (1913). Hereditary split foot or lobster claw, 9, 381-90
- McMullen, L. (1939). William Sealy Gosset, 1876-1937. 'Student' as a man, 30, 205-10
- Madden, M. *et al.* (1939). Observed and theoretical ratios in Mendelian inheritance, 31, 56-66
- Maguire, B. A. *et al.* (1952). The time intervals between industrial accidents, 39, 168-80
- (1953). The analysis of accident data, 40, 213-16
- Mahalanobis, P. C. (1928). Need for standardization in measurements on the living, 20A, 1-31
- (1930). Study of anthropometric measurements from Sweden, 22, 94-108
- Mählmann, H. (1935). Ueber verteilungen von massenpunkten, 27, 191-226
- Maritz, J. S. (1952). Note on a certain family of discrete distributions, 39, 196-8
- Marriott, F. H. C. (1952). Tests of significance in canonical analysis, 39, 58-64
- Martin, E. S. (1932). Accuracy of two types of quadratic formulae compared, 24, 280-7
- (1934). Moment corrections for curves with unknown start, 26, 12-58
- (1936). Egyptian series of mandibles, 28, 149-78
- Martin, W. J. & Cheeseman, E. A. (1938). Rural mortality, 30, 57-64
- Martin, W. J. *et al.* (1939). Disease and environment, 30, 341-62
- May, J. M. (1952). Upper percentage points of the studentized range, 39, 192-3 (correction, 40, 236)
- Maynard, G. D. (1909). Study of anti-typhoid inoculation, 6, 366-75
- (1910). Study of cancer deathrates, 7, 276-304

- Maynard, G. D. (1911). Age distribution of deaths from diabetes mellitus, 8, 225-31
- Maynard G. D. (1914). Note on piebald negro, 10, 193
- (1923). Study in human fertility, 14, 337-54
- Maynard, G. D. & Troup, J. McD. (1912). Chance distribution of cases of disease in houses, 8, 396-403
- Merrill, A. S. (1928). Frequency distribution of an index, 20A, 53-63
- Merrington, M. (1941). Numerical approximations to percentage points of the χ^2 distribution, 32, 200-2
- (1942). Table of percentage points of t distribution, 32, 300
- Merrington, M. & Pearson, E. S. (1948). 2×2 tables, 35, 331-45
- (1951). Tables of the 5 % and 0.5 % points of Pearson curves, 38, 4-10
- Merrington, M. & Thompson, C. M. (1943). Tables of percentage points of the inverted beta (F') distribution, 33, 74-87
- (1946). Tables for testing the homogeneity of a set of estimated variances, 33, 302-4
- Metakides, T. & Wishart, J. (1953). Orthogonal polynomial fitting, 40, 361-9
- Mills, J. P. (1926). Table of the ratio of area to bounding ordinate of the normal curve, 18, 395-400
- Moore, P. G. (1949). Randomness in a sequence of two alternatives, 36, 305-16
- (1952). Estimation of the Poisson parameter from a truncated distribution, 39, 247-51
- (1953). A sequential test for randomness, 40, 111-15
- Moran, P. A. P. Some theorems on time series. Part I (1947), 34, 281-91; Part II (1948), 35, 255-60
- (1947). The method of paired comparisons, 34, 363-5
- (1948). Rank correlation and product moment correlation, 35, 203-6
- (1949). Spectral theory of discrete stochastic processes, 36, 63-70
- (1950). Notes on continuous stochastic phenomena, 37, 17-23
- (1950). A test for serial independence of residuals, 37, 178-81
- (1951). Partial and multiple rank correlation, 38, 26-32
- (1951). A mathematical theory of animal trapping, 38, 307-11
- (1952). The estimation of death-rates from capture-mark-recapture sampling, 39, 181-8
- Moran, P. A. P. & Chown, L. N. (1951). Rapid methods for estimating correlation coefficients, 38, 464-7
- Morant, G. M. (1921). Random occurrences in space and time, 13, 309-37
- (1923). First study of the Tibetan skull, 14, 193-260
- (1924). Study of the Nepalese and Tibetan series of crania, 16, 1-105
- (1925). Egyptian craniology from prehistoric to Roman times, 17, 1-52
- (1926). A first study of the craniology of England and Scotland, 18, 56-98
- (1926). Biometric methods applied to craniology, critique of 'The Hokien and the Tamil skull', 18, 414-17
- (1927). Study of the Australian and Tasmanian skulls, 19, 417-40
- Morant, G. M. (1928). Preliminary classification of European races, 20B, 301-75
- (1929). Contribution to Basque craniometry, 21, 67-84
- (1935). Predynastic Egyptian skulls from Badari, 27, 293-309
- (1936). Study of the human mandible, 28, 84-122
- (1937). Eskimo craniology, 29, 1-20
- (1938). Skulls from Iran, 30, 130-3
- (1939). Note on Wunderly's survey of Tasmanian crania, 30, 338-40
- (1939). Statistical methods in classification in anthropology, 31, 72-98
- (1948). Comparisons of heights and weights of German civilians, 35, 368-96
- Morant, G. M. & Batrawi, A. (1947). First dynasty series of Egyptian skulls, 34, 18-27
- Morant, G. M. & Bonin, G. von (1938). Indian races in the United States, 30, 94-129
- Morant, G. M. & Bowdler Henry, C. (1936). Eruption of the mandibular third molar tooth, 28, 378-427
- Morant, G. M. & Goodman, C. N. (1940). Human remains of the Iron age and other periods from Maiden Castle, 31, 295-312
- Morant, G. M. & Hasluck, M. M. (1929). Measurements of Macedonian men, 21, 322-36
- Morant, G. M. & Hoadley, M. F. (1931). A study of the Spitalfields crania, 23, 191-248
- Morant, G. M. & Hooke, B. G. E. (1926). British craniology in late prehistoric and historic times, 18, 99-104
- Morant, G. M. & Kitson, E. (1933). A study of the Naga skull, 25, 1-20
- Morant, G. M. & Koga, Y. (1923). The degree of association between reaction times, 15, 346-72
- Morant, G. M. & Pearson, K. (1934). The Wilkinson head of Oliver Cromwell, 26, 269-378
- Morant, G. M. & Reid, R. W. (1928). A study of the Scottish short eist crania, 20B, 379-88
- Morant, G. M. & Samson, O. (1936). Measurements of Jews in New York, 28, 1-31
- Morant, G. M. & Stoessiger, B. N. (1932). Crania from St Leonard's Church, Hythe, 24, 135-202
- Morant, G. M. & Woo, T. L. (1932). Classification of Asiatic races, 24, 108-34
- (1934). 'Flatness' of the facial skeleton in man, 26, 196-250
- Morant, G. M. *et al.* (1928). Racial value of type silhouette, 20B, 389-400
- Morgan, W. A. (1939). The significance of the difference between two variances, 31, 13-19
- Moul, M. & Elderton, E. M. (1931). Table of the differences of powers of zero, 22, 306-8
- Moul, M. & Pearson, K. (1927). The mathematics of intelligence, 19, 246-91
- Moul, M. *et al.* (1930). Tables for determining the volumes of the normal bivariate surface, 22, 12-35
- Mulholland, H. P. (1951). Hartley-Khamis solution of the moment-problem, 38, 74-89
- Müller, J. H. (1931). Application of continued fractions to certain integrals, 22, 284-97
- Mumford, A. A. & Young, M. (1923). Physical measurements and vital capacity, 15, 109-33
- Münter, A. H. (1936). Lengths of Anglo-Saxon long bones, 28, 258-94

- Murteira, B. (1951). Note on the variate differences of autoregressive series, 38, 479-80
- Musselman, J. R. (1926). Correlation of head measurements and mental agility, 18, 195-206
- (1926). Linear correlation ratio in symmetrical frequency distributions, 18, 228-31
- Myers, C. S. (1903). Homogeneity and heterogeneity in crania, 2, 504-6
- Nagler, H. (1950). The best unbiased quadratic estimate of the variance, 37, 444-5
- Nair, K. R. (1936). Note on paper by Karl Pearson, 28, 442-3
- (1947). Note on the mean deviation from the median, 34, 360-2
- (1948). Studentized form of the extreme mean square test, 35, 16-31
- (1948). Distribution of the extreme deviate from the sample mean, 35, 118-44
- (1949). Further note on the mean deviation from the median, 36, 234-5
- (1950). Efficiencies of certain linear systematic statistics for estimating dispersion from normal samples, 37, 182-3
- (1952). Percentage points of the studentized extreme deviate from the sample mean, 39, 189-91
- Nair, U. S. (1936). Standard error of Gini's mean difference, 28, 428-36
- (1939). Distribution laws in statistics, 30, 274-94
- Narumi, S. (1923). Bivariate frequency distributions. Part I, 15, 77-88; Part II, 15, 209-21
- (1923). Inequalities with possible applications in the theory of probability, 15, 245-53
- Nelder, J. A. (1951). The independence of quadratic forms in the analysis of variance, 38, 482-3
- Newbold, E. M. (1923). Note on Burnside's paper on errors of observation, 15, 401-6
- (1925). Experimental test of errors in partial correlation coefficients, 17, 251-65
- Newbold, E. M. & Greenwood, M. (1925). The excess mortality of males in the first year of life, 17, 327-42
- Newbold, E. M. *et al.* (1923). Study of the interrelations of vital capacity, height and weight in men, 14, 316-36
- Newman, D. (1939). Range in samples from a normal population, 31, 20-30
- Neyman, J. (1925). Contributions to the theory of small samples drawn from a finite population, 17, 472-9
- (1926). Notes on non-linear regression, 18, 257-62
- (1926). Correlation of mean and variance in samples drawn from an 'infinite' population, 18, 401-13
- (1938). Moments of the binomial, 30, 11-15
- (1941). Fiducial argument and the theory of confidence intervals, 32, 128-50
- Neyman, J. & Pearson, E. S. (1928). The use and interpretation of certain test criteria for purposes of statistical inference. Part I, 20A, 175-240; Part II, 20A, 263-94
- (1931). Notes on the χ^2 distribution, 22, 298-305
- (1938). Note on 'Student's' paper on balanced and random arrangements of field plots, 29, 380-8
- Nicholson, C. (1941). Frequency distribution of a ratio, 32, 16-28
- (1943). Probability integral for two variables, 33, 59-72
- Nussey, A. M. (1938). A piebald family, 30, 65-7
- Olkin, I. (1953). Matrix transformations in multivariate analysis, 40, 43-6
- Olkin, I. & Deemer, W. L. (1951). The Jacobians of certain matrix transformations, 38, 345-67
- Orcutt, G. H. & James, S. F. (1948). Testing the significance of correlation between time series, 35, 397-413
- Orensteen, M. M. (1915). Measurements of Cairo-born Egyptians, 11, 67-81
- (1920). Correlation of cephalic measurements in Egyptians, 13, 17-24
- Pairman, E. & Pearson, K. (1919). Corrections for moment-coefficients, 12, 231-58
- Parker, K. M. *et al.* (1914). Homotyposis in eggs of the common tern, 10, 144-68
- Parkes, A. S. (1923). Studies in the sex-ratio and related phenomena, 15, 373-81
- Patnaik, P. B. (1948). The power function in a 2×2 table, 35, 157-75
- (1949). The non-central χ^2 and F distributions and their applications, 36, 202-32
- (1950). The use of mean range in statistical tests, 37, 78-87
- Paton, D. N. (1914). The statistical study of dietaries, 10, 169-72
- Patterson, H. D. (1952). Balanced designs for experiments involving sequences of treatments, 39, 32-48
- Pearce, T. V. (1930). The distribution of the term of abortion, 22, 250-2
- Pearl, R. (1905). Variation and correlation in brain-weight, 4, 13-104
- (1906). Mean duration of life of individuals dying within a year after birth, 4, 510-16
- (1906). Variation in *Chilomonas*, 5, 53-72
- (1906). Calculation of probable errors of constants of the normal curve, 5, 190
- (1907). Biometrical study of conjugation in *Paramecium*, 5, 213-97
- (1908). Points concerning the probable error of the standard deviation, 6, 112-17
- (1909). Frequency constants of a variable, $z=f(x_1, x_2)$, 6, 437-8
- Pearl, R. & Dunbar, F. J. (1903). Variation and correlation in *Arcella*, 2, 321-37
- Pearl, R. & Fuller, W. N. (1905). Variation and correlation in the earthworm, 4, 213-29
- Pearl, R. & Pearl, M. D. (1909). Variation in the comb of the domestic fowl, 6, 420-32
- Pearse, G. E. (1928). Moment-coefficients of asymptotic frequency distribution, 20A, 314-55
- Pearson, E. S. (1922). The variations in personal equation, 14, 23-102
- (1923). Probable error of a class index correlation, 14, 261-80
- (1923). Natural selection and the age and area theory of J. C. Willis, 15, 89-108
- (1924). Approximations to the probable error of a correlation coefficient, 16, 196-7

- Pearson, E. S. (1925). Bayes' theorem in the light of experimental sampling, 17, 388-442
- (1926). Distribution of range in samples from a normal population, 18, 173-94
- (1927). Theory of differential equations applied to problems on the interdependence of species, 19, 216-22
- (1927). Note on the linear correlation ratio, 19, 223-4
- (1927). Note on sampling distribution of means, 19, 244-5*
- (1929). Note on C. C. Craig's paper on sampling, 21, 294-302
- (1929). Sampling tests with two variables, 21, 337-60
- (1930). Further development of tests for normality, 22, 239-49
- (1931). Note on tests for normality, 22, 423-4
- (1931). Analysis of variance in cases of non-normal variation, 23, 114-33
- (1932). Percentage limits for the distribution of range, 24, 404-17
- Karl Pearson: An appreciation of some aspects of his life and work. Part I (1936), 28, 193-257; Part II (1938), 29, 161-248
- (1936). Note on probability levels for $\sqrt{b_1}$, 28, 306-7
- Some aspects of the problem of randomization. Part I (1937), 29, 53-64; Part II (1938), 30, 159-79
- (1937). Sampling distribution of the criterion, L_1 , 29, 124*
- (1937). Maximum likelihood and methods of estimation, 29, 155-6
- (1938). Tests based on the probability integral transformation, 30, 134-48
- (1939). William Sealy Gosset, 1876-1937. 'Student' as statistician, 30, 210-50
- (1939). Note on E. J. G. Pitman's contribution to the theory of estimation, 30, 471-4
- (1939). Note on the inverse and direct methods of estimation in R. D. Gordon's problem, 31, 181-6
- (1941). Note on further properties of statistical tests, 32, 59-61
- (1941). Prefatory note to percentage points of incomplete Beta-function, 32, 151-3
- (1942). Notes on testing statistical hypotheses, 32, 311-16
- (1943). Prefatory note to percentage points of F distribution, 33, 73, 88
- (1945). Note on the probability integral of the mean deviation, 33, 252-3 (correction, 35, 424)*
- (1947). Choice of statistical tests illustrated on a 2×2 table, 34, 139-63
- (1948). Note on J. B. S. Haldane's paper regarding the treatment of rare events, 35, 301-3
- (1950). Some notes on the use of range, 37, 88-92
- (1950). Combination of tests based on discontinuous distributions, 37, 383-98 (correction, 38, 265)
- (1952). Comparison of two approximations to the distribution of range, 39, 130-6
- Pearson, E. S. & Adyanthaya, N. K. Distribution of frequency constants from symmetrical populations. Part I (1928), 20A, 356-60; Part II (1929), 21, 259-86
- Pearson, E. S. & Chandra Sekar, C. (1936). A criterion for the rejection of outlying observations, 28, 308-20
- Pearson, E. S. & Clopper, C. J. (1934). Confidence or fiducial limits of the binomial, 26, 404-13
- Pearson, E. S. & Geary, R. C. (1935). Part I, New test of normality, 27, 310-32; Part II, Comparison of β_2 and of w_n criteria, 27, 333-45; Part III, The correlation between β_2 and w' , 27, 353-5
- Pearson, E. S. & Hartley, H. O. (1942). Probability integral of the range in normal samples, 32, 301-10
- (1943). Tables of the probability integral of the studentized range, 33, 89-99
- (1946). Prefatory note to tables for testing the homogeneity of a set of estimated variances, 33, 296-301
- (1950). Table of the probability integral of the t distribution, 37, 168-72
- (1950). Tables of the χ^2 integral and of the cumulative Poisson distribution, 37, 313-25
- (1951). Charts of the power function for analysis of variance tests, 38, 112-30
- (1951). Moment constants for the distribution of range, 38, 463-4
- Pearson, E. S. & McKay, A. T. (1933). Note on distribution of range in samples of n , 25, 415-20
- Pearson, E. S. & Merrington, M. (1948). 2×2 tables, 35, 331-45
- (1951). Tables of the 5% and 0.5% points of Pearson curves, 38, 4-10
- Pearson, E. S. & Neyman, J. (1928). The use and interpretation of certain test criteria for purposes of statistical inference. Part I, 20A, 175-240; Part II, 20A, 263-94
- (1931). Notes on the χ^2 distribution, 22, 298-305
- (1938). Note on 'Student's' paper on balanced and random arrangements of field plots, 29, 380-8
- Pearson, E. S. & Pearson, K. (1922). Polychoric coefficients of correlation, 14, 127-56
- Pearson, E. S. & Wilks, S. S. (1933). Analysis appropriate for k samples of two variables, 25, 353-78
- Pearson, E. S. *et al.* (1952). The time intervals between industrial accidents, 39, 168-80
- (1953). The analysis of accident data, 40, 213-16
- Pearson, H. S. & Hacker, H. P. The long-tailed fieldmouse, *Apodemus sylvaticus*. Part I (1944), Growth, 33, 136-62; Part II (1946), Survival, 33, 333-61; Part III (1952), Wandering power, 39, 389-413
- Pearson, H. S. *et al.* (1923). Nest and eggs of the common tern, 15, 294-345
- Pearson, K. (1901). Statoblasts of *Pectinatella magnifica*, 1, 128
- (1902). Variation of sparrow's egg, 1, 256-7
- (1902). Modal value of an organ or character, 1, 260-1
- (1902). Change, in 2000 years, of the expectation of life in man, 1, 261-4
- (1902). The systematic fitting of curves. Part I, 1, 265-303; Part II, 2, 1-23

- Pearson, K.** (1902). The fundamental conceptions of biology, 1, 320-44
- (1902). Note on F. Galton's difference problem, 1, 390-9
- (1902). Note on J. Y. Simpson's memoir on *Paramæcium caudatum*, 1, 404-7
- (1903). The law of ancestral heredity, 2, 211-29
- The probable errors of frequency constants. Part I (1903), 2, 273-81; Part II (1913), 9, 1-10; Part III (1920), 13, 113-32*
- (1903). Craniological notes, 2, 338-47, 506-12
- (1904). A Mendelian's view of the law of ancestral inheritance, 3, 109-12
- (1904). The inheritance of the mental and moral characters in man, 3, 131-90
- (1904). Note on R. C. Punnett's memoir on inheritance of meristic characters, 3, 363-5
- (1904). Correlation between hair and eye colour in man, 3, 459-62
- (1904). Correlation between age and colour of hair and eyes in man, 3, 462-6
- (1905). Skew variation. A rejoinder to J. Ranke, 4, 169-212
- (1906). Distribution of severity of attack in cases of smallpox, 4, 505-10
- (1906). Walter Frank Raphael Weldon. 1860-1906, 5, 1-50
- (1906). Relationship of intelligence to size and shape of head, 5, 105-46
- (1906). Skew curves. A rejoinder to Prof. Kapteyn, 5, 168-71
- (1906). Curves most suitable for describing the frequency of random samples, 5, 172-5
- (1906). On scale order for correlation with linear regression, 5, 176-8
- (1906). Significance of character of a sub-sample, 5, 181-3
- (1906). Coefficient of class heterogeneity, 5, 198-203
- (1907). Further remarks on distribution of severity in cases of smallpox, 5, 362-4
- (1907). On heredity in mice, 5, 436-49
- (1907). Reply to G. U. Yule's criticisms of hair colour scale, 5, 470-6
- (1908). Inheritance of split-foot or lobster-claw, 6, 69-79
- (1908). A mathematical theory of determinantal inheritance, 6, 80-93
- (1908). On heredity in sex, 6, 109-11
- (1908). Influence of double selection on variation and correlation, 6, 111-12
- (1908). Note on inheritance in man, 6, 327-8
- (1909). Skin colour in human crossbreds, 6, 348-53
- (1909). Study of blood corpuscles of tadpole, 6, 402-19
- (1909). On a new method of determining correlation, 7, 96-105
- (1909). Variability of Shirley poppies from Pretoria, 7, 227-30
- (1909). Partial leucosis in a hen, 7, 234-6
- (1910). Internal albinism, 7, 244-7
- Pearson, K.** (1910). On a new method of determining correlation, when one variable is given by alternative and the other by multiple categories, 7, 248-57
- (1910). The effect of a differential fertility on degeneracy, 7, 258-75
- (1910). Darwinism, biometry and some recent biology, 7, 368-85
- (1910). Constants of index-distributions, 7, 531-41
- (1910). Inheritance of quantity and quality of cows' milk, 7, 548-50
- (1911). The opsonic index—'mathematical error and functional error', 8, 203-24
- (1911). Further remarks on the law of ancestral heredity, 8, 239-43
- (1911). Remarks on R. E. Lloyd's note on inheritance of fertility, 8, 247-9
- (1911). Probability that two frequency distributions are samples from the same population, 8, 250-4
- (1911). Correction to the correlation ratio, 8, 254-6
- Multiple cases of disease in the same house. Part I (1912), 8, 404-12; Part II (1913), 9, 28-33
- (1912). Cancer houses, 8, 430-5
- (1912). Influence of selection on correlation, 8, 437-43
- (1912). Fallacious proof of Sheppard's correction, 8, 443
- (1913). Probable error of a correlation coefficient, 9, 22-7
- (1913). Influence of broad categories on correlation, 9, 116-39
- (1913). The Honduras piebald, 9, 330-1
- (1913). The statistical study of dietaries, 9, 530-3
- (1913). The surface of constant association, 9, 534-7
- (1914). A study of trypanosome strains, 10, 85-143
- (1914). Statistical study of dietaries. A rejoinder to D. N. Paton, 10, 172-4
- (1914). Conditions that a population breeding at random should be stable, 10, 175-8
- (1914). Errors with regard to multiple correlation, 10, 181-7
- (1914). Extension of the method of correlation by ranks or grades, 10, 416-18
- (1914). Correction of a misstatement by M. Greenwood, 10, 418-19
- (1915). The problem of sexing osteometric material, 10, 479-87
- (1915). Probable error of the coefficient of mean square contingency, 10, 570-3
- (1915). Measurements of Medieval English femora, 10, 573-4
- (1915). Compound frequency distributions in which components are binomial series, 11, 139-44
- (1916). Theories of multiple and partial contingency, 11, 145-58
- (1916). Novel properties of partial and multiple correlation, 11, 231-8
- (1916). 'Goodness of fit' in statistics and physics, 11, 239-61 (correction, 12, 266-81)
- (1917). The probable error of biserial η , 11, 292-302
- (1919). Peccavimus. Corrections to papers in *Biometrika, Proc. Roy. Soc. and Phil. Trans.*, 12, 259-81*

- Pearson, K.** (1919). Generalised Tchebycheff theorems, 12, 284-96
- (1919). Inheritance of psychical characters, 12, 367-72
- (1919). Check to the fall in phthisis deathrates, 12, 374-6
- (1920). The fundamental problem of practical statistics, 13, 1-16; Note, 13, 300-1
- (1920). Notes on the history of correlation, 13, 25-45
- (1921). Successive terms in a skew regression line, 13, 296-300
- (1921). Correlation coefficient from quantitative measurement of one variate and ranking of the second, 13, 302-5
- (1921). Was the Moriori skull artificially deformed?, 13, 338-46
- (1921). Barton's white-lock family, 13, 347-9
- (1921). Introduction to table of ordinates of normal curve for each permille of frequency, 13, 426-7*
- (1922). On the χ^2 test of goodness of fit, 14, 186-91; Note, 14, 418
- (1923). Correction for the correlation ratio, 14, 412-17
- (1923). Skew frequency surfaces, 15, 222-30
- (1923). Non-skew frequency surfaces, 15, 231-44
- (1924). Moments of the hypergeometrical series, 16, 157-62
- (1924). On a double hypergeometrical series, 16, 172-88
- (1924). Note on Bayes' theorem, 16, 190-3
- (1924). The mean error of frequency distributions, 16, 198-200
- (1924). Relationship of the incomplete B-function to terms of the binomial, 16, 202-3
- (1924). On the difference and doubtlet tests, 16, 249-52
- (1924). Skull of Robert, the Bruce, King of Scotland, 16, 253-72
- (1924). Note on expectation of life, 16, 297-8
- (1924). Historical note on the normal curve, 16, 402-4
- (1925). Definition of the alveolar point, 17, 53-6
- (1925). Multiple correlation of brothers, 17, 129-41
- (1925). Further contributions to the theory of small samples, 17, 176-99 (correction, 19, 441-2)
- (1925). James Bernoulli's theorem, 17, 201-10
- (1925). Note on E. M. Newbold's paper on partial correlation, 17, 266-7
- (1925). The fifteen constant bivariate frequency surface, 17, 268-313
- (1925). Introductory note to table of tetrachoric functions, 17, 343-50
- (1925). On the first power methods of finding correlation, 17, 459-69
- (1926). The coefficient of racial likeness, 18, 105-17
- (1926). The avuncular relationship, 18, 231-2
- (1926). Skull and portraits of George Buchanan, 18, 233-56
- (1927). Historical note on the problem of small samples, 19, 207-10*
- Pearson, K.** (1927). Note on the goodness of fit test, 19, 215
- (1928). Number of marked members in a population, 20A, 149-74
- (1928). Giovanni Plana and the normal bivariate frequency surface, 20A, 295-8
- (1928). Skull and portraits of Henry Stewart, Lord Darnley, 20B, 1-104
- (1928). Coefficient of racial likeness as a test of samples, 20B, 294-300
- (1928). Method of using the coefficient of racial likeness, 20B, 376-8
- (1929). Laplace, 21, 202-30
- (1929). Note on P. H. Stevenson's paper on stature reconstruction formulae, 21, 319-21*
- (1929). The limitation of frequency constants, 21, 371-5*
- (1930). Introduction to tables for determining the volumes of the bivariate normal surface, 22, 1-11*
- (1931). Tables of the mean and variance of the square of the multiple correlation coefficient, 22, 362-7*
- (1931). On Student's variates, z_1 and z_2 in samples from a bivariate normal population, 22, 405-22
- (1931). Some properties of Student's z , 23, 1-9
- (1931). Standard error of the median, 23, 361-3
- (1931). On Student's z test, 23, 409-15
- (1932). Experimental discussion of the test for goodness of fit, 24, 351-81
- (1932). Probability that two frequency distributions are samples from the same population, 24, 457-70
- (1933). Parent population with independent variates giving the minimum value of ϕ^2 , 25, 134-46
- (1933). Applications of the double Bessel function, 25, 158-78
- (1933). Note on W. P. Elderton's paper on moments of J-curves, 25, 180-4
- (1933). Note on A. T. McKay's paper on distribution of $\sqrt{\beta_1}$, 25, 210-13*
- (1933). Note on the fitting of frequency curves, 25, 213-16*
- (1933). The cranial coordinatograph, 25, 217-53
- (1933). General criterion for random sampling, 25, 379-410
- (1934). On simometers, 26, 265-8
- (1934). A new method of determining goodness of fit, 26, 425-42
- (1935). Note on K. Wagner's memoir on endocranial diameters and indices, 27, 133-44
- (1935). On B. L. Welch's and S. Kolodziejczyk's papers on a frequency surface, 27, 227-59
- (1935). Note on J. Wisniewski's paper on the corrections for broad categories, 27, 364-72
- (1936). On Jewish-Gentile relationships, 28, 32-3
- (1936). Method of moments and of maximum likelihood, 28, 34-59
- (1941). The laws of chance. Gresham lecture delivered in 1892, 32, 89-100 (published posthumously)
- Pearson, K. & Barrington, A.** (1906). Inheritance of coat-colour in shorthorns, 4, 427-64

- Pearson, K. & Beeton, M. (1901). Inheritance of the duration of life, 1, 50-89
- Pearson, K. & Blakeman, J. B. (1906). Probable error of mean square contingency, 5, 191-7
- Pearson, K. & Cave, B. M. (1914). Illustrations of the variate difference correlation method, 10, 340-55
- Pearson, K. & Davin, A. G. (1921). Sesamoids of the knee joint. Part I, 13, 133-75; Part II, 13, 350-400 (correction, 14, 409)
- (1924). Biometric constants of the human skull, 16, 328-63
- Pearson, K. & Elderton, E. M. (1913). The hereditary character of general health, 9, 320-9
- (1915). Evidence of natural selection in man, 10, 488-506
- (1915). Study of the effects of diphtheria isolation, 10, 549-69
- (1923). The variate difference method, 14, 281-310
- (1925). Differences of the powers of zero, 17, 200
- (1928). Correlation of the two first-order multiple correlation coefficients, 20A, 310-13
- Pearson, K. & Heron, D. (1913). On theories of association, 9, 159-315
- Pearson, K. & Jones, H. G. (1910). Teacher's opinion of intelligence of schoolchildren, 7, 542-8
- Pearson, K. & Lee, A. (1903). Laws of inheritance in man, 2, 357-462
- (1908). Generalized probable error in multiple normal correlation, 6, 59-68
- Pearson, K. & Lewenz, M. A. (1904). The measurement of internal capacity from cranial circumferences, 3, 366-97
- Pearson, K. & McMullan, G. (1913). Hereditary split-foot or lobster claw, 9, 381-90
- Pearson, K. & Morant, G. M. (1934). Wilkinson head of Oliver Cromwell, 26, 269-378
- Pearson, K. & Moul, M. (1927). The mathematics of intelligence, 19, 246-91
- Pearson, K. & Pairman, E. (1919). Corrections for moment-coefficients, 12, 231-58
- Pearson, K. & Pearson, E. S. (1922). Polychoric coefficients of correlation, 14, 127-56
- Pearson, K. & Pearson, M. V. (1931). Duration of pregnancy and size of litter in bitches, 22, 309-23
- Rank variates and rank intervals. Part I (1931), 23, 364-97; Part II (1932), 24, 203-79
- (1935). Evaluation of incomplete Eulerian integrals, 27, 409-23
- Pearson, K. & Radford, M. (1904). Differentiation and homotypis in leaves of *Fagus sylvatica*, 3, 104-7
- Pearson, K. & Stocks, P. (1923). A case of digital anomaly, 14, 410-11
- Pearson, K. & Stoessiger, B. N. (1927). Reconstruction of cranial capacity from external measurements of the skull, 19, 211-14
- (1931). Probability integrals of symmetrical frequency curves, 22, 253-83
- Pearson, K. & Tippett, L. H. C. (1924). Stability of cephalic indices within the race, 16, 118-38
- Pearson, K. & Tocher, J. F. (1916). Criteria for existence of differential death-rates, 11, 159-84
- Pearson, K. & Trustam, C. F. (1928). Biometry and chronology, 20A, 241-62
- Pearson, K. & Usher, C. H. (1929). Albinism in dogs, 21, 144-63
- Pearson, K. & Weldon, W. F. R. (1903). Inheritance in *Phaseolus vulgaris*, 2, 499-503
- Pearson, K. & Woo, T. L. (1927). Dextrality and sinistrality of hand and eye, 19, 165-99
- (1935). Morphometric characters of the individual bones of the human skull, 27, 424-65
- Pearson, K. & Young, A. (1916). Probable error of a coefficient of contingency, 11, 215-30 (correction, 12, 259)
- (1918). Higher order normal product-moments, 12, 86-92
- Pearson, K. & Yule, G. U. (1902). Variation in *Chrysanthemum leucanthemum*, 1, 319
- Pearson, K. *et al.* Inheritance in Shirley poppy. Part I (1902), 2, 56-100; Part II (1906), 4, 394-426
- (1903). Variation and correlation in the lesser celandine, 2, 145-64
- (1903). Interracial characters and their correlation in man, 2, 347-56
- (1903). Assortative mating in man, 2, 481-98
- (1904). Inheritance of coat-colour in the greyhound, 3, 245-98
- (1905). Biometric constants of English brain weights, 4, 124-60
- *Vespar vulgaris*. Part I (1907), 5, 407-22; Part II (1909), 7, 48-63; Part III (1911), 8, 1-12
- (1917). Distribution of the correlation coefficient in small samples, 11, 328-413
- (1919). Charles B. Goring, 1870-1919, 12, 297-307
- Nest and eggs of the common tern. Part I (1919), 12, 308-54; Part II (1923), 15, 294-345
- (1928). Racial value of type silhouette, 20B, 389-400
- (1929). Distribution of the first product moment-coefficient, 21, 164-93
- (1932). Applications in statistics of the $T_m(x)$ Bessel function, 24, 292-350
- Pearson, M. V. & Pearson, K. (1931). Duration of pregnancy and size of litter in bitches, 22, 309-23
- Rank variates and rank intervals. Part I (1931), 23, 364-97; Part II (1932), 24, 203-79
- (1935). Evaluation of incomplete Eulerian integrals, 27, 409-23
- Pepper, J. (1929). Studies in the theory of sampling, 21, 231-58
- (1932). Sampling distribution of the third moment coefficient, 24, 55-64
- Perlo, V. (1933). Sampling distribution of Student's ratio, 25, 203-4
- Perrin, E. (1904). Some dangers of extrapolation, 3, 99-103
- (1904). Contingency between occupation of fathers and sons, 3, 467-9
- Pertia, M. *et al.* (1934). The Roumanian silhouette, 26, 414-24
- Phillips, E. F. & Rommel, G. M. (1906). Inheritance in Poland China sows, 5, 203-5
- Pillai, K. C. S. (1952). The distribution of studentized range, 39, 194-5

- Pitman, E. J. G.** (1938). Analysis of variance test for samples from any population, 29, 322-35
 — (1939). Location and scale parameters, 30, 391-421
 — (1939). A note on normal correlation, 31, 9-12
 — (1939). Tests of hypotheses concerning location and scale parameters, 31, 200-15
- Plackett, R. L.** (1946). Generalizations in multifactorial design, 33, 328-32
 — (1947). Limits of the ratio of mean range to standard deviation, 34, 120-2
 — (1947). An exact test for the equality of variances, 34, 311-19
 — (1949). Historical note on the method of least squares, 36, 458-60
 — (1950). Some theorems in least squares, 37, 149-57
- Plackett, R. L. & Burman, J. P.** (1946). The design of optimum multifactorial experiments, 33, 305-25
- Powys, A. O.** (1901). Anthropometric data from Australia, 1, 30-49
 — (1905). Fertility, duration of life and reproductive selection, 4, 233-85
- Preston, E. J.** (1953). Graphical method for the analysis of distributions into two normal components, 40, 460-4
- Pretorius, S. J.** (1930). Skew bivariate frequency surfaces, 22, 109-223
- Pretorius, S. J. et al.** (1930). Tables for determining the volumes of the normal bivariate surface, 22, 12-35
- Przyborowski, J. & Wileński, H.** (1935). Testing clover seed for dodder, 27, 273-92
 — (1936). Application of theorem by H. Pollaczek-Geiringer, 28, 187-8
 — (1940). Testing samples from Poisson series, 31, 313-23
- Punnett, R. C.** (1904). Merism and sex in *Spinax niger*, 3, 313-62
- Quenouille, M. H.** (1947). Calculation of autocorrelations of linear autoregressive schemes, 34, 365-7
 — (1948). Testing serial correlation coefficients, 35, 261-7
 — (1949). A method of trend elimination, 36, 75-91
 — (1953). Modifications to the variate-difference method, 40, 383-408
- Rabinowitch, I. M.** (1927). Insulin and carbohydrate tolerance in diabetes, 19, 405-16
- Radford, M. & Pearson, K.** (1904). Differentiation and homotyposis in leaves of *Fagus sylvatica*, 3, 104-7
- Rao, C. Radhakrishna** (1948). Tests of significance in multivariate analysis, 35, 58-79
- Rao, K. S.** (1953). Derivation of best critical regions, 40, 231-3
- Rao, K. S. & Kendall, D. G.** (1950). Second limit-theorem in the calculus of probabilities, 37, 224-30
- Reid, R. W.** (1926). Remains of St Magnus and St Rognvald, 18, 118-50
- Reid, R. W. & Morant, G. M.** (1928). A study of the Scottish short eist crania, 20B, 379-88
- Rendel, J. M.** (1943). Variations in weights of hatched and unhatched ducks' eggs, 33, 48-58
- Rhind, A.** Tables for computation of probable errors of frequency constants. Part I (1909), 7, 127-47; Part II (1910), 7, 386-97
- Rhodes, E. C.** (1923). A certain skew correlation surface, 14, 355-77
 — (1923). Time-interval between the births of children, 15, 412-21
 — (1924). Problem of common origin of two samples, 16, 239-48
 — (1925). On a skew correlation surface, 17, 314-26
- Rider, P. R.** (1929). Distribution of the ratio of mean to standard deviation, 21, 124-43
 — (1932). Distribution of the correlation coefficient in small samples, 24, 382-403
- Rietz, H. L.** (1909). Heredity in the production of butter fat, 7, 106-26
 — (1931). Distribution of the standard deviation of sets of three variates, 23, 424-6
 — (1932). A simple non-normal correlation surface, 24, 288-90
- Rigby, C. M.** (1933). A recurrence relation connected with the double Bessel functions, 25, 420-1
- Risdon, D. L.** (1939). Cranial and other human remains from Palestine, 31, 99-166
- Ritchie-Scott, A.** (1915). Probable error of the variate difference correlation coefficient, 11, 136-8
 — (1918). Correlation coefficient of a polychoric table, 12, 93-133
 — (1921). Incomplete moments of a normal solid, 13, 401-25
- Robbins, W. W.** (1908). Variation in flower-heads, *Gaillardia aristata*, 6, 106-8
- Roberts, E. et al.** (1939). Observed and theoretical ratios in Mendelian inheritance, 31, 56-66
- Rock, F.** (1911). The toothbrush and decayed teeth, 8, 237-8
- Romanovsky, V.** (1923). Moments of a binomial series about its mean, 15, 410-12
 — (1924). Generalization of some types of frequency curves, 16, 106-17
 — (1925). Moments of the hypergeometrical series, 17, 57-60
 — (1927). Note on orthogonalizing series of functions and interpolation, 19, 93-9
 — (1933). A property of mean ranges in normal samples, 25, 195-7
 — (1936). Note on the method of moments, 28, 188-90
- Rommel, G. M. & Phillips, E. F.** (1906). Inheritance in Poland China sows, 5, 203-5
- Rowan, W. et al.** (1914). On homotyposis in eggs of the common tern, 10, 144-68
 — (1919). The nest and eggs of the common tern, 12, 308-54
- Rudra, A.** (1952). Discrimination in time-series analysis, 39, 434-9
- Rushton, S.** (1950). [On a sequential *t*-test, 37, 326-33
 — (1952). On a two-sided sequential *t*-test, 39, 302-8
- Russell, C. Scott** (1945). Errors in the measurement of the puerperal uterus, 33, 213-21
- Russell, W. T. & Greenwood, M.** (1938). Bright's disease, nephritis and arteriosclerosis, 29, 249-76
- Russell, W. T. et al.** (1939). Disease and environment, 30, 341-62

- Ryley, K. V. & Bell, J. (1913). Study of nasal bridge of anthropoid apes, 9, 391-445
- Samson, O. & Morant, G. M. (1936). Measurements of Jews in New York, 28, 1-31
- Sandon, F. (1924). Calculation of abruptness coefficients, 16, 193-5
- (1924). Density of the living male human body, 16, 404-10
- (1938). Absence and recovery recorded at irregular intervals, 29, 336-49
- Saunders, A. M. Carr (1912). Pigmentation, selection and anthropometric characters, 8, 354-84
- Scheffé, H. (1944). Calculation of small sample confidence intervals for a binomial p , 33, 181
- (1953). A method for judging all contrasts in the analysis of variance, 40, 87-104
- Schreiner, A. (1940). Depth and breadth measurements of the facial skeleton in man, 31, 272-86
- Schtscherbakow, T. S. (1908). Der viergliederigen tarsus der Blatidae, 6, 311-26
- Schuster, E. H. J. (1903). Variation in *Eupagurus prideauxi*, 2, 191-210
- (1905). Results of crossing grey house mice with albinos, 4, 1-12
- (1905). Long barrow and round barrow skulls, 4, 351-62
- (1906). Hereditary deafness, 4, 465-82
- (1906). Ziegler and Galton's law of ancestral inheritance, 5, 184
- (1911). First results from the Oxford anthropometric laboratory, 8, 40-51
- Schuster, E. H. J. & Elderton, E. M. (1907). The inheritance of psychical characters, 5, 460-9
- Scott, A. Ritchie (1915). Probable error of the variate difference correlation coefficient, 11, 136-8
- (1918). Correlation coefficient of a polychoric table, 12, 93-133
- (1921). Incomplete moments of a normal solid, 13, 401-25
- Scott, J. M. C. (1936). Appendix to paper by Pearson and Chandra Sekar, 28, 319-20
- Scott Russell, C. (1945). Errors in the measurement of the puerperal uterus, 33, 213-21
- Seal, H. L. (1945). The mathematics of a stratified stationary population, 33, 226-30
- (1948). Note on the χ^2 smooth test, 35, 202
- Sekar, C. Chandra & Pearson, E. S. (1936). A criterion for the rejection of outlying observations, 28, 308-19
- Shanawany, M. R. El (1936). Illustration of the accuracy of the χ^2 approximation, 28, 179-87
- Shenton, L. R. (1949). The efficiency of the method of moments and Neyman's type A distribution, 36, 450-4
- (1950). Maximum likelihood and the efficiency of the method of moments, 37, 111-16
- (1951). Efficiency of the method of moments, 38, 58-73
- Sheppard, W. F. (1903). Tables of the probability integral, 2, 174-90
- (1907). Table of deviates of the normal curve, 5, 404-5
- (1907). Calculation of moments of a frequency distribution, 5, 450-9
- Shohat, J. (1929). Inequalities for moments of frequency functions, 21, 361-70
- Sichel, H. S. (1949). The method of frequency moments, 36, 404-25
- Sillitto, G. P. (1947). Coefficient of rank correlation in rankings containing ties, 34, 36-40
- (1949). Power function of the 2×2 comparative trial, 36, 347-52
- (1951). Interrelations between certain linear systematic statistics, 38, 377-82
- Silverstone, H. (1950). Cumulants of Kendall's S distribution, 37, 231-5
- Simaika, J. B. (1941). An optimum property of two statistical tests, 32, 70-80
- (1942). Interpolation for fresh probability levels, 32, 263-76
- Simon, G. A. (1929). Les origines de Laplace, 21, 217-30
- Simpson, J. J. (1914). Statistical study of the Cruciferae, 10, 215-68
- Simpson, J. Y. (1902). Relation of binary fission to variation, 1, 400-4
- Skellam, J. G. (1951). Random dispersal in theoretical populations, 38, 196-218
- (1952). Studies in statistical ecology, 39, 346-62
- Smith, B. Babington & Kendall, M. G. (1940). On the method of paired comparisons, 31, 324-45
- Smith, B. Babington *et al.* (1939). Distribution of Spearman's coefficient of rank correlation, 30, 251-73
- Smith, G. (1903). *Actinosphaerium eichornii*, 2, 241-54
- Smith, H. D. (1912). The occipital bone in a series of Egyptian skulls, 8, 257-61
- (1912). Pygmy crania based on skulls from Egypt, 8, 262-6
- Smith, K. (1916). The best values of the constants of frequency distributions, 11, 262-76
- (1918). Choice in the distribution of observations, 12, 1-85
- (1922). Standard deviations of fraternal and parental correlation coefficients, 14, 1-22
- Smith, W. L. & Cox, D. R. (1953). Superposition of several strictly periodic sequences of events, 40, 1-11
- Snow, E. C. (1912). Application of the correlation coefficient to Mendelian distributions, 8, 420-4
- (1912). Biometric workers and statistical reviewers, 8, 456-60
- (1913). The intensity of natural selection in man, 9, 58-68
- Sommerville, D. M. Y. (1906). The classification of frequency-ratios, 5, 179-81
- Soper, H. E. (1913). Probable error of the correlation coefficient to a second approximation, 9, 91-115
- (1914). Tables of Poisson's exponential binomial limit, 10, 25-35
- (1914). Probable error of the biserial correlation coefficient, 10, 384-90
- (1921). Table of ordinates of the normal curve for each permille of frequency, 13, 428
- Soper, H. E. *et al.* (1917). Distribution of the correlation coefficient in small samples, 11, 328-413
- 'Sophister' (1928). Samples drawn from an infinite skew population, 20A, 389-423
- Souza, D. H. de (1913). Measurements of the pelvis, 9, 486-529

- Spencer, J. (1904). Graduation of a sickness table by Makeham's hypothesis, 3, 52-7
- Stannus, H. S. (1913). Anomalies of pigmentation among Nyasaland natives, 9, 333-65
- (1914). Congenital anomalies in a native African race, 10, 1-24
- Steffensen, J. F. (1934). Certain measures of dependence between statistical variables, 26, 251-5
- Stevens, W. L. (1948). Non-orthogonal tri-factorial experiment, 35, 346-67
- (1950). Fiducial limits of the parameters of a discontinuous distribution, 37, 117-29
- (1951). Mean and variance of an entry in a contingency table, 38, 468-70
- (1952). Samples with the same number in each stratum, 39, 414-17
- (1953). Tables of the angular transformation, 40, 70-3
- Stevens, W. L. & Finney, D. J. (1948). Table of working probits, 35, 191-201
- Stevenson, P. H. (1929). Racial differences in stature-prediction formulae, 21, 303-18
- Stevenson, T. H. C. (1923). Social distribution of mortality from different causes, 15, 382-400
- Steyn, H. S. (1951). The Wishart distribution, 38, 470-2
- Stocks, A. V. *et al.* (1927). Goitre in adolescence, 19, 292-353
- Stocks, P. (1923). Inheritance of facial spasm, 14, 311-15
- (1923). Inheritance of cranial anomalies, 15, 406-10
- (1924). Cancer and goitre, 16, 364-401
- (1925). Cancer and goitre distributions, 17, 159-65
- Stocks, P. & Pearson, K. (1923). A case of digital anomaly, 14, 410-11
- Stocks, P. *et al.* (1927). Goitre in adolescence, 19, 292-353
- Stoessiger, B. N. (1927). A study of the Badarian crania, 19, 110-60
- Stoessiger, B. N. & Morant, G. M. (1932). Study of the crania from St Leonard's Church, Hythe, 24, 135-202
- Stoessiger, B. N. & Pearson, K. (1927). Reconstruction of cranial capacity from external measurements of the skull, 19, 211-14
- (1931). Tables of probability integrals of symmetrical frequency curves, 22, 253-83
- Stouffer, S. A. *et al.* (1932). Applications in statistics of the $T_m(x)$ Bessel function, 24, 292-350
- Stuart, A. (1950). The cumulants of the first n natural numbers, 37, 446
- (1951). Application of the distribution of the ranking concordance coefficient, 38, 33-42
- (1953). Strength of association in contingency tables, 40, 105-10
- Stuart, A. *et al.* (1951). Some questions of distribution in the theory of rank correlation, 38, 131-40
- 'Student' (1907). The error of counting with a haemocytometer, 5, 351-60
- (1908). Probable error of a mean, 6, 1-25
- (1908). Probable error of a correlation coefficient, 6, 302-10
- (1909). Distribution of means of non-random samples, 7, 210-14
- 'Student' (1913). Correction to correlation ratio for grouping, 9, 316-20
- (1914). The elimination of spurious correlation, 10, 179-80
- (1917). Tables for estimating mean, 11, 414-17
- (1919). Poisson's law in practice, 12, 211-15
- (1921). Probable error of Spearman's correlation coefficients, 13, 263-82
- (1923). On testing varieties of cereals, 15, 271-93 (correction, 16, 411)
- (1927). Errors of routine analysis, 19, 151-64
- (1931). The Lanarkshire milk experiment, 23, 398-406
- (1931). On the z test, 23, 407-8
- (1938). A comparison between balanced and random arrangements in field plots, 29, 363-79
- Sulman, P. L. *et al.* (1919). The nest and eggs of the common tern, 12, 308-54
- Sun, C. P. (1928). On the examination of final digits, 20A, 64-8
- Sundrum, R. M. (1953). Moments of the rank correlation coefficient r , 40, 409-20
- (1953). Systematic sampling based on order properties, 40, 452-6
- Surface, F. M. (1909). Fecundity of swine, 6, 433-6
- Suski, P. M. (1933). The body build of American-born Japanese children, 25, 323-62
- Tang, Y. (1938). Statistical problems arising in plant breeding, 30, 29-56
- Tanner, J. C. (1951). The delay to pedestrians crossing a road, 38, 383-92
- (1953). A problem of interference between two queues, 40, 58-69
- Tappan, M. (1927). Partial multiple correlation coefficients, 19, 39-44
- Taylor, J. (1950). The comparison of pairs of treatments in split-plot experiments, 37, 443-4
- Tchouproff, A. A. Expectation of the moments of frequency distributions. Part I (1918), 12, 140-69; Part II (1919), 12, 185-210; Part III (1921), 13, 283-95
- Terentjev, P. V. (1931). Die morphologischen merkmale von *Rana ridibunda*, 23, 23-51
- Terry, M. E. & Bradley, R. A. (1952). Rank analysis of incomplete block designs, 39, 324-45
- Thomas, M. (1949). Generalization of Poisson's binomial limit for use in ecology, 36, 18-25
- (1951). Some tests for randomness in plant populations, 38, 102-11
- Thompson, Catherine M. (1941). Percentage points of the incomplete beta-function, 32, 151-81
- (1941). Percentage points of the χ^2 distribution, 32, 187-91
- Thompson, Catherine M. & Elderton, E. M. (1935). Strength of vision in relation to eye and hair pigmentation, 27, 266-8
- Thompson, Catherine M. & Merrington, M. (1943). Tables of percentage points of the inverted beta (F) distribution, 33, 74-87
- (1946). Tables for testing the homogeneity of a set of estimated variances, 33, 302-4
- Thompson, Catherine M. & Wilks, S. S. (1937). Sampling distribution of the criterion L_1 , 29, 124-32

- Thompson, Cecily M. *et al.* (1925). Heights and weights of patients in mental hospitals, 17, 142-58
- Thompson, W. R. (1932). General aspects of projectometry, 24, 21-6
- (1933). Likelihood that one unknown probability exceeds another, 25, 285-94
- Thompson, W. R. & Hussey, R. (1932). Islets of Langerhans in the pancreas of a monkey, 24, 27-38
- Thomson, D. Halton (1947). Approximate formulae for the percentage points of the incomplete beta function and of the χ^2 distribution, 34, 368-72
- Thomson, E. Y. (1915). A study of the crania of the Moriori, 11, 82-135
- Thomson, E. Y. *et al.* *Vesper vulgaris*. Part II (1909), 7, 48-63; Part III (1911), 8, 1-12
- Thomson, G. H. (1919). Criterion of goodness of fit of psychophysical curves, 12, 216-30
- On hierarchical order among correlation coefficients. Part I (1919), 12, 355-66; Part II (1923), 15, 150-60
- Thomson, G. W. (1953). χ -approximation to the range, 40, 449-50
- Thomson, H. R. (1951). Truncated lognormal distributions, 38, 414-22
- Tildesley, M. L. (1918). Association of steadiness and rapidity of hand with artistic capacity, 12, 170-7
- (1921). A first study of the Burmese skull, 13, 176-262
- (1923). Sir Thomas Browne: his skull, portraits and ancestry, 15, 1-76 (correction, 16, 204)
- (1927). Determination of cranial capacity of the negro, 19, 200-6
- (1933). The Albanians of the north and south, 25, 21-51
- Tildesley, M. L. *et al.* (1919). The nest and eggs of the common tern, 12, 308-54
- Tippett, L. H. C. (1925). Range between extreme individuals, 17, 364-87
- (1944). The control of industrial processes subject to trends in quality, 33, 163-72
- Tippett, L. H. C. & Pearson, K. (1924). Stability of the cephalic indices within the race, 16, 118-38
- Tocher, J. F. (1906). Anthropometric survey of the inmates of asylums in Scotland, 5, Supplement
- (1907). Anthropometry of Scottish insane, 5, 298-350
- (1908). Pigmentation survey of schoolchildren in Scotland, 6, 129-235 and Supplement
- (1928). Milk yield of dairy cows, 20B, 105-244
- Tocher, J. F. & Pearson, K. (1916). Criteria for the existence of differential death-rates, 11, 159-84
- Tocher, K. D. (1949). Analysis of grouped probit data, 36, 9-17
- (1950). Extension of Neyman-Pearson theory of tests to discontinuous variates, 37, 130-44
- (1952). On the concurrence of a set of regression lines, 39, 109-17
- (1952). A note on the design problem, 39, 189
- Török, A. von (1903). Note on cranial types, 2, 508-9
- Tower, W. L. (1902). Variation in *Chrysanthemum leucanthemum*, 1, 309-15
- Troup, J. McD. & Maynard, G. D. (1912). Chance distribution of cases of disease in houses, 8, 396-403
- Truksa, L. (1940). Simultaneous distribution of mean and standard deviation, 31, 256-71
- Trustam, C. F. (1928). Seven kings of Rome, 20A, 424
- Trustam, C. F. & Pearson, K. (1928). Biometry and chronology, 20A, 241-62
- Tschepourkowsky, E. (1905). Study of the resemblance between man and woman, 4, 161-8
- (1905). Contributions to the study of interracial correlation, 4, 286-312
- (1923). Biometrical studies on the anthropology of Russia, 15, 254-70
- Turnbull, H. M. (1913). Familial malformation in a fowl's head, 9, 538-9
- Turner, F. M. (1906). Correlation between vaccination and smallpox, 4, 483-504
- (1907). Distribution of severity of attack of smallpox, 5, 361-2
- Usher, C. H. (1920). Histological examination of an albinotic eye, 13, 46-56
- (1924). A pedigree of congenital dislocation of lenses, 16, 273-82
- (1932). Hereditary entropion and hereditary changes in the skin of the eyelids, 24, 1-20
- (1935). Pedigrees of hereditary epicanthus, 27, 5-25
- Usher, C. H. & Pearson, K. (1929). Albinism in dogs, 21, 144-63
- Vajda, S. (1947). The stratified semi-stationary population, 34, 243-54
- Wagner, K. (1935). Endocranial diameters and indices, 27, 88-132
- Waite, H. (1910). Mosquitoes and malaria, 7, 421-36
- (1911). Estimation of the general intelligence of schoolchildren, 8, 79-93
- (1915). Association of finger-prints, 10, 421-78
- Walker, G. (1950). Apparent correlation between independent series of autocorrelated observations, 37, 184-5
- Warren, E. (1902). Variation and inheritance in *Aphis*, 1, 129-54
- (1903). Growth of cell in *Daphnia magna*, 2, 255-9
- (1909). Observations on termites, 6, 329-47
- (1917). Breeding experiments with foxgloves, 11, 303-27
- (1922). Inheritance in the foxglove, 14, 103-26
- (1924). An interspecific hybrid of *Digitalis*, 16, 205-38
- Watson, D. M. S. *et al.* (1923). The nest and eggs of the common tern, 15, 294-345
- Watson, G. S. & Durbin, J. Testing for serial correlation in least squares regression. Part I (1950), 37, 409-28; Part II (1951), 38, 159-78
- Watson, K. M. *et al.* (1923). The nest and eggs of the common tern, 15, 294-345
- Welch, B. L. (1935). Problems in the analysis of regression among k samples, 27, 145-60
- (1937). The z test in randomized blocks and Latin squares, 29, 21-52
- (1938). Significance of the difference between two means, 29, 350-62
- (1938). On tests for homogeneity, 30, 149-58
- (1939). The distribution of maximum likelihood estimates, 31, 187-90
- (1939). Note on discriminant functions, 31, 218-20

- Welch, B. L. (1947). Generalization of 'Student's' problem, **34**, 28-35
 — (1951). Comparison of several mean values, **38**, 330-6
- Welch, B. L. & Aspin, A. A. (1949). Comparisons whose accuracy involves two variances, **36**, 290-6
- Welch, B. L. & Johnson, N. L. (1939). Cumulants of the χ distribution, **31**, 216-18
 — (1940). Applications of the non-central t distribution, **31**, 362-89
- Weldon, W. F. R. (1901). Natural selection in *Clausilia laminata*, **1**, 109-24
 — (1901). Organic correlation of *Ficaria ranunculoides*, **1**, 125-8
 — (1902). Mendel's laws of alternative inheritance in peas, **1**, 228-54
 — (1902). De Vries on the origin of species, **1**, 365-74
 — (1902). The ambiguity of Mendel's categories, **2**, 44-55
 — (1902). Seasonal change in *Aster prenanthoides*, **2**, 113-14
 — (1903). Bateson's revisions of Mendel's theory of heredity, **2**, 286-98
 — (1904). Albinism in Sicily and Mendel's laws, **3**, 107-9
 — (1904). A race of *Clausilia itala*, **3**, 299-307
 — (1917). Mice breeding experiments, **11**, Appendix (published posthumously)
- Weldon, W. F. R. & Pearson, K. (1903). Inheritance in *Phaseolus vulgaris*, **2**, 499-503
- Westergaard, H. (1925). Modern problems in vital statistics, **17**, 355-63
- Whitaker, L. (1914). Poisson law of small numbers, **10**, 36-71
- White, J. D. C. & Greenwood, M. Biometric study of phagocytosis. Part I (1909), **6**, 376-401; Part II (1910), **7**, 505-30
- Whitehead, H. (1902). Variation in the moscatel, **2**, 108-13
- Whiteley, M. A. & Lewenz, M. A. (1902). A study of the hand, **1**, 345-60
- Whitfield, J. W. (1947). Rank correlation between two variables, **34**, 292-6
 — (1949). Intra-class rank correlation, **36**, 463-7
- Whiting, M. H. (1915). A study in criminal anthropometry, **11**, 1-37
- Whittle, P. (1952). Tests of fit in time series, **39**, 309-18
- Wicksell, S. D. The corpuscle problem. Part I (1925), **17**, 84-99; Part II (1926), **18**, 151-72
 — (1933). Correlation functions of Type III, **25**, 121-33
- Wileński, H. & Przyborowski, J. (1935). Testing clover seed for dodder, **27**, 273-92
 — (1936). Application of theorem by H. Pollaczek-Geiringer, **28**, 187-8
 — (1940). Testing samples from Poisson series, **31**, 313-23
- Wilks, S. S. (1932). Generalizations in the analysis of variance, **24**, 471-94
- Wilks, S. S. & Pearson, E. S. (1933). Analysis appropriate for k samples of two variables, **25**, 353-78
- Wilks, S. S. & Thompson, C. M. (1937). Sampling distribution of the criterion L_1 , **29**, 124-32
- Williams, C. B. (1940). Statistical analysis of sentence length, **31**, 356-61
- Williams, E. J. (1952). Some exact tests in multivariate analysis, **39**, 17-31
 — (1952). The interpretation of interactions in factorial experiments, **39**, 65-81
 — (1952). Use of scores for the analysis of association in contingency tables, **39**, 274-89
 — (1953). Tests of significance for concurrent regression lines, **40**, 297-305
- Williams, P. (1935). Note on the sampling distribution of $\sqrt{\beta_1}$, **27**, 269-71
- Williams, R. M. (1952). Experimental designs for serially correlated observations, **39**, 151-67
- Winsten, C. B. (1946). Inequalities in terms of mean range, **33**, 283-95
- Wise, M. E. (1950). The incomplete beta function, **37**, 208-18
- Wishart, J. (1925). Determination of the integral $\int_0^\theta \cos^{n+1} \theta \, d\theta$, **17**, 68-78, 469-72
 — (1926). Romanovsky's generalized frequency curves, **18**, 221-8
 — (1927). Approximate quadrature of certain skew curves, **19**, 1-38 (correction, **19**, 442)
 — (1928). Generalized product moment distribution in samples, **20A**, 32-52 (correction, **20A**, 424)
 — (1930). High order sampling product moments, **22**, 224-38
 — (1931). On the multiple correlation coefficient, **22**, 353-61
 — (1932). Distribution of the correlation ratio, **24**, 441-56
 — (1933). Moments and semi-invariants in sampling, **25**, 52-60
 — (1938). Growth-rate determinations in nutrition studies, **30**, 16-28
 — (1947). Cumulants of the z and of the logarithmic χ^2 and the t distributions, **34**, 170-8 (correction, **34**, 374)
 — (1948). Proofs of the distribution law of second order moment statistics, **35**, 55-7; Note, **35**, 422
 — (1949). Cumulants of multivariate multinomial distributions, **36**, 47-58
 — (1952). Moment coefficients of the k -statistics in samples from a finite population, **39**, 1-13
- Wishart, J. & Metakides, T. (1953). Orthogonal polynomial fitting, **40**, 361-9
- Wiśniewski, J. (1935). Validity of a certain Pearson's formula, **27**, 356-63
 — (1936). Validity of a certain Pearson's formula, a rejoinder, **28**, 190-2
- Wolff, E. *et al.* (1919). The nest and eggs of the common tern, **12**, 308-54
- Woo, T. L. (1928). Dextrality and sinistrality of hand and eye, **20A**, 79-148
 — (1929). Tables for ascertaining the significance of the correlation ratio, **21**, 1-66
 — (1930). Ninth dynasty Egyptian skulls from Sedment, **22**, 65-93
 — (1931). The asymmetry of the human skull, **22**, 324-52
 — (1937). Biometric study of the human malar bone, **29**, 113-23
 — (1943). Study of the Chinese humerus, **33**, 36-47

- Woo, T. L. & Elderton, E. M. (1932). Normality of cranial measurements, 24, 45-54
- Woo, T. L. & Morant, G. M. (1932). Classification of Asiatic races, 24, 108-34
- (1934). 'Flatness' of the facial skeleton in man, 26, 196-250
- Woo, T. L. & Pearson, K. (1927). Dextrality and sinistrality of hand and eye, 19, 165-99
- (1935). Morphometric characters of the individual bones of the human skull, 27, 424-65
- Woods, F. A. (1903). Records of hybrid rabbits, 2, 299-306
- (1906). The non-inheritance of sex in man, 5, 73-8
- Woods, H. M. *et al.* (1925). Heights and weights of patients in mental hospitals, 17, 142-58
- Worlledge, J. P. G. & Geary, R. C. (1947). Computation of universal moments of tests of statistical normality, 34, 98-110 (correction, 37, 189)
- Wright, A. *et al.* (1907). Study of *Vespa vulgaris*, 5, 407-22
- Wunderly, J. (1939). Cranial and other skeletal remains of Tasmanians, 30, 305-37
- Wynn, A. H. A. *et al.* (1952). The time intervals between industrial accidents, 39, 168-80
- (1953). The analysis of accident data, 40, 213-16
- Yasukawa, K. (1925). The means, standard deviations, correlations and frequency distributions of functions of variates, 17, 211-37
- (1926). Probable error of the mode of skew frequency distributions, 18, 263-92
- Yates, F. (1939). Systematic and randomized arrangements in experiments, 30, 440-66
- Yates, F. (1948). The analysis of contingency tables, 35, 176-81 (correction, 35, 424)
- Young, A. (1916). Standard deviation of samples of two or three, 11, 277-80
- Young, A. & Pearson, K. (1916). Probable error of a coefficient of contingency, 11, 215-30 (correction, 12, 259)
- (1918). Higher order normal product-moments, 12, 86-92
- Young, A. *et al.* (1917). Distribution of the correlation coefficient in small samples, 11, 328-413
- Young, M. (1931). The West Scottish skull and its affinities, 23, 10-22
- (1938). The London skull, 29, 277-321
- Young, M. & Brash, J. C. (1935). Anglo-Saxon skulls from Bidford-on-Avon, 27, 373-87
- Young, M. & Dingwall, D. (1933). Skulls from Dunstable, 25, 147-57
- Young, M. & Layard, D. (1935). Anglo-Saxon skulls from Burwell, 27, 388-408
- Young, M. & Mumford, A. A. (1923). Physical measurements and vital capacity, 15, 109-33
- Yule, G. U. (1902). Variation in *Anemone nemorosa*, 1, 307-9
- (1902). Local death rates, 1, 384
- (1903). On the theory of association, 2, 121-34
- (1904). Drawing curves to various scales, 3, 469-71
- (1938). Some properties of normal distributions, 30, 1-10
- (1938). Notes of Karl Pearson's lectures on the theory of statistics, 30, 198-203
- (1939). Sentence-length as a statistical characteristic of style, 30, 363-90
- Yule, G. U. & Pearson, K. (1902). Variation in *Chrysanthemum leucanthemum*, 1, 319

SUBJECT INDEX

Abac

- for determining probable error of correlation coefficients, 7, 411
- for obstetric conjugates, 9, 539-40

Ability, see Intelligence**Abortion, frequency distribution of term of, 22, 250-2****Abruptness**

- coefficients, 1, 287; 5, 450-9
- corrections for moment-coefficients of limited range frequency curves, 12, 231-58
- simplified calculation of abruptness coefficients, 16, 193-5
- correction of moments for U-shaped or J-shaped curves, 20A, 314-55; for J-shaped curve, 25, 179-84; for curve with unknown start, 26, 12-58
- see also* Sheppard's corrections

Accident proneness, 37, 24-9**Actinosphaerium eichornii, mass relations of nucleus and cytoplasm, 2, 241-54****Acuity of vision, see Visual acuity****Adolescence, goitre in, 19, 292-353****Adoxa moschatellina, variation in, 2, 108-13; 7, 218-22****Afghans, head measurements, 4, 293****Africa**

- pigmentation anomalies among Nyasaland natives, 9, 333-65
- congenital anomalies in a native African race, 10, 1-24
- see also* Negro and Negro crania

Age

- and stature of Australian criminals, 1, 38-49
- at marriage, 2, 20-3
- and hair- and eye-colour in man, 3, 462-6
- and brain weight, 4, 51-8, 109-23
- at marriage, fertility and duration of life, 4, 256-80; 14, 337-54
- and susceptibility to smallpox, 4, 313-31, 483-504
- at death, during first year of life, 4, 510-16
- and intelligence, Pearson's data, 5, 112-19; Drinkwater's data, 14, 396-8
- and variability in snails, 5, 387-99
- stature and weight of Glasgow schoolchildren, 10, 288-339
- natural selection and the age and area theory of J. C. Willis, 15, 89-108
- reaction times and sensory acuity, 15, 346-72
- and cephalic index, 16, 118-38
- and vital capacity, 16, 139-56
- and grip, 16, 299-328
- stature and bicristal diameter related to weight, 20A, 299-309
- scale, 25, 61-70
- see also* Life tables

Ainos

- cranial measurements, 2, 346-56; 4, 298
- cranial measurements compared with Nagada, 1, 424-65; Whitechapel English, 3, 206-39; Negro, 8, 302-24; Moriori, 11, 95-132; Tibetan, 14, 206-26
- head measurements, 4, 165, 293
- nasal characters, 9, 395-432

Air Force data

- interrelations of vital capacity, stature, stem length and weight, 14, 326-36
- comparisons of heights and weights, 35, 368-96

Albania

- map of, 25, 24
- measurements and photographs of Albanians, 25, 21-51
- Albanian silhouettes, 25, 42

Albinism

- crosses of albino mice with waltzing mice, 2, 101-4, 165-73, 282-5; 3, 1-51; with grey mice, 4, 1-12
- in Sicily and Mendel's law, 3, 107-9 (corrections, 3, 471-2, 4, 231-2)
- histological examination of a case of, 7, 237-43
- internal, 7, 244-7
- deaf mute albino, 7, 247
- pigmentation anomalies among Nyasaland natives, 9, 333-65
- histological examination of human albino's eye, 13, 46-51
- in dogs, 21, 144-63
- see also* Piebalds

Allometry and organic correlation, 37, 30-41**Alternative inheritance in peas, 1, 228-54, see also Mendelism, Coat-, Hair- and Eye-colour****Altitude and number of erythrocytes, 8, 280-91****Alveolar point, definition of, 17, 53-6****Ambidexterity, 19, 165-99; 20A, 79-148; 20B, 401-8****American bladder nut, Staphylea, selective elimination in, 7, 452-504****Americans**

- pelvic measurements of female American Indians, 9, 34-57, 486-529
- distribution of cancer and goitre among, 16, 381-401; 17, 159-65
- measurements of white and coloured boys, 25, 61-70
- body build of American-born Japanese children, 25, 323-52
- growth of Californian children during first three years, 27, 26-87
- measurements of New York Jews, 28, 1-31
- cranial measurements of Indian races in the United States, 30, 94-129

Amphibia, sesamoids in, 13, 391**Anaemia and altitude, 8, 280-91****Analysis of regression, see Regression****Analysis of variance**

- for non-normal variation, 23, 114-33
- generalizations in, 24, 471-94
- for growth-rate determinations, 30, 16-28
- power curves of, 30, 174-5
- generalized, 31, 221-37
- from the power function standpoint, 32, 62-9
- for transformed data from entomological field experiments, 32, 243-62
- studentized form of the extreme mean square test in the, 35, 16-31
- alternative systems in, 35, 80-7

Analysis of variance (*continued*)

- in non-orthogonal experiments, 35, 346-67
 - on the Wishart distribution in statistics, 36, 59-62
 - power function of analysis of variance tests, 36, 223-32
 - use of range-ratio in, 37, 83-7
 - use of range in, 37, 271-80
 - unbiased estimation of heterogeneous error variances, 37, 347-57
 - comparison of pairs of treatments in split-plot experiments, 37, 443-4
 - see also* Design of experiments and Covariance
- Ancestral heredity**, Galton's law of, 2, 211-28
- and de Vries's mutation theory, 1, 370-3
 - in thoroughbred racehorses, 2, 229-36
 - in rabbits, 2, 300-6
 - and Mendelism, 3, 109-12; 8, 239-43
 - in greyhounds, 3, 255-7
 - in *Spinax niger*, 3, 342-5, 363-5
 - and Ziegler, 5, 184

Andvord, K. F., review of *Tuberculosis in Childhood* by, 14, 191-2

Anemone nemorosa, variation of the number of sepals in, 1, 307-9

Anglo-Saxon

- skulls in London museums, 18, 56-98
 - skulls from Bidford-on-Avon, 27, 373-87; from Burwell, 27, 388-408
 - skeletons, long bones of arms and legs, 28, 258-94
- Angoni negro, cranial measurements and comparison with other races, 8, 292-337

Annulate, variation and correlation in the earthworm, 4, 213-29

Anthriscus sylvestris, variation in number of umbel rays, 11, 44-7

Anthropology

- use of type silhouette for characterization in, 20B, 389-400
- of the Tasmanians, 30, 306-11, 338-40
- use of statistical methods of classification in, 31, 72-97

Anthropometry

- Australian data, 1, 30-49
- criminals, 1, 177-227; 3, 60-2; 11, 1-37
- Scottish insane, 5, 298-350 and Supplement
- Oxford anthropometric laboratory, 8, 40-51
- modern Egyptians, 8, 66-78 (correction, 9, 332)
- sexing osteometric material, 10, 479-87
- Cairo-born Egyptians, 11, 67-81
- inhabitants of the eastern Mediterranean, 13, 92-112
- Russian data, 15, 254-70
- standardization of measurements of the living, 20A, 1-31
- Macedonian men, 21, 322-36
- Swedish data, 22, 94-108
- see also* Head measurements, Stature, Weight, and countries

Anticipation, law of, and insanity, 10, 358-83

Apes, comparison of nasal bridge with that in man, 9, 391-445; *see also* Monkey

Aphis, *Hyalopecterus trirhodus*, variation and inheritance in, 1, 129-54

Apis mellifica, bee, variability of wings compared with those of wasps, 5, 419-21

Apodemus sylvaticus, long-tailed field-mouse, growth, 33, 136-62; survival, 33, 333-61

Arabs

- head measurements, 4, 293
 - cranial measurements, 4, 298; 25, 224
- Arcella*, variation and correlation in, 2, 321-37
- Arithmetic mean, *see* Mean, arithmetic
- Arithmetic triangle, Pascal's, 23, 419-23
- Armenians' head measurements, 4, 165, 293
- Arnica montana*, variation in, 1, 26-7

Arrays

- probable error of mean of, found from regression line, 9, 9-10
- probable error and standard deviation of, and distribution of array mean, 11, 239-61 (correction, 12, 266-81)
- standard deviation of, 17, 194-200

Ars conjectandi and Bernoulli's theorem, 17, 201-10

Arteriosclerosis, statistical history of, 29, 249-76

Arthropoda

- variation and inheritance in *Hyalopecterus trirhodus*, 1, 129-54
 - variation in *Eupagurus prideauxi*, 2, 191-210
 - growth of cell in *Daphnia magna*, 2, 255-9
 - uiber asymmetrie bei *Gelasimus pugilator*, 2, 307-20
 - protective value of colour in *Mantis religiosa*, 3, 58-9
 - variation and elimination in *Philosamia cynthia*, 3, 113-30
 - W. F. R. Weldon's work on, 5, 14, 16, 17, 19, 26
 - observations on wasps and bees, 5, 365-86
 - Vesper vulgaris*, 5, 407-22; 7, 48-63; 8, 1-12; 10, 201-7
 - variability of the sexes in *Carabus auratus*, 6, 103-5
 - der viergliederige tarsus der Blattidae, 6, 311-26
 - observations on termites, 6, 329-47
- Artistic capacity, association of, with steadiness and rapidity of hand, 12, 170-7

Asiatic

- mandibles, 20B, 279-93
- racess classified by cranial measurements, 24, 108-34

Association

- of attributes, 2, 121-34
- coefficient of, 8, 109-22
- theories of, 9, 159-316
- surface of constant, 9, 183, 184, 534-7
- see also* Contingency and Correlation

Assortative-mating

- in man, 2, 372-7, 397, 481-98
- among the deaf, 4, 473
- in conjugation of *Paramecium*, 5, 249-63

Aster, 1, 311; 2, 113-14

Asylums, anthropometry of inmates of Scottish, 5, 298-350 and Supplement

Asymmetry

- in crabs, 2, 307-20
- of the human skull, 22, 324-52
- of frequency curves, *see* Frequency curves, Moment ratios and Skewness

Asymptotic

- expansions for Pearson's frequency curves, 16, 106-16; for Beta function, 19, 1-38 (correction, 19, 442); for hypergeometric series, 25, 295-322; 26, 59-107
- distribution of the range, 34, 111-19; 35, 310-15

Athletic power

- inheritance of, 3, 151-5, 182
 - and intelligence, 5, 126-31, 133, 144
- Aurelia aurita*, jellyfish, variation in, 1, 90-108, 255

Australians

- anthropometric data, 1, 30-49
- fertility and duration of life, 4, 233-85
- cranial measurements, 4, 297-8; 19, 417-41; compared with Moriori, 11, 95-6
- boys' measurements compared with those of Yoruba boys, 25, 61-70
- mandibles, 29, 80-112

Autocorrelation

- testing of serial correlation coefficients, 35, 255-7; 37, 409-28
- significance tests of correlation between time series, 35, 397-413
- correlation between independent series of autocorrelated observations, 37, 184-5
- method of ascertaining serial lag correlation, 37, 288-307

Autoregressive

- time series, 33, 105-22
- schemes, calculation of autocorrelations of linear, 34, 365-7
- series, tables of, 36, 267-89
- time series, estimating the parameters of, 37, 173-8

Avuncular relationship, 18, 231-2

Bacillus coli, selection and intermediates in, 9, 331-2

Bacterial populations, estimating, 31, 168-86

Badarian crania, 19, 110-50; 27, 293-309

Balanced experiments

- and randomization, 30, 159-79
- design of optimum multifactorial experiments, 33, 305-25
- incomplete block designs, 37, 50-8
- see also Design of experiments

Barometric heights, 9, 223; 14, 371-7; 17, 291; 22, 154-6

Basque craniometry, 21, 67-84

Batetela negro crania, 19, 200-6

Bavarians

- cranial measurements, 2, 346, 350; 4, 297-8
- cranial measurements compared with Naqada, 1, 424-65; Whitechapel English, 3, 206-15, 221-6; Negro, 8, 302-14, 321-4; Moriori, 11, 95-8
- brain weights and other anthropometric characters, 4, 13-104, 133; 25, 197

Bayes's theorem

- problem of influence of past experience on future expectation, 9, 73, 74
- fundamental problem of practical statistics, 13, 1-16, 300-1
- criticism of, 16, 189-93
- and experimental sampling, 17, 388-442
- the researches of Thomas Bayes, 19, 1-38 (correction, 19, 442)
- application of, 20 A, 149-66
- reconciliation of theories of probability, 36, 101-16

Bean

- inheritance in, 2, 290-2, 499-503
- influence of weight of seed on plant, 9, 11-21; 10, 72-84

Bees

- observations on wasps and, 5, 365-86
- comparison of wings with those of wasps, 5, 419-21
- Beech tree, homotyposis and differentiation in leaves, 3, 104-7

Beetle, *Carabus auratus*, relative variability of sexes, 6, 103-5; see also Colorado beetle

Bentham, Jeremy

- head measurements and auto-icon of, 3, 393-6
- brain weight and head measurements of, 4, 144-5, 148

Berkeley Symposium on Mathematical Statistics and Probability. Review of, 37, 190-1

Bernoulli

- theorem, 17, 201-10
- multinomial distribution, cumulants of, 36, 47-58

Bessel function

- in statistics, application of, 21, 164-201; 24, 293-350
- McKay's distribution, 24, 39-44
- double Bessel function in statistics, 25, 158-78
- recurrence relation for double, 25, 420-1
- fit of Hansmann curve, 26, 178

Best critical region in the testing of a linear hypothesis, 27, 172-90

Beta-constants, β_1, β_2 , see Moment ratios

Beta function, incomplete

- expansion in tetrachoric functions, 14, 169-85
- relation of tail with normal curve, 16, 163-71
- relation with binomial, 16, 202-3
- determination of the integral $\int_0^\theta \cos^{\alpha+1} \theta d\theta$, 17, 68-78, 469-72

- asymptotic and modal expansions for, and expansions in terms of Gamma functions, 19, 1-38 (correction, 19, 442)

- probability integral of, for $p = \frac{1}{2}$, 22, 253-83

- continued fractions for evaluation of probability integral, 22, 284-97

- numerical evaluations of high order incomplete Beta functions, 27, 409-23

- percentage points of, 32, 151-81; 34, 368-72

- percentage points of inverted Beta (F) distribution, 33, 73-88

- as a contour integral, 37, 208-18

- significance levels of, 37, 219-23

Bicristal diameter related to weight, 20 A, 299-309

Bidford-on-Avon, Anglo-Saxon skulls from, 27, 373-87

Bienaimé-Tchebycheff inequality, see Tchebycheff

Bimodality of frequency curves, 1, 22; 3, 84-98; 4, 230-1

Binary fission, relation to variation, 1, 400-7

Binet-Simon tests

- compared with method of broad categories, 12, 367-72
- inheritance of intelligence, 14, 386-405

Binomial distribution

- for describing frequency of random samples, 5, 172-5
- probable error of the constants of, 10, 37-8

- application of negative, for compound frequency distributions, 11, 139-44

- moments about the mean, 15, 410-12

- probability integral for, 16, 163-71

- relation with Beta function, 16, 202-3

- recurrence formulae for moments, 17, 165-71; 26, 262-4

- confidence limits for, 26, 404-13

- historical note on Pearson's deduction of moments of, 30, 11-15

- χ^2 test for homogeneity in a, 30, 149-58

- cumulants and moments, 31, 392-6

- transformation of binomial data, 35, 246-54

- partition of χ^2 in certain discrete distributions, 36, 117-29 (correction, 37, 452)

Binomial distribution (*continued*)

- combination of probabilities in binomial distributions, 36, 370-82 (correction, 37, 452)
- fiducial limits of the parameter of a discontinuous distribution, 37, 117-29
- exponential limit to, *see* Poisson distribution
- see also* Negative binomial

Biological assay, *see* Probit analysis

Biology, fundamental conceptions of, 1, 320-44

Biometric constants of the human skull, 16, 328-64

Biometrika

- scope and spirit of, 1, 1-6
- foundation of, 5, 35

Biometry, 1, 7-10

- and W. F. R. Weldon, 5, 13-52
- and chronology, 20A, 241-62

Birds

- cuckoos' eggs, 1, 164-76; 4, 363-73
- variation of sparrows' eggs, 1, 256-7
- variation of comb of the domestic fowl, 6, 420-32
- canary breeding, 7, 1-42, 398-409; 8, 435-6
- leucosis in a hen, 7, 234-6
- malformation in a fowl's head, 9, 538-9
- eggs and nest of common tern, 10, 144-68; 12, 308-54; 15, 294-345
- sesamoids in birds, 13, 387-8 (correction, 14, 409)

Birth process, a stochastic, 35, 316-30

Births

- time interval between, 15, 412-21
- statistics of, 17, 355-63
- plural, 25, 110-20
- review of J. B. Nichols's *The Numerical Proportion of Sexes at Birth*, 6, 123

Bivariate distributions based on simple translation systems, 36, 297-304

Bivariate frequency surface, *see* Correlation surface and Frequency surface

Bivariate normal distribution, *see* Normal bivariate surface

Bladdernut, *Staphylea*, selective elimination in, 7, 452-504

Blattidae, four-jointed tarsus and regeneration of feet in, 6, 311-26

Blood corpuscles in tadpoles, 6, 402-19

Bloodroot, *Sanguinaria canadensis*, morphology of fruit of, 7, 305-51

Bohemians, brain weights and other measurements, 4, 13-104, 133

Bombing problem, variance of overlap in a, 34, 1-17

Borneo crania, nasal characters, 9, 395-432

Brachydactyly

- inheritance of, 6, 327
- in Nyasaland natives, 10, 17-18
- see also* Deformities

Bracts in *Daucus carota*, 26, 443-68

Brain weight

- variation and correlation, 4, 13-104
- and headsize, 4, 105-23
- biometric constants of English, 4, 124-60
- weights of viscera and, 9, 478-85
- shrinkage with age, 25, 197

Breathing rates

- and pulse rates related to stature, 8, 232-6
- temperature and pulse related to physique and intelligence in criminals, 11, 1-19
- the influence of, on vaso-constriction, 34, 320-34

Breeding, *see* Inheritance

Bright's disease, history of, 29, 249-76

Britain, craniology of New, 28, 123-48

British

- age, hair and eye colour correlations, 3, 461-4
- craniology in late prehistoric and historic times, 18, 99-104

see also Anglo-Saxon, Anthropometry, Crania, English and Scottish

Brittle-star, *Ophiocoma nigra*, variation in, 2, 463

Broad categories

- method of determining correlation for data in, 7, 96-105, 248-57
- influence of, on correlation, 9, 116-39
- method of, compared with Binet-Simon tests, 12, 367-72
- probable errors of frequency constants of a system grouped in, 13, 128-32
- probable error of a class index correlation, 14, 261-80
- validity of Pearson's correction to correlation coefficient of data in, 27, 356-63, 364-72; 28, 190-2
- see also* Contingency and Correlation, broad categories

Bronchopneumonia, 5, 428-9

Brood-mares, fecundity in thoroughbred, 1, 289

Brothers, multiple correlation of, 17, 129-41

Browne, Sir Thomas, skull, portrait and ancestry, 15, 1-76; 16, 204

Bruce, skull of Robert the, 16, 253-72

Buchanan, George, skull and portraits, 18, 233-56

Burmese crania, measurements and contours, 13, 176-262

Burwell, Anglo-Saxon skulls from, 27, 388-408

Butter fat, *see* Cows

Cairo natives, anthropometric measurements of, 11, 67-81

Californian children, growth changes in, 27, 26-87

Cambridge graduates, intelligence and head measurements of, 5, 106-25

Campion, 2, 47-55

Canary breeding, 7, 1-42, 398-409; 8, 435-6

Cancer

- death-rates, 7, 276-304
- cases of, in the same house, 8, 396-412, 430-5; 9, 31-3
- and diabetes death-rates, 11, 191-200
- and goitre, 16, 364-401; 17, 159-65
- expectation of life when cancer deaths are omitted, 25, 96

Canonical correlations

- relations between two sets of variates, 28, 321-77
- statistical significance of, 32, 29-37
- limiting distribution of, 32, 38-45

Capacity, cranial

- determination, 1, 419-22; 3, 203-6, 366-97; 5, 94; 10, 188-93; 11, 83-4; 13, 177-9; 19, 111-12, 200-6, 210-14; 21, 85-94; 23, 13; 27, 382-3
- correlated with cephalic index and intelligence, 3, 374, 392-6
- variation, 16, 328-64

Carabus auratus, beetle, relative variability of sexes, 6, 103-5

Carbohydrate tolerance, insulin and diabetes, 19, 405-16

Carnivores, sesamoids in, 13, 351-2

- Carrot, wild, statistical study of, 25, 186-95; 26, 443-88; 32, 82-7
- Castle Hill, Scarborough, human skulls from, 33, 25-35
- Cattle, inheritance of coat-colour in, 4, 427-64; *see also* Cows
- Celandine, variation and correlation in, 1, 11-20, 125-8; 2, 145-64
- Cell and body size in *Daphnia magna*, 2, 255-9
- Cell frequencies**
 probable errors of, 10, 40-7
 formulae for obtaining ordinates from, 17, 311-3; and from partial cell frequencies, 24, 495-7
- Cephalic index**
 of schoolchildren, inheritance of, 3, 136-72
 reduction to cranial index, 8, 68-70
 stability of, within a race, 16, 118-38
 distribution of, for English Bronze age skulls, 18, 62
 of Asiatic crania, 20B, 252
 Anglo-Saxon crania, 27, 383
 normality of distribution, 31, 81-98
see also Head measurements
- Cercis canadensis*, homotyposis in, 11, 201-14
- Cereals, testing varieties of, 15, 271-93 (correction, 16, 411)
- Cerebrum, weight of, 4, 74-6
- Chance, Laws of**
 1892 Gresham lecture by Karl Pearson, 32, 89-100
see also Probability
- Characterization by racial and type silhouette, 20B, 389-400
- Characteristic function**
 cumulants of sampling moments, 22, 36-65; 24, 65-107
 type III distribution, 25, 121-33
 of weighted sum of non-central squares of normal variates, 36, 460-2
- Chatham Islands, aborigines of, *see* Moriori
- χ^2 , **application in statistical tests***
 to test whether two samples come from the same population (b), 8, 250-4; 10, 85-143; 16, 239-48, 249-52; 24, 457-70
 for goodness of fit of regression and theoretical curves (b), 11, 239-61 (correction, 12, 266-81); for fit of frequency curves (b), 11, 418-25; fit of psychophysical curves (a) and (b), 12, 216-30
 'best' values of frequency constants (b), 11, 262-76
 on the χ^2 test of goodness of fit (b), 14, 186-91, 418; 28, 34-59
 relation to the theory of testing statistical hypotheses (b), 20A, 263-94; 22, 303-5
 discussion of basis of theory with experimental data (b), 24, 351-81
 examples illustrating the difference of two forms of χ^2 (b), 25, 197-202
 applied to Mendelian segregation (b), 29, 144-53
 test for homogeneity in binomial series (b), 30, 149-58; for homogeneity in a $(n \times 2)$ -fold table (b), 31, 346-55; 33, 234-8
- 'smooth' test for goodness of fit (b), 34, 299-310; 35, 202; 37, 447-8
- power of χ^2 index of dispersion test (b), 37, 59-63
 an alternative form of χ^2 (b), 37, 448-51
see also Fourfold (2×2) tables
- χ^2 , **partition of***
 in certain discrete distributions (b), 36, 117-29 (correction, 37, 452)
 subdivision of χ^2 into components (b), 36, 130-4
 exact partition of χ^2 (b), 37, 267-70
- χ^2 , **tables of the probability distribution***
 for testing the goodness of fit of theory to observation (a) and (b), 1, 155-63
 percentage points of the χ^2 distribution (a), 32, 187-91; numerical approximations to the percentage points (a), 32, 200-1; 34, 368-72
 probability integral of the χ^2 distribution (a), 37, 313-25
- χ^2 **distribution***
 relation between, and distribution of standard deviation (a), 19, 215
 modification of, through combination of groups (b), 22, 298-301
 experimental examination of the adequacy of, for small samples (b), 22, 301-3
 distribution of difference and ratio of two χ^2 (a), 24, 301-22
 accuracy of χ^2 approximation (b), 28, 179-87
 non-central, and its applications (a) and (b), 36, 202-32
- χ^2 **distribution, moments, etc. of***
 exact (b), 29, 133-43 (correction, 31, 220); 29, 407
 for an n -fold table (b), 29, 389-91 (corrections 31, 220)
 cumulants of χ^2 (a), 29, 392-404
 cumulants of χ (a), 31, 216-18
 mean and variance of χ^2 for an $(m \times n)$ -fold table (b), 31, 346-55
 cumulants of χ^2 for a $(n \times 2)$ -fold table (b), 31, 392-6
 moments of r and χ^2 for a four-fold table (b), 33, 231-3
 cumulants of the logarithmic χ^2 distribution (a), 34, 170-8
 correlations between χ^2 cells, 35, 418-22
- Chicory, variation and homotyposis in, 5, 184-9
- Children**
 time-interval between births of, 15, 412-23
 body build of American-born Japanese, 25, 323-52
 growth changes during first three years, 27, 26-87
see also Offspring and Schoolchildren
- Chilomonas*, variation in, 5, 53-72
- Chinese**
 head and cranial measurements, 4, 294, 297-8
 cranial measurements compared with Burmese, 13, 235-51; with Tibetan, 14, 206-26
 crania of Hylam, 20B, 245-75
 stature reconstruction formula of, 21, 303-18
 malar bone, 29, 113-23
 humerus, 33, 36-47

* The symbol χ^2 is used indiscriminately in statistical literature to represent two distinct entities: (a) the sum of squares of a number of independent normal variates each having zero expectation and unit standard deviation; (b) a weighted sum of squares of the differences between observed frequencies and their theoretical expectations. The χ^2 under (a) has an exactly defined sampling distribution, which only as an approximation represents the distribution of the χ^2 under (b). We have indicated by the letters (a) and (b) with which entity each of the χ^2 items indexed above is primarily concerned.

- Chiroptera, sesamoids in, 13, 355
- Chromatin and cytoplasm, mass relation of, 2, 241-54
- Chromosomes of hybrid foxglove, 16, 230-8
- Chronology and biometry, 20A, 241-62
- Chrysanthemum leucanthemum**
variation in ray-flowers, 1, 309-15, 319
constancy in number of ligulate flowers, 27, 260-6
- Cichorium intybus*, variation and homotypy in, 5, 184-9
- Cicuta maculata*, structure of inflorescences, 28, 64-83
- Cist crania, Scottish short, 20B, 379-88
- Classification by groups and cross-classification in the analysis of variance, 35, 80-7
- Class-index correction**
for correlation of data in broad categories, 9, 116-39, 316-20
probable error of, 14, 261-80
- Clausilia*, selection in *C. laminata*, 1, 109-24; in *C. itala*, 3, 299-306
- Cleft palate, dacryocystitis and lobster claw, 28, 60-3
- Climate**
and fertility, 1, 32-3
and cancer deathrate, 7, 283
- Clinograph, 3, 469
- Clover**
experiments in growing, 1, 371-3
statistical methods for testing clover seed for dodder, 27, 273-92; 31, 313-23
- Clustering of plants, generalization of Poisson's binomial limit to describe, 36, 18-25
- Coat-colour, inheritance of**
in horses, 1, 361-4; 2, 229-34
in mice, 2, 101-4, 165-73, 282-5, 294-8; 3, 1-51; 4, 1-12
in rabbits, 2, 299-306
in greyhounds, 3, 245-98
in cattle, 4, 427-64
- Cockroach, Blattidae, four-jointed tarsus of, 6, 311-26
- Coelenterata, 1, 90-108, 255; 7, 373-81
- Colorado beetle, estimation of population of, 30, 422-39
- Colligation, coefficient of, 9, 291-4
- Colour, protective value of, in *Mantis religiosa*, 3, 58-9; see also Coat-, Eye-, Hair-colour and Pigmentation
- Combination of probabilities arising from data in discrete distributions, 36, 370-82 (correction, 37, 452)
- Combination of tests**
of significance, 30, 134-48
based on discontinuous distributions, 37, 383-98
- Combinatorial tests of whether a sample has come from a given population, 37, 97-110
- Composite hypothesis, 20A, 175-240, 263-94
- Composite photograph, Russian types, 15, 270
- Compound frequency distributions**
resolution of, into component parts, 10, 123-42, 479-87
where components can be described by binomial series, 11, 139-44
- Compound variable, frequency constants of, determined from constants of components, 6, 437-8
- Condorcet, chronological writings, 20A, 241-62
- Confidence intervals**
for binomial distribution, 26, 404-13; 33, 181
for Poisson distribution, 27, 273-92; 28, 187-8, 437-42
for correlation coefficient, 29, 157-60
and fiducial probability, 30, 391-421, 471-4; 32, 128-50; 36, 101-16
for a grouped probit analysis, 36, 16-17
see also Fiducial limits
- Confounding with fractional replication, 34, 255-72; 35, 268-76
- Congenital**
anomalies in a native African race, 10, 1-24
dislocation of lenses, pedigree of, 16, 273-83
- Congo negro crania**, 8, 292-337
compared with Moriori, 11, 95-112, 125-32; Tibetan, 14, 208-47
nasal characters of, 9, 394-437
cranial capacity of, 19, 200-6
- Conjugation in *Paramecium*, 5, 213-97
- Conscientiousness**
inheritance of, 3, 152-5, 187
intelligence and, 5, 126-31, 134, 136, 146
- Consistence, coefficient of, 31, 324-45
- Contingency**
criticism of method, 5, 470-6
application of class-index correction to, 9, 128-38
comparison with Yule's methods, 9, 180-3, 216-56
general theories of multiple and partial, 11, 145-58
application to differential deathrates, 11, 155-8, 163-84
Steffensen's measure of, 26, 251-60
tables, analysis of, 35, 176-81; 36, 117-29 (correction, 37, 452); 37, 267-70
- Contingency, coefficient of mean square**
probable error, 5, 191-7; 10, 570-3; 11, 215-30 (correction, 12, 259)
mean value of, 11, 216
standard error of, 11, 220-2; 21, 376-428
test for zero contingency, 11, 227-8
minimum value of, 25, 134-46
- Continued fractions for evaluation of Eulerian integrals, 22, 284-97
- Contour integrals for the incomplete beta function, 37, 208-18
- Coordinatograph and standard planes of the skull, 25, 217-53
- Copts cranial measurements compared with Naqada, 1, 425-65; with negro, 8, 302-14, 321
- Cork borings, weights of, 35, 62-79
- Corpuscles, spherical, 17, 84-99; ellipsoidal, 18, 151-72
- Corrections**
Sheppard's, for moments, 1, 287; 3, 308-12; 5, 450-9; 8, 443; 37, 145-8
for correlation ratio, 8, 254-6; 9, 316-20; 14, 412-17
class index, 9, 116-39, 316-20; 14, 261-80
to death rates for age distribution, 11, 159-60
abruptness coefficients, 12, 231-58; 16, 193-5; 20A, 314-55; 25, 179-84; 26, 12-58
- Correlation, broad categories**
calculation, method of, 7, 96-105, 248-57; 12, 93-133
tetrachoric functions, tables of, 7, 437-51; 8, 385-95; 11, 284-91; 17, 343-54; 19, 354-404
influence of broad categories, 9, 116-39; 24, 495-7; 27, 356-72; 28, 190-2
polychoric table, 12, 93-133; 14, 127-56
probable error of class index correlation, 14, 261-80
normal bivariate integral, tables of, 22, 1-35; 33, 59-72

Correlation, miscellaneous

- spurious correlation, 2, 132-4; 10, 181-7, 412-16; elimination of, 10, 179-80, 269-79
- variate difference correlation, 10, 340-55, 488-506; 11, 136-8; 14, 37-45, 281-310; 15, 134-49 (correction, 15, 423); 35, 206-9
- hierarchical order, 12, 355-66; 15, 150-60
- history of correlation, 13, 25-45; and contribution of Giovanni Plana, 20A, 295-8
- factorising correlated variables, criteria for, 19, 45-52
- ratio of correlated variables, distribution of, 24, 428-40
- vector correlation, 28, 321-77
- review of W. P. Elderton's *Frequency Curves and Correlation*, 30, 203-4
- review of A. A. Tschuprow's *Principles of Mathematical Theory of Correlation*, 31, 396

Correlation, multiple and partial

- probable error in multiple normal correlation, 6, 59-68; of partial correlation coefficient, 7, 411-12
- influence of selection, 8, 437-43
- errors with regard to multiple correlation, 10, 181-7; partial correlation, 17, 251-67
- partial correlation ratio, 10, 391-411 (correction, 10, vi); 11, 50-66
- multiple correlation with skew regression, 11, 185-90
- properties of partial and multiple correlation, 11, 231-8
- hyperspherical goniometry and multiple correlation, 15, 173-208
- multiple correlation of brothers, 17, 129-41; of head measurements and reaction times, 18, 207-20
- partial multiple correlation coefficients, 19, 39-44
- mean and standard deviation of, 19, 100-9; 22, 353-61; tables of, 22, 362-7
- correlation of two first order multiple correlation coefficients, 20A, 310-13
- multiple regression, estimation and comparison of residual regression, 36, 26-46

Correlation, multivariate analysis and canonical

- distribution of ratio of determinants of correlation coefficients, 24, 491-4
- relations between two sets of variates, 28, 321-77
- distribution laws in, 30, 274-94
- canonical correlation, significance of, 32, 29-37; limiting distribution of, 32, 38-45
- deviations in multivariate correlation, 37, 451-2

Correlation, rank

- correlation by ranks or grades, 10, 416-18; applications to examination results, 13, 302-5; to psychology; 33, 269-73; in paired comparisons, 31, 324-45; partial, 32, 277-83; when one variable is dichotomous, 34, 292-6; a property of, 35, 416-17; intra-class, 36, 463-7
- compared with product moment correlation, 10, 416-18; 35, 203-6; 36, 177-93
- Spearman's coefficient, distribution and probable error of, 13, 263-82; 30, 251-73
- treatment of ties, 13, 263-82; 33, 239-51; 34, 36-40, 297-8
- mean and variance of a ranked individual and of intervals between ranked individuals, 23, 364-97; 24, 203-80; 36, 92-100
- Kendall's coefficient, τ , 30, 81-93; 32, 278-83; 34, 36-40, 183-96, 297-8

- correlation in the universe of sample permutations, 33, 129-35
- significance of rank correlation where parental correlation exists, 34, 197-208
- review of M. G. Kendall's *Rank Correlation Methods*, 37, 190

Correlation, serial and autoregressive, see Time series

Correlation coefficient, product moment

- standard or probable error, 6, 109, 302-10; 9, 4-6, 91-115; 16, 196-8; abac for, 7, 410-11; of tetrachoric correlation coefficient, 9, 22-7; of biserial correlation, 10, 384-90; 11, 292-302; in variate difference method, 11, 136-8; of fraternal and parental coefficients, 14, 1-22; of class-index correlation, 14, 261-80
- influence of selection on, 6, 111-12; 8, 437-43
- methods of calculation, integral variates, 7, 214-18; substitute formulae, 8, 109-22; 9, 159-315; intra-class and inter-class, 9, 446-72; first power methods, 17, 459-69; approximation, 19, 223-4; estimation by maximum likelihood, 25, 393-5; see also Correlation, broad categories
- distribution of, 10, 507-21; 11, 328-413; 17, 176-99 (correction, 19, 441); 21, 356-7; 24, 382-403; 25, 71-8
- product moments of normal correlation surface, 12, 86-92
- distribution of functions of two variates with known correlation, 17, 211-37
- accuracy of Fisher's transformation, 21, 357-60
- significance of difference between two, 25, 102-9
- unbiased limits for, 29, 157-60

Correlation ratio

- bi-serial and tri-serial methods, 7, 248-57
- corrections for, 8, 254-6; 9, 116-39, 316-20; 14, 412-17
- partial, 10, 391-411 (correction, 10, vi); 11, 50-66
- probable error of, 11, 292-302
- linear, for symmetrical frequency distributions, 18, 228-31; 19, 223-4
- tables to determine significance of, 21, 1-66
- distribution of, 24, 441-56; 30, 289-90
- generalization of, 24, 482-5
- mean and variance of, 30, 149-58

Correlation surface

- product moments of normal, two variables, 12, 86-92; n variables, 12, 134-9, 177-83
- skew, 14, 355-77; 17, 314-26; 22, 109-23
- fifteen constant bivariate frequency surface, 17, 268-313
- relationship between 'Student's' z_1 and z_2 in samples from a bivariate normal population, 22, 405-22
- simple non-normal, 24, 288-91; 36, 467-8
- correlation functions of Type III, 25, 121-33
- bivariate distributions based on translation systems, 36, 297-304

see also Normal bivariate surface

Correlation tables of measurements on animals

- Aurelia aurita*, jellyfish, 1, 91-6, 107
- Hyalopterus trirhodus*, aphids, 1, 136-54
- Nassa obsoleta* and *Nassa trivittata*, snails, 2, 39-43
- Eupagurus prideauxi*, crabs, 2, 197-207
- horses, 2, 232-6; 5, 83; 6, 120-1
- Actinosphaerium eichornii*, 2, 242-9
- Daphnia magna*, 2, 257

Correlation tables of measurements on animals*(continued)**Arcella*, 2, 331*Ophiocoma nigra*, brittle star, 2, 469

mice, 3, 37-51; 5, 443-9

Spinax niger, 3, 355-62

earthworm, 4, 220

Paramecium 5, 57-8, 276-97

sows, 5, 204-5

tadpoles, 6, 412-19

cows' production of butter fat, 7, 119-26

frogs' eggs, 7, 171-95

hydra, 7, 374-8

rats, 7, 382

Drosophila and vinegar fly, 9, 455

cuckoos' eggs, 9, 459

terns' eggs, 10, 153-68; 12, 313-17, 337-54; 15, 331-45

bitches, 22, 311-20

Microaster cor-anguinum, 37, 38**Correlation tables of measurements on man**

stature, and age, 1, 45-6; 4, 88-9, 94-5; 8, 348-9; 11, 25, 65; 20A, 304; and head breadth, 1, 215, 218, 220; 4, 301; 5, Supplement, 89, 91; and head length, 1, 221; 4, 301; 5, Supplement, 89-90; and finger length, 1, 216, 219; 11, 80; and span, 2, 399-401, 410, 412, 423-4, 428-9, 434-5, 439-40, 451, 454, 457-8; and forearm, 2, 405-7, 411, 414, 425, 430-1, 435-6, 441-2, 452, 455, 459-60; of mothers and fathers, 2, 408; of fathers and sons, 2, 415; 9, 129; 14, 151; 17, 218-19, 466; of fathers and daughters, 2, 417; of mothers and children, 2, 419, 421; of brothers and sisters, 2, 444, 446, 448; and brain weight, 4, 84-5, 90-1, 96, 99; and body weight, 4, 103; 10, 304-39; 11, 24, 62-5; 20A, 306; 25, 65; and weight of cerebrum, 4, 104; of men and women, 4, 166; and head index, 4, 299-300; and head height, 4, 302; 5, Supplement, 90-1; and bizygomatic breadth, 4, 303; and face index, 4, 303; and pulse rate, 8, 233; 11, 28; and breathing, 8, 234; 11, 27; and weight and pigmentation, 8, 346-53, 380-4; and temperature, 11, 26; and length of foot, 11, 81; of children at two different ages, 15, 269; and bicristal diameter, 20A, 308

age, and stature, 1, 45-6; 4, 88-9, 94-5; 8, 348-9; 11, 25, 65; 20A, 304; and hair and eye colour, 3, 459-66; 8, 346-53, 380-4; and brain weight, 4, 86-7, 92-3, 96, 100-1; and weight of cerebrum, 4, 104; and head length and breadth, 4, 139-40; 18, 196, 210; mental capacity and place in class, 7, 543-6; 8, 81-8, 101-5; and weight, 8, 348-9; 11, 25, 66; 20A, 303; pulse, temperature and breathing, 11, 29-32; of mother and number of children, 14, 346, 348-9, 351; vision and hearing, 15, 348, 351, 354, 357; 19, 186; and vital capacity, 16, 142, 326; and grip, 16, 303; 19, 186; and bicristal diameter, 20A, 305

ages at death, of siblings, 1, 78-9; of fathers and children, 1, 80-1; of mothers and children, 1, 82-3; of husbands and wives, 2, 491-8; of women and number of children, 4, 238

head breadth, and head length, 1, 214, 217, 220; 4, 98; 5, Supplement, 82, 85; 11, 79; 13, 19-24; of siblings, 3, 173-8; and head height, 3, 179-81; 5, Supplement, 83-7; of men and women, 4, 168; and intelligence, 5, 137-9; and reaction times to sound and sight, 18, 201-4, 214-18

eye-colour, of great-grandparents and offspring, 2, 239-40; and hair-colour and age, 3, 459-66; of husbands and wives, 5, 475; and hair-colour, 5, Supplement, 88; and hand-writing, 7, 252; and weight, stature and age, 8, 346-53, 380-4; of fathers and sons, 9, 186-7; and cephalic index, 16, 133-6

span and forearm of members of same family, 2, 402-4, 409-10, 413-14, 416-20, 422-3, 426-7, 432-3, 437-8, 443-5, 447, 449-50, 453, 456-7, 461-2

weights of viscera of men, 3, 74-83

cephalic index, of siblings, 3, 170-2; of men and women, 4, 166; and face index, 4, 299; and intelligence, 5, 141; of children at two different ages, 15, 270; and age, 16, 120, 122, 125, 127-8; and hair- and eye-colour, 16, 133-6; and reaction time to sight and sound, 18, 205-6, 216, 219

brain weight, and stature, 4, 84-5, 90-1, 96, 99; and age, 4, 86-7, 92-3, 96, 100-1; and skull length and breadth, 4, 97; and body weight, 4, 102

body weight, and brain weight, 4, 102; and stature, 4, 103; 10, 304-39; 11, 24, 62-5; 20A, 306; 25, 65; stature, age, hair- and eye-colour, 8, 346-53, 380-4; and age, 8, 348-9; 11, 25, 66; 20A, 303; and temperature, breathing and pulse, 11, 26-8; and bicristal diameter, 20A, 307

head, nasal and facial index, 4, 167-8, 299-300

skull length, breadth, height, capacity and other measurements on the skull, 4, 97, 304-12; 21, 110, 112, 119-23; 22, 341-52

arm lengths of men and women, 4, 168

number of deaf in family and size of family, 4, 481

sex-ratio of sibships, Whitney family, 5, 81-2

intelligence, and head length and breadth, 5, 137-9; and auricular height, 5, 140; and cephalic index, 5, 141; place in class and age, 7, 543-6; 8, 81-8, 101-5; quotients of siblings, 12, 368

examination results, in geometry and arithmetic, 7, 365; and order in examination, 8, 107; and clothing, 8, 107-8

breathing, and stature, 8, 234; 11, 27; and weight, 11, 27; and pulse, 8, 234; 11, 21; and temperature, 11, 20, 36; and age, 11, 30

pelvic diameters, 9, 508-29

finger prints, 10, 453-78; 13, 79-91

temperature, and breathing, 11, 20, 36; and stature, 11, 26; and age, 11, 31-2; and pulse, 11, 33-5

lengths of foot and finger, 11, 79-80

hair-colour of cousins, 14, 274

acuity of vision, and age, 15, 351; 19, 186; and highest pitch heard, 15, 363-4; and reaction time to sight, 15, 367, 369; and vital capacity, 16, 151; and hand grip, 16, 318; 19, 190; 20A, 130; 20B, 406-7; of left and right eye, 19, 196; 20A, 98-9

reaction time to sound, and age, 15, 354; and highest pitch heard, 15, 366; and reaction time to sight, 15, 370-1; and vital capacity, 16, 149; and hand grip, 16, 312, 315; and head breadth and length, 18, 201-2, 217-18; and cephalic index, 18, 205, 219

reaction time to sight, and age, 15, 357; and visual acuity, 15, 367, 369; and reaction time to sound, 15, 370-1; and vital capacity, 16, 146; and hand grip, 16, 312; and head breadth and length, 18, 203-4, 214-15; and cephalic index, 18, 206, 216

Correlation tables of measurements on man (continued)

- vital capacity, and age, 16, 142, 326; and reaction times to sight and sound, 16, 146, 149; and visual acuity, 16, 151; and highest pitch heard, 16, 154; and hand grip, 16, 309
- hand grip, and vital capacity, 16, 309; and reaction times to sight and sound, 16, 312, 315; and visual acuity, 16, 318; and highest pitch heard, 16, 321; of left and right hand, 19, 197; and difference of refractions in left and right eye, 20A, 101; 20B, 406-7

Correlation tables of measurements on man (ungrouped)

- age, stature, brain weight, cephalic index and head measurements of hospital patients, 4, 118-23
- age and marks in geometry, arithmetic and algebra of schoolchildren, 7, 366-7
- weight, age and weights of viscera of healthy males, 9, 483-5
- age, weight, stature and specific gravity, 16, 408
- stature and lengths of long bones, 21, 318
- see also Crania, original measurements and description of racial series

Correlation tables of measurements on plants

- celandine, 1, 13-19, 126; 2, 155-64
- Homogyne alpina*, 1, 25
- Shirley poppy, 2, 85-100; 4, 416-26
- Phaseolus vulgaris*, 2, 501
- Cichorium intybus*, 5, 187-8
- Staphylea*, 6, 440; 7, 496-504
- Adoxa*, 7, 221-2
- Sanguinaria canadensis*, 7, 332-51
- Hibiscus*, 8, 55-8, 64; 9, 451-2, 463
- Robinia pseud-acacia*, 9, 457
- beans, 9, 468; 22, 157
- Cruciferae, 10, 258-62
- Umbelliferae, 11, 41-9; 28, 67-78
- Leguminosae, 11, 210-14
- foxglove, 14, 112-13, 120-4; 16, 229
- Daucus carota*, 26, 450, 458, 465

Correlation tables of miscellaneous numerical data

- smallpox and vaccination, 4, 329-30
- typhus and mean temperature, 5, 426
- measles and mean temperature, 5, 428-9
- barometric heights at Southampton and Lauderdale, 9, 223; 14, 372-3; 17, 291; at Greenwich 22, 154-6
- deaths from diphtheria and isolation rate, 10, 556-8
- prices of rye at Samara, 11, 250
- length of suits in whisthands, 16, 186-7

Correlogram, 33, 105-22

Counting, overlap problem in particle, 36, 257-66

Covariance

- estimates, distribution of ratio of, 29, 65-79
- test of homogeneity of, 31, 31-55
- test of equality of, 34, 311-19
- analysis, 36, 59-62, 83-91
- see also Product moments, Variance and Wishart distribution

Cows

- inheritance of butter fat production, 7, 106-26; of milk production, 7, 548-50
- milk yield, 20B, 105-244

Crabs, 2, 191-210, 307-20; 5, 19, 26

Cramér, H., review of *Mathematical Methods of Statistics* by, 34, 374

Crangon vulgaris, 5, 14, 16, 17

Crania, anomalies and asymmetry

- English, Whitechapel, 3, 217-21; Moorfields, 5, 100-3; Spitalfields, 23, 217-22; Hythe, 24, 172-7; Bidford, 27, 379-82; Maiden Castle, 31, 297-300
- Egyptian, synchondrosis condylo-squamosa, 8, 257-61; pygmy, 8, 262-6; first dynasty, 17, 10-12; ninth dynasty, 22, 66-7
- negro, Congo and Gaboon, 8, 322-33; Kenya, 23, 280-5
- Moriori, 11, 134-5; artificial deformation of, 13, 338-46
- Burmese, 13, 232-5, 251-9
- asymmetry, 13, 251-9; 22, 324-52
- Tibetan, 14, 201-3
- inheritance of, 15, 406-10
- Lachish, Palestine, 31, 106-21

Crania, comparisons of racial series

- notes on, 2, 338-56, 504-12; 4, 286-312
- Ainos, 2, 346-56
- long barrow and round barrow, 4, 351-62
- Egyptian, occipital bone, 8, 257-61; pygmy, 8, 262-6
- British, Neolithic to early historic, 18, 56-98; late prehistoric and historic, 18, 99-104; West Scottish, 23, 10-22
- Australian and Tasmanian, 19, 417-40
- European, 20B, 301-75
- East Asiatic, 23, 52-113
- Asiatic, 24, 108-34
- from Dunstable, 25, 147-57
- Eskimo, 29, 1-20
- Indians in U.S.A., 30, 94-129
- see also entries under following heading

Crania, original measurements and descriptions of racial series

- Naqada, 1, 408-67
- English, Whitechapel, 3, 191-244; Moorfields, 5, 86-104; Farringdon Street, 18, 1-55; Spitalfields, 23, 191-248; St Leonard's Church, Hythe, 24, 135-202; Maiden Castle, 31, 295-312; Castle Hill, Scarborough, 33, 25-35
- negro, Congo and Gaboon, 8, 292-337; Teita, Kenya, 23, 271-314
- Moriori, 11, 82-135
- Burmese, 13, 176-262; Naga, 25, 1-20
- Tibetan, 14, 193-260; and Nepalese, 16, 1-105
- Egyptian, twenty-sixth to thirtieth dynasties, 16, 328-63; prehistoric to Roman times, 17, 1-52; pre-dynastic from Badari, 19, 110-50; 27, 293-309; ninth dynasty from Sedment, 22, 65-93; Nubian, twelfth and thirteenth dynasty from Kerma, 25, 254-84; first dynasty from Sakkara and eleventh dynasty from Thebes, 34, 18-27
- Anglo-Saxon, 18, 56-98; from Bidford-on-Avon, 27, 373-87; from Burwell, 27, 388-408
- Hylam Chinese, 20B, 245-78
- Scottish short cist, 20B, 379-88
- Basque, 21, 67-84
- Easter Islanders, 23, 249-70
- New British, 28, 123-48
- Iranian, 30, 130-3
- Tasmanian, 30, 305-40
- from Lachish, Palestine, 31, 99-166
- see also Mandible, Nasal bridge and Occipital bone

Crania, technique of measuring

- methods and apparatus, 1, 412-19; 14, 196-200
- frequency distributions of cranial measurements, 1, 441-54; 3, 226-31; normality or non-normality of, 24, 45-54
- homogeneity and heterogeneity in crania, 2, 345-7, 504-8
- interracial characters and their correlation, 2, 347-56; 4, 286-312
- cranial types, 2, 508-12
- brain weight and cranial measurements, 4, 67-74
- mesodacryal indices, use of, 8, 297, 315-20; 9, 391-445; 13, 246-7; tables of, 8, 338-9; 9, 401-2
- simotic index, 8, 317-20; 9, 391-445; 13, 246-7
- occipital index, tables for calculating, 13, 261-2
- cranial points, definitions of, 14, 196-200
- biometric constants, 16, 328-63
- alveolar point, definition of, 17, 53-6
- need for standardization, 20A, 1-31
- definitions of measurements, 20B, 362-4
- internal diameters and pre-eminence of left hemisphere, 21, 85-123
- cranial coordinatograph and use of Cartesian geometry, 25, 217-53
- 'flatness' of facial skeleton, 26, 196-250
- endocranial diameters and indices, 27, 88-144
- morphometric characters of individual skull bones, 27, 424-65
- depth and breadth of facial skeleton, 31, 272-86
- secular variations in skull characters, 35, 74
- see also Cranial capacity, Cranial type contours and Racial likeness, coefficient of

Cranial capacity

- of Naqada, 1, 419-22; English, 3, 203-6; 5, 94; 18, 33-5; Moriori, 11, 83-4; Burmese, 13, 177-9; Egyptian, 16, 328-63; 19, 111-12; Scottish, 23, 13; Anglo-Saxon, 27, 382-3
- from external measurements, 3, 366-97; 10, 188-93; 19, 211-14; and internal measurements, 21, 85-94
- of negro from skull or head measurements, 10, 188-93; 19, 200-6
- see also Crania, original measurements and descriptions of racial series

Cranial type contours

- construction and comparisons, 8, 123-201; 11, 129
- Moriiori, 11, 103-32
- Burmese, 13, 185-217, 223-31; Naga, 25, 16-20
- Tibetan, 14, 227-52; and Nepalese, 16, 73-101
- Egyptian, first dynasty, 17, 44-51; predynastic from Badari, 19, 135-44; ninth dynasty from Sedment, 22, 80-9; twelfth and thirteenth dynasty from Kerma, 25, 273-83
- English, Farringdon Street, 18, 41-54; Spitalfields, 23, 236-44; St Leonard's Church, Hythe, 24, 181-91
- Anglo-Saxon, 18, 87-95
- Hylam Chinese, 20B, 263-9
- Scottish short cist, 20B, 383-8
- Basque, 21, 77-82
- Easter Islanders, 23, 264-9
- negro from Teita, Kenya, 23, 302-14
- New British, 28, 126, 142-7
- from Lachish Palestine, 31, 145-57

Cranium of

- Sir Thomas Browne, 15, 1-76

Robert the Bruce, 16, 253-72

George Buchanan, 18, 233-56

Henry Stewart, Lord Darnley, 20B, 1-104

Wilkinson head of Oliver Cromwell, 26, 269-378

the London skull, 29, 277-321

Cretinism in England and Wales, 16, 398-401

Criminals

- measurements of Australians, 1, 38-49; Egyptians, 8, 66-78; 11, 67-81
- anthropometry and identification, 1, 177-227
- head measurements, 3, 60-2
- education of, in Egypt, 10, 280-3
- temperature, pulse and respiration related to physique and intelligence, 11, 1-37
- review of *Study of Women Delinquents in New York State*, 13, 305-8

Criminological works, reviews of, 7, 231-3

Criteria

- for the rejection of observations, 17, 238-50; 28, 308-20
- for factorizing correlated variables, 19, 45-52
- of likelihood, 20A, 175-240, 263-94; 36, 317-46
- see also Likelihood and specific criteria
- Cro-Magnon cranial contours, 8, 149-53; 11, 103-12
- Cromwell, Oliver, the Wilkinson head of, 26, 269-378
- Cross-correlations, on a method of trend elimination, 36, 75-91

Cruciferae, study of, 10, 215-68

Crude moments, abruptness corrections for, see Moments

Cubes and hyper-cubes, finite groups and completely orthogonal, 35, 277-82

Cuckoos' eggs, 1, 164-76; 4, 363-73; 9, 458-60

Cumulants of

- distribution of standard deviation, 22, 36-65
- distribution of powers and products of moment coefficients, 22, 224-38
- distributions of $\sqrt{\beta_1}$ and β_2 , 22, 239-49, 423-4
- McKay's Bessel function distribution, 24, 39-44
- sampling moments, 24, 65-107; 25, 52-60
- Geary's w_n and w'_n , 28, 302
- χ^2 distribution, 29, 392-404
- χ distribution, 31, 216-18
- binomial distribution and χ^2 for a $(n \times 2)$ -fold table, 31, 392-6
- distribution of the square of a variate, 32, 199-200
- the z and of the logarithmic χ^2 and t distributions, 34, 170-8 (correction, 34, 374)
- Fisher's z distribution, 34, 359-60
- multivariate multinomial distributions, 36, 47-58
- Kendall's S distribution, 37, 231-5
- the first n natural numbers, 37, 446

Curves

- method of drawing to various scales, 3, 469-71
- see also Fitting of curves, Frequency curves and Pearson's frequency curves

Cytoplasm and nucleus, mass relation of, 2, 241-54

Dacryocystitis, cleft palate and lobster claw, 28, 80-3

D'Alembert and life table construction, 25, 91-101

Dante, brain weight and head measurements of, 4, 147-8

Daphnia magna

- parthenogenetic generations of, 1, 129
- relationship between size of cell and of body, 2, 255-9
- Darnley, skull and portraits of Henry Stewart, Lord, 20B, 1-104

Darwin, Charles

- reference to, 1, 1-6; 3, 400-49
- Darwinism, biometry and recent biology, 7, 368-85

Daucus carota

- statistical study of, 25, 186-95; 26, 443-68
- comparison of annual and biennial inflorescences, 32, 82-7

Davenport, E., review of *Principles of Breeding* by, 6, 444

David, F. N., review of *Probability Theory for Statistical Methods* by, 36, 469-70

Deafness, inheritance of, 4, 465-82; *see also* Hearing

Death-rates

- local, 1, 384
- and pigmentation of Scottish schoolchildren, 6, 187
- cancer, 7, 276-304
- diabetes, 8, 225-31
- selective, 9, 58-68
- and birth-rates, review of paper on, 9, 537
- correlation of, in infancy and childhood, 10, 488-506; 14, 300-8; in cancer and diabetes, 11, 191-200
- effects of isolation on diphtheria death-rate, 10, 549-69
- corrected, 11, 159-60, 191-200
- criteria for the existence of differential death-rates, 11, 159-84
- check to fall of phthisis death-rate, 12, 374-6
- see also* Mortality

Deformities

- lobster claw and split-foot, 6, 26-58, 69-79, 117-18; 9, 381-90 (correction, 9, 540); and cleft palate and hare lip, 28, 60-3
- four-jointed tarsus in Blattidae, 6, 311-26
- brachydactyly, 6, 327; 10, 17-18
- in a fowl's head, 9, 538-9
- in Nyasaland natives, 10, 1-24
- polydactyly, 10, 18-19
- digital anomaly, 14, 410-11

Degeneracy, effect of differential fertility on, 7, 258-75

Delinquents, review of *Study of Women Delinquents in New York State*, 13, 305-8; *see also* Criminals

Demography, *see* Population

De Moivre and the normal curve, 16, 402-4

Density of living male human body, 16, 404-11

Deparcieux and medical statistics, 33, 8-11

Dependency of variables, new method of contingency, 26, 251-60

Design of experiments

- testing varieties of cereals, 15, 271-93 (correction, 16, 411)
- Latin squares and randomized blocks, 29, 21-64, 322-35
- random and systematic arrangements in agricultural and biological experiments, 29, 363-88; 30, 440-66; 31, 1-8
- balancing in agricultural experiments, 30, 159-79
- multifactorial design, 33, 305-32
- confounding and fractional replication in factorial experiments, 34, 255-72; 35, 268-76
- finite groups and completely orthogonal squares and cubes, 35, 277-82
- non-orthogonal tri-factorial experiments, 35, 346-67
- balanced incomplete block design, 37, 50-8
- comparison of pairs of treatments in split-plot experiments, 37, 443-4

Desiccation of foxglove leaf, 16, 204-38

Deutsche korrelations index, criticism of, 17, 461-9

Deviate of the normal curve for each permille of frequency, table, 5, 404-5; *see also* Significance levels

Dextrality and sinistrality of hand and eye, 19, 165-99; 20A, 79-148; 20B, 401-8

Diabetes

and cancer, 7, 284-95; correlation between death-rates of, 11, 191-200

age distribution of deaths from, 8, 225-31

insulin and carbohydrate tolerance, 19, 405-16

Diameters of the skull, measurement of, 21, 85-123; 27, 88-132

Dietaries, statistical study of, 9, 530-3; 10, 169-74

Difference

problem, Galton's, 1, 385-99; 17, 100-41

of powers of zero, table, 17, 200; 22, 306-8

between two proportions, *see* Fourfold (2×2) tables
see also Significance tests and particular tests and statistics

Differential equations applied to problems of inter-dependence of species, 19, 216-22

Differentiation

in biology, 1, 321-6, 334-44

and homotyposis in beech leaves, 3, 104-7

Digital anomaly, *see* Deformities

Digitalis, inheritance and breeding experiments, 11, 303-27; 14, 103-26; 16, 204-38

Dilution method for estimating bacterial populations, 31, 167-86

Dimorphic frequency curves, *see* Bimodality of frequency curves

Diphtheria

and pigmentation, 8, 24-39, 360-5

effect of isolation on attack and death-rates, 10, 549-69

Discontinuity of variation, 1, 326-44

Discrete variables, distributions of

partition of χ^2 in, 36, 117-29 (correction, 37, 452)
combination of probabilities arising from data in, 36, 370-82 (correction, 37, 452)

fiducial limits of the parameter in, 37, 117-29

extension of Neyman-Pearson theory of tests to, 37, 130-44

combination of tests based on, 37, 383-98

see also Binomial distribution, Hypergeometric series and Poisson distribution

Discriminant functions, 31, 218-20; 35, 58-79

Disease

immunity, 4, 313-31, 483-510; 5, 423-34

severity of attack, distribution, 4, 505-10; estimation, 5, 423-35

cases of, in the same house, 8, 396-419, 430-5; 9, 28-33

social distribution of mortality from different diseases, 15, 382-400

life tables with eliminated diseases, 25, 91-101

absence and recovery in schoolchildren, 29, 336-49

and environment, 30, 341-62

simple stochastic epidemic, 37, 193-202

see also Vital statistics and specific diseases

Dislocation of lenses, pedigree of congenital, 16, 273-83

Dispersion

routine estimation of, from large samples, 33, 274-82
analysis of, 35, 67

Dispersion (*continued*) χ^2 index of, test, 37, 59-63

linear systematic statistics for estimating, 37, 182-3

see also Mean deviation, Range and Standard deviationDistribution, *see particular statistics***Distribution law**

application of the moment function in, 30, 274-94

of the second-order moment statistics, 35, 55-7, 422

see also particular statistics

Divergence of classes, coefficient of, 5, 198-203, 334-8

Dodder, testing clover seed for, 27, 273-92; 31, 313-23

Dogs

inheritance of coat-colour in, 3, 245-98

colour of, compared with cattle, 4, 451-4

albinism in, 21, 144-63

duration of pregnancy and litter size, 22, 309-23

Dominance

Mendel's laws in peas, 1, 228-54

ambiguity of Mendel's categories, 2, 44-55

of coat-colour in mice, 2, 101-4, 165-73, 282-5; 3, 1-51

and law of ancestral heredity, 2, 211-28

of coat-colour in rabbits, 2, 299-306

and racial heredity, 8, 426-7

see also MendelismDosage-mortality, *see* Probit analysisDouble Bessel function, *see* Bessel function

Double lip, 24, 3

Double Poisson distribution, 36, 18-25

Doublet test for common origin of two samples, 16, 239-52

Dravidians, *see* Maravar

Drawing associated with other capacities in school-children, 7, 222-6

Dublin, L. I. and Lotka, A. J., review of *Twenty-five Years of Health Progress* by, 30, 469-70

Ducks' eggs, variation in weights, 33, 48-58

Dunn, L. C. and Sinnott, E. W., review of *Principles of Genetics* by, 31, 220

Dunstable, skulls from excavations at, 25, 147-57

Duration

of life, and fertility, 1, 34-8; 4, 233-47; inheritance of, 1, 50-89; and assortative mating, 2, 481-98; and age at marriage, 4, 256-63; for individuals dying in their first year, 4, 510-16

of pregnancy and litter size in bitches, 22, 309-23

of play, 22, 377-404

Dust particles, overlap of, 36, 257-66

Earthworm, variation and correlation in, 4, 213-29

Easter Islanders, craniology of, 23, 249-70

Echinodermata, 2, 463-73; 6, 236-301

Ecology, generalization of Poisson's binomial limit for use in, 36, 18-25

Economic time series, significance tests of correlation between, 35, 397-413

Edentates, sesamoids in, 13, 366

Editorialsscope and spirit of *Biometrika*, 1, 1-6

sources of apparent polymorphism in plants, 1, 304-6

probable errors of frequency constants, 2, 273-81; 9, 1-10; 13, 113-32

proof of Sheppard's correction, 3, 308-12

formula for determining $\Gamma(x+1)$, 6, 118-19

note on obstetrician's abac, 9, 539-40

distribution of the standard deviation, 10, 522-9

probable error of a Mendelian class frequency, 11, 429-32

peccavimus, 12, 259-81

introduction to table of ordinates of normal curve, 13, 426-7

historical note on the problem of small samples, 19, 207-10

crania of Hylam Chinese, 20B, 276-8

note on Stevenson's paper on stature-prediction formulae, 21, 319-21

introduction to tables of the bivariate normal surface, 22, 1-12

table of mean and variance of the squared multiple correlation coefficient, 22, 362-7

historical note on the distribution of the standard deviation, 23, 416-18

note on Rietz's paper on the non-normal correlation surface, 24, 290-1

note on McKay's paper on the distribution of $\sqrt{\beta_1}$, 25, 210-13

note on the fitting of frequency curves, 25, 214-16

remarks on Steffensen's measure of contingency, 26, 256-60

note on Usher's paper on hereditary epicanthus, 27, 271-2

sampling distribution of the criterion L_1 , 29, 124

probability integral of the mean deviation, 33, 252-3 (correction, 35, 424)

Education in Egypt, 10, 280-7

Efficiency of the method of moments, 36, 450-4; 37, 111-16

Egg

of the cuckoo, 1, 164-76; 4, 363-73; 9, 458-60

of the sparrow, 1, 256-7

symmetry of egg and embryo of frog, 5, 147-67; 7, 148-209

of common tern, 10, 144-68; 12, 308-54; 15, 294-345

weights of ducks' eggs, 33, 48-58

Egyptians

cranial measurements compared with Naqada, 1, 425-65; Negro, 8, 306-20; Moriori, 11, 95-133; Tibetan, 14, 208, 227-48

anthropometric measurements, 8, 66-78 (correction, 9, 332); 11, 67-81

cranial type contours, 8, 123-201; 17, 44-51; 19, 135-44; 22, 80-9; 25, 273-83

occipital bone, 8, 257-61

pygmy crania, 8, 262-6

nasal characters, 9, 395-432

influence of education, 10, 280-7

head measurements, 13, 17-24

crania, twenty-sixth to thirtieth dynasties, 16, 328-63; prehistoric to Roman times, 17, 1-52; pre-dynastic Badarian, 19, 110-50; 27, 293-309; ninth dynasty from Sedment, 22, 65-94; twelfth and thirteenth dynasty from Kerma, 25, 254-84; first dynasty from Sakkara and eleventh dynasty from Thebes, 34, 18-27

mandibles and methods of sexing, 28, 149-78

malar bone, 29, 113-23

Elderton, W. P., review of *Frequency Curves and Correlation* by, 30, 203-4**Ellipses**

instrument for drawing, 3, 469

for χ^2 , 28, 179-87

- Ellipsoidal corpuscles, 18, 151-72
- Employment of women and infant mortality, 10, 193-6
- Endocranial diameters, instrument for measuring, 27, 88-144
- English**
- inheritance of duration of life among, 1, 50-89; of physical characters of, 2, 357-462; of insanity among, 10, 356-83
 - criminals' measurements, 1, 177-227; 3, 60-2; 11, 1-37
 - cranial measurements, 2, 346-56; 25, 224; compared with Nagada, 1, 424-65; Negro, 8, 302-24; Moriori, 11, 95-133; Tibetan, 14, 208-49
 - series of crania from Whitechapel, 3, 191-244; Moorfields, 5, 86-104; Farringdon Street, 18, 1-55; London museums, 18, 56-98; Spitalfields, 23, 191-248; Hythe, 24, 135-202; Dunstable, 25, 147-57; Maiden Castle, 31, 295-312; Scarborough, 33, 25-35
 - brain weights, 4, 13-160
 - intelligence and head measurements of, schoolchildren, 5, 105-46
 - type contours, compared with other races, 8, 131-8; plates, 8, 143-7, 191-201
 - pigmentation related to disease, height and weight, 8, 354-84
 - nasal characters, 9, 395-432
 - craniology, 18, 99-104
 - silhouette compared with negro, 20 B, 389-400
 - measurements of, boys compared with Yoruba boys, 25, 61-70
 - malar bone, 29, 113-23
 - see also* Anglo-Saxon and British
- Enteric fever inoculation, 6, 366-75
- Entomological field experiments, 32, 243-62
- Entropion and hereditary changes in skin of eyelids, 24, 1-20
- Environment**
- influence of, on *Aphis*, 1, 132-3; *Helix nemoralis*, 1, 468-92; *Nassa obsoleta* and *Nassa trivittata*, 2, 24-43; shirley poppy, 2, 62-7; 4, 401-2; *Chilomonas*, 5, 53-72; frogs' eggs, 5, 161-2; 7, 149-207; conjugation in *Paramecium*, 5, 213-97; termites, 6, 329-47; mortality in man, 9, 58-68
 - and heredity, 10, 183-7
 - and disease, 30, 341-62
- Epicanthus, pedigrees of hereditary, 27, 5-25, 271-2
- Epidemic, a simple stochastic, 37, 193-202; *see also specific diseases*
- Error function of second order moments, 25, 124-6
- Error, probable, *see* Standard error
- Errors**
- of observation, effect on correlation coefficient, 6, 109; 12, 357-9
 - functional and mathematical, illustrated on opsonic index, 8, 203-24
 - of observation, 15, 401-6
 - in partial correlation coefficient, 17, 251-68
 - in sampling, artificial, 20 A, 64-8; systematic, 36, 83-91
 - in measurement of puerperal uterus, 33, 213-21
 - approximation, in distributions of independent variates, 35, 417-18
- Erythrocyte counts and altitude, 8, 280-91
- Eskimos**
- crania, 4, 297-8; 29, 1-20
 - cranial type contours, 8, 179-83; compared with English, 8, 135; with Moriori, 11, 103-12; with Tibetan, 14, 222-49
 - malar bone, 29, 113-23
- Estimation**
- of common correlation coefficient for two samples, 25, 102-9
 - of location and scale parameters, 30, 391-421, 471-4
 - of population of insects, 30, 422-39; of bacteria, 31, 167-86
 - efficiency and closeness for consistent estimates of a parameter, 33, 123-8
 - of frequencies, 33, 222-5; 35, 297-303; 36, 233-4
 - of dispersion, for large samples, 33, 274-82; by linear systematic statistics, 36, 92-100
 - of non-linear parameters by 'internal least squares', 35, 32-45
 - probability integral transformation when parameters are estimated from sample, 35, 182-90
 - in systematic sampling of continuous parameter population, 35, 283-96
 - of residual regression for correlated samples, 36, 26-46
 - of the parameters of tolerance distributions, 36, 239-56
 - orthogonal estimates in weighing designs, 37, 50-8
 - of the parameters of an auto-regressive time series, 37, 173-8
 - the comparison of estimators, 37, 281-7
 - of heterogeneous error variances, 37, 347-57
 - best unbiased quadratic, of the variance, 37, 444-5
 - see also* Likelihood, maximum
- Ethnology of the Chinese, 20 B, 269-75
- Eugenics**
- review of F. Galton's *Probability, The Foundation of Eugenics*, 5, 477
 - review of K. Pearson's *The Scope and Importance to the State of the Science of National Eugenics*, 6, 124
 - see also* Inheritance
- Euler-Maclaurin quadrature formula, 1, 273
- Eulerian integrals**
- application of continued fractions for evaluation of, 22, 284-97
 - numerical evaluation of high order, 27, 409-23
- Eupagurus prideauxi*, variation in, 2, 191-210
- European races, classification of, 20 B, 301-75
- Evolution**
- in man, data for problem of, 1, 30-49, 345-60; 4, 233-85
 - committee of Royal Society, 5, 22-5
 - Darwinian theory, 7, 368-85
 - cranial measurements with ancestral tree, 8, 302-22, 333-7
 - nasal bridge characters with ancestral tree, 9, 401-36
 - of sesamoids of knee joint, 13, 350-400
- Excalation in meristic series, 3, 334-7
- Expectation of life**
- inheritance of, 1, 50-89
 - change of, in 2000 years, 1, 261-4
 - in ancient Rome, Hispania, Lusitania and Africa, 9, 366-80

Expectation of life (*continued*)

construction of life tables, 17, 355-63; with eliminated diseases, 25, 91-101; Halley's, 32, 215-19

Expectation of moments of a frequency distribution, *see* Moments

Experimental design, *see* Design of experiments

Exponential

binomial limit tables, 10, 25-35

curve for random events in space and time, 13, 309-37

population, sampling distributions of frequency constants, 20A, 221-40

corrections for grouping of moments of, series, 25, 179-84

law fitted by internal least squares, 35, 34

see also Poisson distribution

Extrapolation, dangers of, 3, 99-103

Extreme

individual, criterion for rejection of, 17, 238-50; 28, 308-20

individual, distribution of, 17, 364-87; 32, 194-5

distribution of, deviate from sample mean, 27, 466-71; 35, 118-44

mean square test in analysis of variance, 35, 16-31

Eye and hand, dextrality and sinistrality of, 19, 165-99; 20A, 79-148; 20B, 401-8

Eye-colour

inheritance of, 2, 237-40; 3, 149-67; 5, 471-6

and hair-colour, 3, 459-62

and age, 3, 462-6

and intelligence, 5, 126-44

of Scottish insane, 5, 333-44; schoolchildren, 6, 129-235 *and* Supplement

and susceptibility to disease, 8, 13-39, 354-69

pigmentation of human iris, 8, 267-79

and height and weight, 8, 340-53, 369-75

and strength of vision, 27, 266-8

Eyelids, hereditary changes in skin of, 24, 1-20

F, *see* Variance ratio

Facial skeleton

flatness of, 26, 196-250

depth and breadth measurements, 31, 272-86

Facial spasm, inheritance of, 14, 311-15

Factor theorem, converse of Spearman's, 24, 418-27; 26, 260

Factorial experiments

confounding and fractional replication in, 34, 255-72; 35, 268-76

non-orthogonal experiment, 35, 346-67

Factorization of correlated variables, criteria for the, 19, 45-52

Fagus sylvatica (beech tree), homotypy and differentiation of leaves, 3, 104-7

Farr, W.

method of constructing life tables, 25, 91-101

medical statistics, 32, 101-27, 203-25; 33, 16-24

Farrington street bones

crania, 18, 1-55

mandibles, 29, 80-112

Femora

medieval English, 10, 573-4

Henry Stewart, Lord Darnley, 20B, 1-104

Anglo-Saxon, 28, 258-94

see also Long bones

Fertility

in man, 1, 30-8; 4, 247-56; and duration of life, 4, 233-47; and duration of marriage, 4, 264-80; and occupation, 4, 280-5; and age at marriage, 14, 337-54

in *Aphis*, 1, 133-4

in jellyfish, 1, 255-6

in shirley poppy, 2, 66; 4, 394-8

among the deaf, 4, 474-8

in sows, 5, 203-5; 6, 433-6

in mice, 5, 436-49

effect of differential, on degeneracy, 7, 258-75

of fruit of *Sanguinaria*, 7, 314-24

inheritance of, 7, 368-85; 8, 244-9

correlation with weight, in rats, 7, 381-5

in *Hibiscus*, 8, 52-65

in *Cercis canadensis*, 11, 201-14

rates, 33, 183-212

Fibula of Anglo-Saxon skeletons, 28, 258-94; *see also* Long bones

Ficaria, correlation and variation in, 1, 11-20, 125-8; 2, 145-64

Fiducial function, 30, 396-421

Fiducial limits

for binomial distribution, 26, 404-13

for Poisson distribution, 27, 273-92; 28, 187-8, 437-42

for correlation coefficient, 29, 157-60

for coefficient of variation, 31, 364

for population percentage points and a population proportion, 31, 365-7

of the parameter of a discontinuous distribution, 37, 117-29

see also Confidence intervals

Fiducial probability and confidence intervals, 30, 391-421, 471-4; 32, 128-50; 36, 101-16

Final digits, errors in, 20A, 64-8

Finger prints

note on collection of data, 2, 356

association of, 10, 421-78

inheritance of, 13, 57-91

Finney, D. J., review of *Probit Analysis* by, 35, 423

Finns, head measurements, 4, 165, 295

Fir tree, length of needles, 1, 21-3

Fisher-Behrens test, 37, 203-7

Fisher's

transformation of r , accuracy of, 21, 357-60; 25, 102-9

k -statistics, application of, 22, 226-38; 25, 52-60; 36, 383-93

z -test, in Latin squares and randomized blocks, 29, 21-52, 322-35; generalization of, for many variables, 30, 180-7 (correction, 30, 467-9); application to Poisson distribution, 30, 188-90; effect of non-normality on, 37, 186-9

logarithmic series distribution, 35, 6-15; 37, 358-82

Fisher-Yates test of significance in 2×2 tables, 35, 145-56

Fitting of curves, 1, 265-303; 2, 1-23; 12, 216-58; *see also* Frequency curves *and* Pearson's frequency curves

Flatness of facial skeleton in man, 26, 196-250

Flowering season, change in organic correlation during, 1, 125-8

Fourfold (2×2) tables

- smallpox and vaccination, 4, 483-504
- probable error of a correlation coefficient as found from a fourfold table, 9, 22-7
- χ^2 test for fourfold tables, 14, 186-91, 418; 16, 239-52
- significance tests, 14, 189; 34, 123-63, 168-9; 35, 145-56; 37, 130-44
- moments of r and χ^2 for a fourfold table, 33, 231-3
- power function for tests, 35, 157-75, 331-45; 36, 347-52
- tests for randomness in a sequence of two alternatives involving a 2×2 table, 36, 305-16
- see also* Tetrachoric tables

Fowl

- variation in comb, 6, 420-32
- leucosis in hen, 7, 234-6
- inheritance of fecundity, 7, 370
- malformation in head, 9, 538-9

Foxglove, inheritance and breeding experiments, 11, 303-27; 14, 103-26; 16, 204-38

Fractional replication for factorial experiments, 34, 255-72; 35, 268-76

Fractions, distribution of, 5, 179-81

French

- cranial measurements, 1, 424-65; 2, 347-55; 3, 206-15, 221-6, 234-9; 8, 306-14, 321-4; 14, 210-26
- nasal characters, 9, 395
- malar bone, 29, 113-23

Frequencies

- method of estimating frequencies, 8, 413-19; 33, 222-5; 36, 233-4
- formula for obtaining ordinates from frequencies, 17, 311-13; 24, 495-7
- precision of small frequencies 35, 297-303

Frequency curves

- Edgeworth-Kapteyn's, 4, 176-89, 199-204; 5, 168-71; compared with Pearson's, 11, 418-25
- relation of mean, median and mode in, 11, 425-9
- Romanovsky's generalized, 16, 106-16; 18, 221-8
- symmetrical non-normal, 26, 129-95
- review of W. P. Elderton's *Frequency Curves and Correlation*, 30, 203-4
- generated by methods of translation, 36, 149-76
- see also* Compound frequency distributions, Normal curve and Pearson's frequency curves

Frequency distribution, *see particular statistics*

Frequency surfaces

- skew, 14, 355-77; 15, 222-30; 17, 314-26; 22, 109-223
- bivariate, when regression and variation are subjected to limiting conditions, 15, 77-88, 209-21
- non-skew, 15, 231-44
- bivariate, with fifteen constants, 17, 268-313
- see also* Correlation surface and Normal bivariate surface

Frogs, 5, 147-67; 6, 402-19; 7, 148-209; 23, 23-51

Fuegian cranial measurements, 11, 95, 98-102; 14, 222-6; 25, 224

Gaboon cranial measurements, 8, 292-337; 9, 394-437; 11, 95-112, 125-32; 19, 200-6

Gaillardia aristata, variation of flower heads, 6, 106-8

Galton's

- law of ancestral inheritance, 1, 370-3; 2, 211-28; 3, 109-12; 5, 184; 8, 239-43
- difference problem, 1, 385-99; 17, 100-41
- lecture on *Probability, the Foundation of Eugenics*, notice of, 5, 477

Galton-Macalister distribution, 4, 193-6; 32, 239

Gamma function

- formula for determining $\Gamma(x+1)$, 6, 118-19
- table of $\log \Gamma(p)$, 7, 43-7
- incomplete, expansion in tetrachoric functions, 14, 161-9, 175-80; and binomial, 16, 163-71; numerical evaluation of high orders, 27, 409-23
- expansion of B-function in terms of, 19, 1-38

Gauss's quadrature formula with 12 ordinates, 30, 193-4

Gaussian frequency distribution, *see* Normal curve

Gelasimus pugilator (crab), asymmetry in, 2, 307-20

Genetics

- reviews of *Principles of Genetics* by L. C. Dunn and E. W. Sinnott, 31, 220; *Advances in Genetics*, vol. 1, 34, 373-4
- see also* Inheritance

Gentile-Jewish marriages, 28, 32-3

Geometric mean and arithmetic mean, distribution of ratio of, 30, 287-94

Geometrical

- analysis of the distribution of the ratio between two variables, 32, 16-28
- figures, variance of the overlap of, 34, 1-17
- method in the theory of sampling distributions, 35, 46-54

Germans

- cranial measurements, 1, 424-65; 2, 347, 355; 3, 206-15, 221-6
- hair- and eye-colour of Jews, 3, 460
- body-build of children compared with American-born Japanese, 25, 323-52
- heights and weights of civilians, 1946-7, 35, 368-96
- Gini's mean difference, standard error of, 28, 428-36
- Glasgow schoolchildren, pigmentation, stature, weight and age, 8, 340-53; 10, 288-339

Goitre

- and cancer, 16, 364-401; distribution of, 17, 159-65
- in adolescence, 19, 292-353

Gompertz law of mortality, 2, 261

Goniometry, hyperspherical, 15, 173-208

Goodness of fit

- of observation to theory in Mendelian experiments, 9, 309-14; 29, 144-53; 31, 56-71

$P_{\lambda n}$ test for, 26, 1-11, 425-42

'smooth' test for, 30, 134-48; 31, 191-9; 34, 299-310; 35, 202; 37, 447-8

see also χ^2 (chi-squared) and Contingency

Goring, C. B.

- reviews of criminological work, 7, 231-3
- obituary notice and appreciations, 12, 297-307

Gosset, W. S.

- biography, 30, 205-50

see also Student

Grades

- and deviates of the normal curve, 5, 400-6
- and ranks, method of correlation, 10, 416-18; 13, 263-82, 302-5; *see also* Correlation, rank
- probable error of frequency constants determined from, 13, 113-32

Graduation of sickness table, 2, 260-72 (correction, 2, 503-4); 3, 52-7

Graunt, medical statistics, 32, 101-27, 203-25; 33, 1-24

Grave's disease and cancer, 16, 364-402

Greeks

- education in Egypt, 10, 280-7
- anthropometry and cranial measurements, 13, 92-112
- Gresham lecture, 1892, Laws of chance, 32, 89-100
- Greyhound, inheritance of coat-colour, 3, 245-98
- Grip, relation to mental characters, 16, 299-328

Grouping

- modification of goodness of fit test, 22, 298-301
- effect of, on distribution of correlation coefficient, 24, 382-403
- corrections for, *see* Corrections

Group test of randomness in a sequence of two alternatives, 34, 335-9; 35, 97-112; 36, 305-16

Growth

- rate in trout, 8, 449-55
- changes in children during first three years, 27, 26-87
- rate of the bacon pig, 30, 16-28
- of long-tailed field mouse, 33, 136-62
- of guinea pigs, effects of diets on, 35, 347-67
- organic correlation and allometry, 37, 30-41
- Guanche, cranial type contours, 8, 134-5, 186-9; 11, 103-12; 14, 228-47
- Guinea-pigs, effects of diets on, 35, 347-67

Haemacytometer, error of counting with, 5, 351-60

Haematology, a method of estimating frequencies, 33, 222-5

Hair-colour

- inheritance of, 3, 149-68; 5, 471-6
- and eye-colour, 3, 459-62
- and age in man, 3, 462-6
- and intelligence, 5, 126-32, 142
- of Scottish insane, 5, 333-44
- standard hair-scale, 5, 474
- of schoolchildren in Scotland, 6, 129-235 *and* Supplement
- and susceptibility to disease, 8, 13-39
- and stature and weight, 8, 340-53, 369-75
- of inhabitants of eastern Mediterranean, 13, 105-7
- and cephalic index, 16, 132-8
- and strength of vision, 27, 266-8

Hair-set

- inheritance of, 3, 151, 154, 169
- and intelligence, 5, 126-33, 143

Half-drill strip and randomization, 29, 363-88; 30, 159-79, 440-66

Halley's life table, 32, 215-19

Hand

- variability and correlation of bones of, 1, 345-60
- strength of grip related to mental characters, 16, 299-328
- dextrality and sinistrality, 19, 165-99; 20A, 79-148; 20B, 401-8
- see also* Deformities

Handwriting

- inheritance of, 3, 153-5, 190
- and intelligence, 5, 126-31, 133, 145

Hardy, G. F., notice of *Lectures on Construction of Mortality Tables* by, 7, 413

Hare lip, cleft palate, dacryocystitis and cleft hand and feet, 28, 60-3

Harmonic

- interpolation, table of Lagrangian coefficients for, 32, 183-6
- analysis, tests of significance in, 36, 194-201

Harris, review of *J. Arthur Harris, Botanist and Biometrician* by C. O. Rosendahl *et al.*, 28, 444

Harrower, G., review of *A Study of the Hokien and the Tamil Skull* by, 18, 414-17

Harzer, P., review of *Tabellen für alle statistische zwecke in wissenschaft und praxis* by, 26, 469-70

Head measurements

- of criminals in British Isles, 1, 177-227; 3, 60-2
- inheritance of, in schoolchildren, 3, 137-45
- and brain weight of English, 4, 105-60
- comparison of sexes, 4, 161-8
- interracial correlation, 4, 286-312
- of Afghans, Ainos, Arab, Armenians, Buriats, Chinese, Estonians, Finns, Jews, Kalmuks, Kurds, Letts, Lithuanians, Livonians, Persians, Poles, Russians, Siberians, Tatars, Turkomans, Turks, Uzbeks, 4, 293-5
- intelligence and size and shape of head, 5, 119-25; 16, 139-56
- of Scottish insane, 5, 300-33 *and* Supplement
- of Oxford undergraduates, 8, 47-8
- of Egyptians, 8, 66-78; 11, 67-81; 13, 17-24
- of inhabitants of eastern Mediterranean, 13, 97-104, 107-8
- of Russians, 15, 254-70
- and mental agility, 18, 195-206
- and reaction times, 18, 207-21

Health

- inheritance of, in schoolchildren, 3, 145-54
- and intelligence, 5, 126-32, 142
- hereditary character of, 9, 320-9
- scale of general, 9, 321

Hearing and reaction times, 15, 346-72; *see also* Deafness

Heart

- weight and variability of, in man, 3, 63-83; 9, 473-85
- disease, expectation of life when deaths from, are omitted, 25, 96

Heberden, medical statistics, 33, 1-3

Height, *see* Stature

Helix arbustorum, natural selection in, 5, 387-99

Helix nemoralis, variation in, 1, 468-92

Hemisphere, pre-eminence of left, and internal diameter of skull, 21, 85-123

Hen, *see* Fowl

Heredity

- reviews of F. A. Woods's *Mental and Moral Heredity in Royalty*, 6, 445; E. Moore's *Heredity, Mainly Human*, 27, 471

and environment, 10, 183-7

see also Inheritance and Mendelism

Hessians, brain weights and other measurements, 4, 13-104, 133

Heterogeneity

- and homogeneity in collections of crania, 1, 422-4; 2, 345-7, 504-8; 3, 206; 20B, 294-300
- coefficient of class heterogeneity, 5, 198-203
- of material, Scottish insane, 5, 315-38
- trypanosome strains, 10, 119-42
- compound frequency distributions whose components are binomial, 11, 139-44
- of variance test, maximum *F*-ratio as, 37, 308-12
- unbiased estimation of heterogeneous error variances, 37, 347-57
- see also* Homogeneity

Heterostylism

- in *Pulmonaria officinalis*, 3, 398-458
- in the primrose, 30, 196-8

Hibiscus

- correlation of fertility and somatic characters, 8, 52-65
- intra-class correlations, 9, 451-4

Hierarchical order among correlation coefficients, 12, 355-66; 15, 150-60

Hindus

- nasal characters, 9, 395-432
- cranial measurements, compared with Burmese, 13, 235-47, 250-1; with Tibetan, 14, 206-26
- crania, 25, 224
- malar bone, 29, 113-23

Historical

- De Vries on the origin of species, 1, 365-74
- Darwinism and biometry, 7, 368-85
- notes on the history of correlation, 13, 25-45
- note on the normal curve, 16, 402-4
- Bernoulli's theorem, 17, 201-10
- on the problem of small samples, 19, 207-10
- origins, character and life of Laplace, 21, 202-30
- note on the distribution of the standard deviation, 23, 416-18
- Pearson's deduction of binomial moments, 30, 11-15
- medical statistics from Graunt to Farr, 32, 101-27, 203-25; 33, 1-24
- note on the method of least squares, 36, 458-60

Hollerith tabulator, use in experimental sampling, 30, 68-80

Holothuria, variation, development and growth in, 6, 236-301

Homogamy, see Assortative-mating

Homogeneity

- and heterogeneity in collections of crania, 1, 422-4; 2, 345-7, 504-8; 3, 206; 20 B, 294-300
- of material, brain weights, 4, 29-36; Scottish insane, 5, 315-38
- χ^2 test for, 16, 239-52; 30, 149-58; 31, 346-55; 33, 234-8
- of variances and covariances in multivariate problems, test for the, 31, 31-55
- of a set of estimated variances, test for the, 31, 249-55; tables, 33, 296-304
- of partial regression coefficients, to test the, 36, 28
- see also Heterogeneity

Homogynae alpina, variation in, 1, 24-6

Homotypic correlation, 9, 456-8, 463-4

Homotyposis, 1, 321-44

- in mulberry leaves, 1, 258
- in *Paramecium caudatum*, 1, 400-7
- in shirley poppy, 2, 67-71; 4, 409-10
- in beech leaves, 3, 104-7
- in *Cichorium intybus*, 5, 187-9
- in blood corpuscles of tadpoles, 6, 403-19
- in terns' eggs, 10, 144-68; 12, 331-5; 15, 324-9
- in *Cercis canadensis*, fertility characters, 11, 201-14

Honduras, note on piebald boy from, 9, 330-1

Horses

- inheritance of coat-colour, 1, 361-4; 2, 229-34
- American trotters, 2, 2-6
- sex-ratio, 5, 83-5; inheritance of, 6, 120-2

Hospital population compared with general population, 3, 65; 4, 127-32

Hotelling's T^2 -test, 32, 70-80

Houses

- distribution of cases of disease in, 8, 396-412; 9, 28-33
- cancer houses, 8, 430-6

Howitt, Mary and William, connexion with Weldon, 5, 3-5

Human morphology, A bibliography of, by W. M. Krogman, review, 32, 194

Humerus

- of Anglo-Saxon skeletons, 28, 258-94
- of Chinese, 33, 36-47
- see also Long bones

Hungarians, cranial measurements, 2, 338-49

Huxley, T. H.

- Pearson's Huxley lecture, 3, 131-90
- connexion with Weldon, 5, 2, 20-1, 29
- on origin of species, 5, 272

Hyalopterus trirhodus, aphid, variation and parthenogenetic inheritance in, 1, 129-54

Hybrid, interspecific, of *Digitalis*, 16, 205-38

***Hydra grisea*, pure line, 7, 373-81**

Hylam Chinese, crania of, 20 B, 245-75

Hyperbolic function, transformation of data from entomological field experiments, 32, 243-62

Hypergeometric series

- for describing frequency of random samples, 5, 174-5
- moments of, 16, 157-62; 17, 57-60
- double, and continuous frequency surfaces, 16, 172-88
- probability integrals of, 17, 61-7
- double, array moments of, 22, 109-223
- asymptotic formulae for, 25, 295-322; 26, 59-107
- and Pearson curves, 26, 80-91
- recurrence formulae for incomplete moments of, 26, 264-5
- use in connexion with 2×2 tables, 34, 124, 145-67; 35, 157-73, 331-45

Hyperspherical goniometry and multiple correlation, 15, 173-208

Hypotheses

- simple and composite, 20 A, 175-240, 263-94
- tests of linear, 27, 161-90, 228-59; 32, 59-80
- concerning location and scale parameters, tests of, 31, 200-15
- notes on testing statistical, 32, 311-16
- simple tests for given, 32, 317-33
- see also Significance tests

Hythe, study of crania from St Leonard's church, 24, 135-202

Identification

- of criminals, 1, 205-13
- of Wilkinson head of Oliver Cromwell, 26, 269-378

Illegitimate children, death-rate in first year of life, 4, 511

Illness, see Disease

Immunity

- smallpox and vaccination, 4, 313-31, 483-510
- statistical study in, 5, 423-34

Impaction in teeth, 28, 378-427

Incomplete Beta function, see Beta function

Incomplete Gamma function, see Gamma function

Indentations of foxglove leaf, 16, 205-38

Independence

- theory of complete, of series of attributes, 2, 127-32
- of two samples and Student's z , 22, 405-24
- approximation errors in distribution of independent variates, 35, 417-18

Index

- constants of index distributions, 7, 531-41
- Mortara's table of economic index values, 10, 340-55
- frequency distribution of, 20A, 53-63; 24, 428-40
- see also* Ratio
- Indians, *see* Americans and Hindus
- Industrial processes, control of, subject to trends in quality, 33, 163-72
- Inequalities**
 - applications in the theory of probability, 15, 245-53, 421-3
 - for moments, 21, 361-75
 - for multivariate frequency distributions, 32, 284-93
 - in terms of mean range, 33, 283-95
 - see also* Tchebycheff
- Infancy, growth changes in, 27, 26-87
- Infant mortality**, 4, 277-80, 510-16; 17, 327-42
 - and employment of women, 10, 193-6
 - and education in Egypt, 10, 284-7
 - and mortality of childhood, 10, 488-506; 14, 300-8
- Infectiousness of measles, 36, 1-8
- Ingham's integral, 30, 298-9
- Inheritance**
 - of duration of life, 1, 50
 - in statoblasts of *Pectinatella magnifica*, 1, 128
 - parthenogenetic, in *Aphis*, 1, 129-54
 - in peas, Mendel's laws, 1, 228-54
 - of coat-colour, in horses, 1, 361-4; 2, 229-306; in mice, 2, 101-4, 165-73, 282-5, 294-8; 3, 1-51; 4, 1-12; in rabbits, 2, 299-306; in greyhounds, 3, 245-98; in cattle, 4, 427-64
 - of hairiness in *Lychnis*, 2, 47-55
 - in shirley poppies, 2, 56-100; 4, 394-426
 - influence of change in sex on the intensity of, 2, 237-40
 - Bateson's revision of Mendel's theory, 2, 286-98
 - in man, physical characters, 2, 357-462; psychical characters, 3, 131-90; 5, 460-9; 12, 367-72; sex-ratio, 5, 73-85; note on *Treasury of Human Inheritance*, 6, 327-8
 - in bean, 2, 499-503
 - of intelligence, 3, 147-9; 12, 367-72; 14, 378-408
 - of meristic characters of *Spinax niger*, 3, 341-4; 363-5
 - of taste and occupation in man, 3, 467-9
 - of deafness, 4, 465-82
 - determinantal theory of, 5, 44-5; 6, 80-93
 - of sex-ratio, 5, 73-85; 6, 109-11; in horses, 5, 83-5; 6, 120-2; in mice, 5, 436-49
 - of size of litter, in sows, 5, 203-5; in mice, 5, 436-49
 - of split-hand and split-foot deformities, 6, 26-58 (correction, 6, 117-18); 6, 69-79; 9, 381-90 (correction, 9, 540)
 - of brachydactyly, 6, 327
 - of skin-colour, crosses between negro and white, 6, 348-53; piebald family, 9, 330-1; 10, 197-200
 - reviews of E. Davenport's *Principles of Breeding*, F. A. Woods's *Mental and Moral Heredity in Royalty*, 6, 444-5 and E. Moore's *Heredity, Mainly Human*, 27, 471
 - in canaries, 7, 1-42, 398-409; 8, 435-6
 - in cows, production of butter fat, 7, 106-26; of milk, 7, 548-50
 - of fertility, 7, 368-85; 8, 244-9; in mice, 5, 436-49
 - of eye-colour, 8, 267-79
 - racial, and Mendelism, 8, 424-30
 - of general health, 9, 320-9
 - stability of population, conditions for, 10, 175-8
 - of insanity, 10, 356-83
 - in foxgloves, 11, 303-27; 14, 103-26; 16, 204-38
 - of the fingerprint, 13, 57-91
 - white-lock family, 13, 347-9
 - standard deviations of fraternal and parental correlation coefficients, 14, 1-22
 - of facial spasm, 14, 311-15
 - of cranial anomalies, 15, 406-10
 - entropion and changes in the skin of eyelids, 24, 1-20
 - of epicanthus, 27, 5-25, 271-2
 - see also* Ancestral heredity, law of, Heredity and Mendelism
- Ionion, difficulties of determination of, 3, 375-7, 391; 13, 184-5
- Inoculation, anti-typhoid, 6, 366-75
- Insane, anthropometry of Scottish, 5, 298-350 and Supplement
- Insanity**
 - and cancer, 7, 290-5
 - inheritance factor in, 10, 356-83
 - see also* Mental defect
- Insectivores, sesamoids in, 13, 356
- Insects**
 - transformation of data from entomological field experiments, 32, 243-62
 - see also* specific insects
- Insulin and diabetes, 19, 405-16
- Integration, finite difference formulae for, 1, 272-303
- Intelligence**
 - inheritance of, in schoolchildren, 3, 147-9; comparison of Binet-Simon method and measurement by broad categories, 12, 367-72; summary of, 14, 378-408
 - and cranial capacity, 3, 392-6
 - and brain weight, 4, 78-80, 83
 - and head measurements and other physical and psychical characters, 5, 105-46; 16, 139-56
 - scale of, 5, 106-12
 - and age, Pearson's data, 5, 112-19; Drinkwater's data, 14, 396-8
 - mathematical, 7, 352-67
 - teachers' estimate of, 7, 542-8; 8, 79-108; 14, 396-7
 - and temperature, pulse and breathing in criminals, 11, 1-19
 - quotient and teachers' estimate, 14, 396-7
 - review of *On the Relation between Home Conditions and the Intelligence of Schoolchildren* by L. Isserlis, 15, 161-72
 - the mathematics of, 19, 246-91
- Inter- and intra-class correlation, 9, 446-72
- Intercalation in meristic series, 3, 337-8
- Interdependence of species, differential equations applied to, 19, 216-23
- Internal diameters of the skull, measurement of, 21, 85-123; 27, 88-132
- Internal least squares, non-linear parameters by, 35, 32-45
- Interpolation**
 - by finite differences for two variables, 2, 105-8
 - in n -dimensional space, 6, 94-103
 - reviews of *Interpolationsrechnung* by T. N. Thiele, 7, 413; *Formulae in the Theory of Interpolation of Many Independent Variables*, by S. Narumi, 14, 420; *Interpolation*, by J. F. Steffensen, 20A, 425

Interpolation (*continued*)

- formulae, 19, 356-8; of Techebycheff, 19, 87-92
- Lagrangian coefficients for harmonic, 32, 183-6
- for probability levels, 32, 263-76
- Interquartile distance, distribution of, 23, 315-60, 364-97
- Interracial correlation, 1, 460; 2, 347-56; 4, 162-3, 286-312; 9, 423-33; 13, 247-51; 14, 193-4, 205-27
- Interracial variation, coefficient of, 4, 290
- Intervals between ranks, mean and variance, 24, 203-80
- Intra-class correlation, 9, 446-72; 10, 412-16
- Introspection, *see* Self-consciousness
- Inverse probability**
 - and Bayes's theorem, 9, 73-4; 13, 1-16, 300-1; 16, 189-93; 19, 1-38 (correction, 19, 442); 20A, 149-66
 - and experimental sampling, 17, 388-442
 - inverse and direct methods of estimating bacterial populations, 31, 181-6
 - reconciliation of theories of probability, 36, 101-16
- Iran, nine human skulls from, 30, 130-3
- Iron age, human remains from Maiden Castle, Dorset, 31, 295-312
- Islands of Langerhans in pancreas of monkey, 24, 27-38
- Isolation and tuberculosis, 10, 530-48; and diphtheria, 10, 549-69
- Isotropy of frequency distributions, 5, 470-6
- Isserlis, L., review of *Relation between Home Conditions and the Intelligence of Schoolchildren* by, 15, 161-72
- Italians**
 - correlation between hair- and eye-colour, 3, 460-1
 - in Egypt, 10, 280-7
 - malar bone of, 29, 113-23
- Italy, Mortara's table of economic index values, 10, 340-55
- Japanese children, body build of American-born, 25, 323-52
- Javanese**
 - cranial measurements, nasal characters, 9, 395, 399-432
 - malar bone, 29, 113-23
- Jeffreys, Harold, review of *Theory of Probability* by, 1st edition, 32, 192-4; 2nd edition, 36, 236
- Jellyfish, *Aurelia aurita*, variation in, 1, 90-108, 255
- Jews**
 - hair- and eye-colour, 3, 460
 - head measurements, 4, 165, 293
 - and Gentiles, Mendelism and racial heredity, 8, 424-30; marriages, 28, 32-3
 - measurements of, 13, 108; 28, 1-31
- Johannsen, W., notice of paper on cephalic index by, 5, 482
- John Dory, number and arrangement of bony plates, 2, 115-20
- Johnson, N. L. and Tetley, H., review of *Statistics*, vol. 1 by, 37, 453-4
- J-shaped curves, abruptness corrections for moments of, 20A, 314-55; 25, 179-84
- Judgments, correlation of successive, 14, 23-102
- k samples of two variables**
 - methods of statistical analysis appropriate for, 25, 353-78
 - analysis of regression among, 27, 145-60, 228-59

- k statistics, application of Fisher's, 22, 226-38; 25, 52-60; 36, 383-93
- Kaffir crania, measurements and comparisons with other races, 8, 292-337
- Kalmuks, cranial and head measurements, 4, 165, 294, 297
- Kanaka malar bone, 29, 113-23
- Kapteyn, J. C. on frequency distributions, criticism of, 4, 199-204; 5, 168-71
- Kelley, T. L., review of *The Fundamentals of Statistics* by, 36, 470
- Kendall, M. G.
 - review of *Advanced Theory of Statistics* by, vol. i, 33, 266-7; vol. ii, 35, 210-11
 - review of *Rank Correlation Methods* by, 37, 190
- Kendall's S-distribution, cumulants of, 37, 231-5
- Kenya skulls, a study of, 23, 271-314
- Kerma, twelfth- and thirteenth-dynasty skulls from, 25, 254-84
- Kidneys in man, weight of, 3, 63-83; 9, 473-85
- Kings of Rome, 20A, 245-62, 424
- Korrelations-index, criticism of, 17, 459-69
- Krogman, W. M., review of *A Bibliography of Human Morphology* by, 32, 194
- Kurds' head measurements, 4, 165, 294
- Kurtosis of frequency curves, 4, 172-212; 19, 160; 34, 209-42
- L , L_1 and L_2 distributions, 25, 365-7; 30, 279-87
- Lachish, cranial and other human remains from, 31, 99-166
- Lagrangian coefficients, table of, 32, 183-6
- λ criterion, 20A, 175-240
 - generalization for k samples, 24, 488-91; 25, 353-78
 - applied to difference between two correlation coefficients, 25, 102-9
- λ_{H_1} criterion, distribution and moments of, 29, 124-32
- Lanarkshire milk experiment, 23, 398-406
- Langerhans, incidence and volumes of islands of, in pancreas of monkey, 24, 27-38
- Laplace**
 - normal curve, 4, 189-93; 13, 25
 - problem of inverse probabilities, 13, 1-16
 - solution to a problem of, 20A, 166-74
 - origins, life and character of, 21, 202-30
- Largest individual, distribution of, 17, 364-87
- Laterality, 19, 165-99; 20A, 79-148; 20B, 401-8
- Latin squares and randomized blocks, 29, 21-64, 322-35
- Lattice, probability distributions arising from points on a, 36, 135-41
- Least squares**
 - method of, in curve fitting, 1, 279-82, 295; 2, 9-12; historical note, 36, 458-60
 - solution of some equations in, 33, 326-7
 - some theorems in, 37, 149-57
- Lefthandedness, 19, 165-99; 20A, 79-148; 20B, 401-8
- Left hemisphere, pre-eminence of, and internal diameter, 21, 85-123
- Length of life, *see* Duration of life and Life tables
- Lenses, pedigree of congenital dislocation of, 16, 273-83
- Lepidium draba*, variation in flowers of, 10, 215-68
- Lepidoptera, variation and elimination in, 3, 113-30
- Leptokurtic and platykurtic curves, *see* Kurtosis
- Leptinotarsa decemlineata*, estimation of population of, 30, 422-39

- Leucoderma in Nyasaland natives, 9, 353-8
 Leucosis in a hen, 7, 234-6
 Life-history albums, 12, 373-4
Life tables
 Makeham's curve, 1, 298-303
 construction of, 17, 355-63
 when certain causes of death are omitted, 25, 91-101
 Halley's life table, 32, 215-19
 see also Population
 Ligulate flowers of *Chrysanthemum leucanthemum*, 27, 260-6
Likelihood
 ratio, 20A, 175-240, 263-94
 criterion for regression, 21, 337-60
 ratio applied to difference between two correlation coefficients, 25, 102-9
 criterion to test linear hypotheses, 27, 161-90, 228-59
 ratio criterion for testing homogeneity of variances and covariances, 31, 31-55
 criteria, a general distribution theory for a class of, 36, 317-46
Likelihood, maximum
 estimation of population correlation coefficients, 25, 393-5
 and method of moments, 28, 34-59; 37, 111-16
 and methods of estimation, 29, 154-6
 estimates, the distribution of, 31, 187-90
 and dosage mortality curves, 32, 46-58
 Likeness, coefficient of racial, *see* Racial likeness, coefficient of
Limits
 generalized Tchebycheff limits, 12, 284-96; 15, 245-53, 421-3; 21, 361-75; 29, 405-6
 for population from sample, 20A, 149-74; 28, 442-3
 see also Significance levels
Linear correlation ratio
 for symmetrical frequency distributions, 18, 228-31
 note on, 19, 223-4
 Linear hypotheses, tests of, 27, 161-90, 228-59; 32, 59-80
 Linearity of regression, test for, 4, 332-50; 21, 337-60;
 see also Regression
 Lip, double, 24, 3
 Literary style, sentence length as a criterion of, 30, 363-90; 31, 356-61
 Lithuanians' head measurements, 4, 165, 294
Litter size
 inheritance of, in sows, 5, 203-5; in mice, 5, 436-49
 and sex ratio, in sows, 15, 373-81
 and duration of pregnancy in bitches, 22, 309-23
 Liver, weight of, in man, 3, 63-83; 9, 473-85
 Lobster-claw, *see* Deformities
Location parameters
 estimation of, 30, 391-421, 471-4; 33, 123-8
 tests of hypotheses concerning, and scale parameters, 31, 200-15
 Lock, R. H., review of *Recent Progress in the Study of Variation, Heredity and Evolution* by, 5, 478-80
 Logarithmic χ^2 and t distributions, cumulants of, 34, 170-8 (correction, 34, 374)
 Logarithmic correlation, 22, 130-2
Logarithmic series distribution
 modes of population growth leading to Fisher's, 35, 6-15
 and negative binomial distribution, 37, 358-82
 Logistic curve, fitted by internal least squares, 35, 39
 Logistic population growth, matrices in, 35, 213-45
 Log-normal curve, moment-ratios of, 25, 213-16; properties of, 36, 155-7
 London cranium, 29, 277-321
 Long barrow cranial measurements, 3, 207, 243-4; 4, 351-62; 5, 104; 11, 95-102
Long bones
 medieval English femora, 10, 573-4
 reconstruction formulae for Chinese stature, 21, 303-18
 arms and legs of Anglo-Saxons, 28, 258-94
 of human remains from Lachish, 31, 159-60
 of human remains from Maiden Castle, Dorset, 31, 295-312
 study of the Chinese humerus, 33, 36-47
 Longest-run test of randomness, 35, 97-112
 Lotka, A. J. and Dublin, L. I., review of *Twenty-five Years of Health Progress* by, 30, 469-70
Lumbricus, earthworm, variation and correlation in, 4, 213-29
 Lung capacity, *see* Vital capacity
 Lungwort, variation in flowers and heterostylism, 3, 398-458
Lychnis diurna and *Lychnis vespertina*, inheritance of hairiness in, 2, 47-55
Macacus rhesus, *see* Monkey
 Macdonell, W. R., obituary notice, 11, 281-3
 Macedonia, measurements of males of, 21, 322-36
Maclaurin
 expansion and curve fitting, 1, 267-72
 Euler-Maclaurin quadrature formula, 1, 273
 Maiden castle, Dorset, human remains from, 31, 295-312
 Maize and De Vries's mutation theory, 1, 369
Makeham
 fitting of curve to mortality statistics, 1, 298-303
 hypothesis of, applied to graduation of sickness table, 2, 503-4; 3, 52-7
 Malar bone, a study of human, 29, 113-23
 Malaria and mosquitoes, 7, 421-36
Malays' cranial measurements
 nasal characters, 9, 395, 400-7, 410-21, 425, 427, 432
 compared with Burmese, 13, 235-47, 250-1; Tibetan, 14, 206-26
Mandibles
 Naqada, 1, 417, 426-7, 466
 English Whitechapel, 3, 213, 244
 Negro, 8, 298-300, 308, 336
 Morioli, 11, 132-4
 Tibetan, 14, 253-60; and Nepalese, 16, 101-6
 Anglo-Saxon, 18, 87, 96; 27, 387-404
 Egyptian, 19, 147-50; 22, 89-92
 from Dunstable, 25, 154-7
 and methods of sexing, 28, 84-122, 149-78
 definition of measurements on, 28, 84-122
 biometric study of, 28, 84-122; 29, 80-112
 eruption of third molar tooth of, 28, 378-427
 of crania from Lachish, 31, 159-60; from Maiden Castle, 31, 295-312
Mantis religiosa, colour in, 3, 58-9

Maori cranial measurements

- nasal characters, 9, 395
- compared with Moriori, 11, 95-102; Tibetan, 14, 222-6
- malar bone, 29, 113-23

Maravar, cranial measurements compared with Burmese, 13, 238-9, 244-7, 250; with Tibetan, 14, 206-26

Marriage

- ante-nuptial conceptions and births in Australia, 1, 31
- age at, 2, 20-3; and duration of life and number of offspring, 4, 256-80; and fertility, 14, 337-54

Marsupials, sesamoids in, 13, 371-5

Mary, Queen of Scots, 20B, 1-104

Matched samples, comparison of percentages in, 37, 256-66

Mathematical Methods of Statistics by H. Cramér, review of, 34, 374

Mathematics

- intelligence in, 7, 352-67
- of intelligence, 19, 246-91

Matrices

- in population mathematics, 33, 183-212; 35, 213-45
- on the inversion of circulant, 37, 185-6

Maximum likelihood, *see* Likelihood, maximum

Mazes, association of steadiness of hand with rapidity and artistic capacity, 12, 170-7

Mean, arithmetic

- probable error of, 2, 274; 6, 1-25; 10, 522-9
- von Töröck's attack on, 2, 339-45, 508-12
- significance of difference between means of sample and sub-sample, 5, 181-3, 315-33
- probable error of distance from mode to, 7, 129-30, 142-3
- distribution of, in non-random samples, 7, 210-14; for Type III population, 18, 335-8; 20A, 389-423; 21, 287-302; for Type II population, 19, 225-39 (correction, 21, 431-2); for rectangular population, 19, 240-3; for U-shaped population, 20A, 361-88
- distribution of means and standard deviations of arrays, 11, 239-61 (correction, 12, 266-81)
- relation of, to median and mode in frequency curves, 11, 425-9
- of single valued functions of variables, 17, 211-37
- moments of distribution of, for finite population, 17, 472-9
- experimental sampling distribution of, for skew population, 18, 321-94
- correlation of, and variance, 18, 401-14; 20A, 422
- distribution of ratio of, to standard deviation for non-normal populations, 21, 124-43
- distribution of difference between extreme observation and sample mean, 27, 466-71; 35, 118-44
- distribution of difference between two means, variances unequal, 29, 350-62
- problem of comparing two mean values, 29, 350-62; 35, 88-96; 37, 203-7, 399-408; *see also* 'Student's' ratio
- distribution of ratio of geometric and arithmetic mean, 30, 274-94
- simultaneous distribution of mean and standard deviation and of mean and variance, 31, 256-71
- see also* Moments and particular statistics

Mean deviation

- ratio of mean deviation to standard deviation as a test of normality, 27, 310-32
- moments of ratio of mean deviation to standard deviation, 28, 295-307
- probability integral of the, 33, 252-3 (correction, 35, 424); tables of, 33, 259-65
- from the median, 34, 360-2; 36, 234-5
- note on, 35, 304-9

Mean difference, standard error of Gini's, 28, 428-36

Mean error, relation of, to standard deviation in frequency curves, 16, 198-200

Mean square contingency, coefficient of

- probable error of, 5, 191-7; 10, 570-3; 11, 215-30 (correction, 12, 259)
- mean value of, 11, 216
- test for zero contingency, 11, 227-8
- standard error of, 21, 376-428
- parent population giving minimum value of, 25, 134-46

Mean square tetrad, 19, 252

Measles

- and pigmentation, 8, 25-39, 360-5
- the infectiousness of, 36, 1-8

Measurements, *see* Anthropometry, Crania and specific measurements

Median

- relation of mode, median and mean in frequency curves, 11, 425-9
- symmetrical populations, 20A, 356-60
- distribution of, 23, 315-60, 364-97
- standard error of, 23, 361-3
- relation between, and quartiles, 25, 79-90
- and mode of a skew distribution, 32, 294-9
- note on the mean deviation from the, 34, 360-2; 36, 234-5
- median of a multivariate distribution, 35, 414-15

Medical statistics

- history of, from Graunt to Farr, 32, 101-27, 203-25; 33, 1-24
- see also* Disease, Life tables, Vital statistics and specific diseases

Mediterranean, anthropometry of inhabitants of eastern, 13, 92-112

Mendelism

- laws of alternative inheritance in peas, 1, 228-54
- ambiguity of Mendel's categories, 2, 44-55
- and law of ancestral inheritance, 2, 211-29; 3, 109-12; 8, 241-3
- Bateson's revision of Mendel's theory of heredity, 2, 286-98
- Mendel's laws and rabbit breeding, 2, 299-306
- and albinism in Sicily, 3, 107-9, 471-2; 4, 231-2
- mathematical theory of determinantal inheritance, 6, 80-93
- and inheritance in canaries, 7, 1-42, 403-9
- application of the correlation coefficient to Mendelian distributions, 8, 420-4
- and racial heredity, 8, 424-30
- and theories of association, 9, 206-13, 309-14
- Mendelian and anatomical units in connexion with nasal bridge of crania, 9, 423-4, 434
- probable error of a Mendelian class frequency, 11, 430-2
- Mendelian segregations, 29, 144-53; 31, 67-71

Mendelism (*continued*)

observed and theoretical ratios in Mendelian inheritance, 31, 56-66

see also Heredity and Inheritance

Mental characters

inheritance of, Pearson's data for schoolchildren, 3, 131-90; Heymans and Wiersma's data, 5, 460-9

correlation with intelligence in schoolchildren, 5, 126-36

correlation of head measurements and mental agility in women, 18, 195-206

see also Intelligence

Mental defect

and pigmentation, 6, 197

in criminals, 11, 7-15

see also Insanity

Mental development and relation to thyroid gland, 19, 292-353

Mental patients, height and weight of, 17, 142-58

Merism and sex in *Spinax niger*, 3, 313-65

Method of moments, *see* Moments, method of

Mesodacryal indices, 8, 297, 315-20, 338-9; 9, 391-445; 13, 246-7

Mice

result of crossing Japanese waltzing mice with European albino races, 2, 101-4, 165-73, 282-5; 3, 1-51

result of crossing grey mice with albinos, 4, 1-12

inheritance of sex-ratio and size of litter, 5, 436-49

Weldon's breeding experiments, records of matings, 11, Appendix, 1-60

records of Mendelian segregation in, 29, 144-53

long-tailed field mouse, *Apodemus sylvaticus*, growth, 33, 136-62; survival, 33, 333-61

Micraster cor-anguinum, allometric correlation of, 37, 30-41

Microscopic configurations, geometric properties of, 24, 21-38

Midpoint, standard error of, in symmetrical populations, 20A, 356-60

Migrations by W. Flinders Petrie, review of, 5, 480

Milk

inheritance in production of butter fat, 7, 106-26

inheritance of quantity and quality of, 7, 548-50

statistical analysis of Milk Records Association, yield of dairy cows, 20B, 105-244

Linarkshire experiment, 23, 398-406

Mode

determination of, 1, 260-1

criteria for uni- or bi-modality of dimorphic frequency curves, 3, 84-98; 4, 230-1

probable error of distance from mean to, 7, 129-30, 142-3

relation of mode, median and mean in frequency curves, 11, 425-9

probable error of, 18, 263-92

expansions for B-function, 19, 1-38

and median of a skew distribution, 32, 294-9

Molar tooth, eruption of third mandibular, 28, 378-427

Mollusca, 1, 109-24, 468-92; 2, 24-43; 3, 299-306; 5, 32-4, 37-8, 387-99

Molluscoidea, 1, 128

Moment functions, incomplete normal, with tables, 6, 59-68

Moment ratios

probable errors of β_1 and β_2 with tables to facilitate their computation, 7, 128-47

charts relating the type of Pearson frequency curve to values of β_1 and β_2 , 7, 131-2

β_3 , β_5 , β_6 , β_8 in terms of β_1 and β_2 , 7, 146-7

high values of β_1 and β_2 , 8, 238

values of β_1 and β_2 for distributions of moment coefficients of any order in samples, 12, 260-6

abruptness corrections for betas, 20A, 314-55

betas of product moment coefficients in samples from a bivariate population of any distribution, 21, 231-58

moment coefficients of sampling distribution of $\sqrt{\beta_1}$ and β_2 , 22, 239-49, 423-4

normality of cranial measurements, 24, 45-54

empirical sampling distribution of β_1 , 24, 55-64

betas of quadrilateral distributions, 24, 498-510

exact distribution, for samples of four, of $\sqrt{\beta_1}$, 25, 204-13; of β_2 , 25, 411-15

of log-normal curve, 25, 213-16

significance levels for sampling distribution of $\sqrt{\beta_1}$, 27, 269-71; 28, 306-7

comparison of β_2 and Geary's w_n criteria, 27, 333-52

correlation between β_2 and w' , 27, 353-5

fifth and sixth moments of normal sampling distribution of b_2 , 31, 238-48

frequency distribution of $\sqrt{b_1}$, 34, 68-97

seventh moment of b_2 , 34, 98-110 (correction, 37, 189)

see also particular statistics

Moments

Sheppard's corrections for, 1, 287; 3, 308-12; 5, 450-9; 8, 443; 37, 145-8

probable errors of, 2, 273-81

calculation of crude, 4, 374-8

adjustment of, 4, 380-4

mathematical expectation of moments of frequency distributions, 12, 140-69, 185-210; 13, 283-95

mean values of products of deviations of moment coefficients, 12, 183-4

corrections for moment coefficients for non-asymptotic curves, 12, 231-51; for asymptotic curves, 12, 251-8; 20A, 314-55

determination of moments of whole distribution from those of quadrant, 13, 424-5

abruptness coefficients to correct crude moments, 16, 193-5

of single-valued functions of variates, 17, 211-37

inequalities for, 21, 361-70

distribution of third moment coefficient, 24, 55-64

semi-invariants of sampling moments, 24, 65-107

comparison of semi-invariants of the distributions of moment and semi-invariant estimates, 25, 52-60

distribution of second order sampling moments of normal bivariate population, 25, 121-33

adjustments for moments of J-shaped curves, 25, 179-84

of symmetrical functions of normal samples, 25, 184-6

corrections for moment coefficients for frequency curves with unknown start, 26, 12-58

moment generating function for an array in bivariate population, 30, 295-304

of the distributions of powers and products of normal variates, 32, 226-42

Moments (*continued*)

computation of universal moments of tests of statistical normality, 34, 98-110 (correction, 37, 189)

numerical solution of the problem of, 34, 340-51

see also Product moments and specific distributions

Moments, method of

curve fitting by, 1, 265-303; 2, 12-23

and maximum likelihood, 28, 34-59; 37, 111-16

and Neyman's Type A distribution, 36, 450-4

Monkey, incidence and volume of islands of Langerhans in pancreas of, 24, 27-38; *see also* Apes

Monotremes, sesamoids in, 13, 383-6

Moodie, R. L., review of *Palaeopathology* by, 16, 200-1

Moore, E., review of *Heredity, Mainly Human* by, 27, 471

Moorfields crania, 3, 212, 243; 5, 86-104; 8, 302-24; 14, 208

Moriori crania, 11, 82-135; 13, 338-47; 14, 210-49

Morphology of fruit of *Sanguinaria*, 7, 305-51

Morphometric characters of individual bones of human skull, 27, 424-65

Mortality

Gompertz law of, 2, 261

infant, and employment of women, 10, 193-6

social distribution of, from different causes in England and Wales, 1910-12, 15, 382-400

of males in first year of life, 17, 327-42

and sex incidence in rural districts, 30, 57-64

and overcrowding, 30, 341-62

use of matrices in certain population mathematics, 33, 183-212

see also Death-rates and Life tables

Mortara's economic index values for Italy, 10, 340-55

Moschatel, variation in *Adoxa moschatellina*, 2, 108-13; 7, 218-22

Mosquitoes and malaria, 7, 421-36

Moths, 5, 32

Mouse, *see* Mice

Mulberry, variation in leaves of, 1, 258-9

Mulberry silkworm, similarities and differences in species, 20A, 69-78

Multifactorial experiments, design of, 33, 305-25, 328-32; *see also* Design of experiments

Multinomial distributions

represented by χ^2 distribution, 20A, 265-7

cumulants of multivariate, 36, 47-58

partition of χ^2 in certain discrete distributions, 36, 117-29 (correction, 37, 452)

Multiple births, 25, 110-20

Multiple contingency, *see* Contingency

Multiple correlation, *see* Correlation, multiple and partial

Multiple regression, *see* Regression

Multivariate

frequency distributions, inequalities for, 32, 284-93; median of, 35, 414-15

analysis, tests of significance in, 35, 58-79

multinomial distributions, cumulants of, 36, 47-58

see also Product-moments

Mutation, De Vries's theory of, 1, 365-74

Naga skull, 25, 1-20

Naqada crania

variation and correlation in, comparison with other races, 1, 408-67

homogeneity of, 2, 345-56

measurements compared with English Whitechapel, 3, 207-15, 221-6, 232-9; with Negro, 8, 302-14, 321-4; with Tibetan, 14, 208-26

Narumi, S.

review of *Formulas in the Theory of Interpolation* by, 14, 420

frequency surface of, 22, 136

Nasal

bridge, study of, 9, 391-445

index of Macedonians, 21, 322-36

Nassa obsoleta and *Nassa trivittata*, snails, effect of environment on, 2, 24-43

Natural selection, *see* Selection

Neanderthal skull, 2, 352-3

Negative binomial

for describing compound frequency distributions, 11, 139-44

data, transformation of, 35, 246-54

accident proneness, 37, 24-9

and logarithmic series distributions, 37, 358-82

Negative multinomial distribution, cumulants of, 36, 47-58

Negro

skin colour of crosses between white and, 6, 348-53

piebald, 9, 330; 10, 197-200

pigmentation anomalies, 9, 333-65

congenital anomalies, 10, 1-24

silhouette compared with English, 20B, 389-400

Negro crania

cranial measurements compared with Naqada, 1, 426-65; with Moriori, 11, 95-112, 125-32; with Tibetan, 14, 208-47

cranial type compared with English, 8, 134-8; type contour plates, 8, 155-71

from Congo and Gaboon, 8, 292-337

nasal characters, 9, 394-437

determination of capacity from external measurements, 10, 188-93; 19, 200-6

from Teita Hills, Kenya, 23, 271-314

malar bone, 29, 113-23

Neolithic crania, 18, 56-98

Nepalese and Tibetan crania, 16, 1-105

Nephritis, statistical history of, 29, 249-76

New Britain, craniology of, 28, 123-48

Newsholme, A., review of *Elements of Vital Statistics* by, 17, 171-3

Newton, Isaac

quadrature formula of, 1, 275

chronological writings of, 20A, 241-62

New Zealand data, study in fertility, 14, 337-54

Neyman, J., review of *Proceedings of Berkeley Symposium on Mathematical Statistics and Probability* edited by, 37, 190-1

Neyman-Pearson

theory of statistical tests, 20A, 175-240, 263-94

theory extended to discontinuous variates, 37, 130-44

Neyman's

'smooth' test for goodness of fit, 30, 134-48; 31, 191-9

type A distribution and method of moments, 36, 450-4

contagious distribution, power of the χ^2 index of

dispersion when, is the alternative hypothesis, 37, 59-63

Nichols, J. B., review of *The Numerical Proportion of Sexes at Birth*, 6, 123

Night-blindness, Nettleship family, 6, 71-3

Non-central

- t -distribution, 31, 362-89
- χ^2 and F distributions, 36, 202-32
- squares of normal variates, 36, 460-2

Non-linear regression

- three or more variables, 10, 391-411
- determination of successive terms in, 13, 296-300
- note on, 18, 257-62
- and skew correlation, 22, 109-223
- see also* Regression

Non-normal correlation surface, *see* Correlation surfaces**Non-normal populations**

- distribution of variance in samples from, 17, 79-83
- distribution of frequency constants in samples from, 20A, 356-60; 21, 259-86
- discussion of samples from, 20A, 389-423
- distribution of ratio of mean to standard deviation in samples from, 21, 124-43
- z test in, 21, 259-86; 37, 186-9
- test for linearity of regression in, 21, 337-55
- distribution of correlation coefficient in samples from, 21, 356-60; 36, 467-8
- analysis of variance for cases of, 23, 114-34
- experimental sampling in, 30, 68-80
- minimum range for quasi-normal distributions, 33, 100-3
- distribution of 'Student's' t in samples from, 36, 353-69
- use of 'Student's' t -test in an asymmetrical population, 36, 426-30
- variance-ratio in random samples from, 37, 236-55
- significance of difference between means of samples from, 37, 399-408
- see also* Frequency curves and Pearson's frequency curves

Normal bivariate surface

- tables for determining volumes of, 7, 442-51; 8, 390-5; 11, 288-91; 22, 1-35
- product moments of, 12, 86-92
- incomplete moments of, 13, 401-6
- correlation of two standard deviations and standard error of regression coefficient in samples from, 17, 176-99
- and Giovanni Plana, 20A, 295-8
- relationship between Student's z_1 and z_2 in samples from bivariate normal population, 22, 405-22
- some properties of, based on sums of squares, 30, 1-10
- significance test of difference between two variances in samples from normal bivariate population, 31, 9-19
- probability integral of two variables, 33, 59-72
- see also* Correlation surfaces

Normal curve

- fitting of, when part only of frequency is given, 2, 1-7
- tables of areas and ordinates, 2, 174-90
- instrument for drawing, 3, 469
- fitted to data in fourfold and n -fold tables, 4, 495-510; 5, 361-4, 470-6; *see also* Tetrachoric tables
- probable error of constants of, 5, 190
- table, for each permille of frequency, of deviates, 5, 405; of ordinates, 13, 462-8
- determination of constants of truncated normal distribution, 6, 63-8

- table of 'tail' functions, 6, 68; when 'tail' is more than half the curve, 10, 208-14
- problem of inverse probabilities, 13, 8-16
- and binomial, 16, 163-71
- historical note on, 16, 402-4
- table of ratio of area to bounding ordinate, 18, 395-400

- tables of functions of, 22, 368-76
- some properties of, based on sums of squares, 30, 1-10

Normality

- tests of, 22, 239-49, 423-4; 27, 310-32; 34, 209-42
- lack of, in distributions of cranial measurements, 24, 45-54
- ratio of mean deviation to standard deviation as a test of, 27, 310-32
- computation of universal moments of tests for, 34, 98-110 (correction, 37, 189)

Normalization of a class of frequency distributions, 29, 392-404**Norway, goitre and cancer distributions in, 16, 364-402****Nubian crania**

- nasal characters, 9, 395, 403-32
- measurements on, 25, 224
- twelfth- and thirteenth-dynasty skulls, 25, 254-84

Nucleus and cytoplasm, mass relation of, 2, 241-54**Numbers, natural**

- powers and sums of powers of, 1-100, 2, 474-80

cumulants of first n , 37, 446**Nyasaland natives**

- pigmentation anomalies, 9, 333-65

congenital anomalies, 10, 1-24**Nystrom, hypothesis as to head-form, 4, 286****Obstetric prediction, abac for determination of conjugate, 9, 486-529, 539-40****Occipital**

- bone of Egyptian crania, 8, 257-61
- index, tables for calculating, 13, 261-2; of different races, 16, 328-64

Occupation

- and smallpox vaccination, 2, 138-44
- contingency between, of father and son, 3, 467-9
- and number of offspring, 4, 280-5
- and cancer and diabetes, 7, 288-9

Oceania, New Britain, craniology of, 28, 123-48**Offspring, number of**

- and duration of life, 4, 233-47
- and duration of marriage, 4, 264-80
- and age of mother, 14, 337-51
- and time after marriage, 15, 414-17

Oliver Cromwell, Wilkinson head of, 26, 289-78***Ophiocoma nigra*, brittle star, variation in, 2, 463-73****Opsonic index**

- biometric study of phagocytosis, with special reference to, 6, 376-401; 7, 505-41
- reliability of, for diagnosis, etc., 7, 64-78
- comparison of indices calculated by different observers, 7, 79-95
- mathematical and functional error, 8, 203-24

Optimum multifactorial experiments, design of, 33, 305-25**Oraons of Chota Nagpur, head measurements of, 2, 346, 352-6****Ordinates from cell frequencies, 17, 311-13; 24, 495-7****Organic correlation and allometry, 37, 30-41**

Origin of species

- De Vries on, 1, 365-74
- Huxley on, 5, 272

Orthogonal

- functions, expansions in, 19, 87-92, 93-9
- growth rate determinations, 30, 16-28
- squares and cubes, finite groups and, 35, 277-82
- non-orthogonal experiment, 35, 346-67
- estimates in weighing designs, 37, 50-8

Ottomans in Egypt, 10, 280-7

Outlying observations, see Extreme

Overcrowding and mortality, 30, 341-62

Overlap problem in particle counting, 36, 257-66

Oxford undergraduates, measurements on, 8, 43-8

$P_{\lambda n}$ test for randomness, 25, 379-410; 26, 1-11, 425-42

Paired comparisons, method of, 31, 324-45; 33, 269-73; 34, 363-5

Palaeopathology

- review of R. L. Moodie's *Palaeopathology*, 16, 200-1
- review of M. A. Ruffer's *Studies in the Palaeopathology of Egypt*, 16, 201-2

Pancreas of monkey, incidence and volume of islands of Langerhans in, 24, 27-38

Parabola, instrument for drawing, 3, 469

***Paramecium*, variation in, 1, 400-7; 5, 53-72, 213-97; 7, 372**

Parameters, see Estimation and specific headings

Parisians, cranial measurements compared with White-chapel, 3, 221-6

Parsnip, 11, 39-49

Parthenogenetic inheritance, 1, 129-54, 400; and pure line theory, 7, 372-81

Partial cell frequencies to ordinates, 24, 495-7

Partial contingency, see Contingency

Partial correlation, see Correlation, multiple and partial and Correlation, rank

Particle counting, an overlap problem arising in, 36, 257-66

Partition of χ^2 , 36, 117-29 (correction, 37, 452); 36, 130-4; 37, 267-70

Pascal

- arithmetic triangle, 23, 419-23
- multinomial distribution, cumulants of, 36, 47-58

***Pastinaca sativa*, 11, 39-43**

Pauperism and tuberculosis, 10, 530-48

Pea, inheritance in, 1, 228-54; 2, 45

Pearson, Karl

- review of *The Scope and Importance to the State of the Science of National Eugenics* by, 6, 124
- an appreciation, 28, 193-257; 29, 161-248
- lecture notes of, 30, 198-203
- review of *Karl Pearson's Early Statistical Papers*, 36, 236-8

Pearson's frequency curves

- systematic fitting of, to observations and measurements, 1, 265-303; 2, 1-23; 35, 113-17
- generalized frequency curves, 4, 172-212; 5, 168-75; 16, 106-16
- tables and diagrams to determine type of curve from β_1 and β_2 , 7, 127-47, 386-97
- Type I, II, V and VI fitted to data and compared with Edgeworth's curves, 11, 418-25
- relation of mode, median and mean in, 11, 425-9

relation of mean error to standard deviation, 16, 198-200

probability integral of Type II, 17, 68-78, 469-72

table of deviates of Type I, 17, 435-42

distribution of means of samples from Type II, 19, 225-39 (correction, 21, 431-2)

distribution of frequency constants of Type III, 20A, 389-423; 21, 287-93, 294-302

tables of probability integrals of symmetrical curves, 22, 253-83

correlation functions of Type III, 25, 121-33

applications of the double Bessel function to Type III, 25, 158-78

hypergeometric series, 26, 80-91

higher order curves, 26, 129-95

distribution of ratio of geometric and arithmetic means in Type III, 30, 274-94

recurrence relation for the semi-invariants of, 32, 81-2

estimation of parameters of Type VII from frequency-moments, 36, 404-25

***Pectinatella magnifica*, statoblasts of, 1, 128**

Pedigrees

split-foot, 6, 27

lobster-claw, 6, 71; 9, 381

albinism, 7, 243; 9, 365

pigmentation of human iris, 8, 276

piebald family, 10, 200; 30, 66

white-lock family, 13, 347

facial spasm, 14, 313

cranial anomaly, 15, 409

congenital dislocation of the lenses, 16, 273-83

hereditary epicanthus, 27, 5-25, 271-2

Pekinese and Pomeranian cross

albinism in, 21, 144-63

duration of pregnancy and litter size, 22, 309-23

Pelvis

variation in, of female American Indians, 9, 34-57

correlation of measurements on, 9, 486-529

abac for determining obstetric conjugate, 9, 539-40

distribution of ratio of pelvic opening and foetal head, 32, 26-8

Percentage limits, see Significance levels

Percentages in matched samples, comparison of, 37, 256-66

Periodogram analysis, 36, 194-201; 37, 1-16

Persians' head measurements, 4, 295

Personal equation, 5, 472-6

effect of, in sexing crania and in taking measurements, 9, 393-8

variations in, and correlation of successive judgements, 14, 23-102

Petrie, W. Flinders, review of *Migrations* by, 5, 480

Petty, William, life and scientific work of, 32, 102-27

Phagocytic counts

frequency distributions, 6, 376-401

opsonic index, 7, 64-95

distribution of means of samples, 7, 505-30

constants of distribution of opsonic index, 7, 531-41

mathematical and functional error, 8, 203-24

Phaseolus

inheritance in, 2, 290-2, 499-503

weight of seed and characteristics of plant, 9, 11-21; 10, 72-84

- ϕ^2 , *see* Contingency, coefficient of mean square
- Philippines, cranial measurements, nasal characters, 9, 395, 399-432
- Philosamia cynthia*, silkworm, variation in, 3, 113-30
- Photoelectric measurement of bar graphs for comparing time series, 37, 288-307
- Phthisis, *see* Tuberculosis
- Physical characters in man**
- inheritance of, 2, 357-462
- compared with psychical characters, 3, 131-90
- shrinkage of, 25, 197-202
- see also specific characters*
- Physical defects and pigmentation, 6, 197
- Physical development of Oxford undergraduates, 8, 44-7
- Piebalds**
- Honduras, 9, 330-1
- Nyasaland natives, 9, 347-52
- Negro, 10, 193
- Cockayne's family, 10, 197-200
- Barton's white-lock family, 13, 347-9
- Suffolk, 27, 1-4
- Birmingham, 30, 65-7
- Pig**
- inheritance of size of litter in sows, 5, 203-5
- fecundity in sows, 6, 433-6
- sex-ratio and related phenomena in litters, 15, 373-81
- Pigmentation**
- colour of cuckoos' eggs, 1, 164-76
- of Scottish insane, 5, 333-44
- survey of schoolchildren in Scotland, 6, 129-235 and Supplement
- skin-colour of crosses between negro and white, 6, 348-53
- and susceptibility to disease, 8, 13-39, 354-69
- inheritance of eye-colour, 8, 267-79
- related to stature and weight, 8, 340-53, 369-75
- anomalies among Nyasaland natives, 9, 333-65
- mesoblastic, in foetal eyes, 13, 51-6
- and cephalic index, 16, 134-8
- strength of vision related to eye- and hair-colour, 27, 266-8
- see also* Albinism, Coat, Hair- and Eye-colour, Piebalds
- Pinnipedia, sesamoids in, 13, 355
- Pinus silvestris*, variation in length of needles, 1, 21-3
- Pitch**
- and vital capacity, 16, 139-56
- and grip, 16, 299-328
- Plana, Giovanni and normal frequency surface, 20A, 295-8
- Plants**
- statistical applications of plant breeding, 30, 29-56
- generalization of Poisson's binomial limit to describe clustering of, 36, 18-25
- testing the departure from randomness of diseased plants, 36, 135-41
- see also specific plants*
- Platykurtic, *see* Kurtosis
- Play, duration of, 22, 377-404
- Plots, *see* Design of experiments
- Plural births, 25, 110-20
- Poisson distribution**
- error of counting with a haemocytometer, 5, 351-60
- tables of exponential binomial limit, 10, 25-35
- law of small numbers, theory and application to cell frequencies, 10, 36-71
- and compound frequency distributions, 11, 139-44
- deviation from, in practice, 12, 211-15
- testing of clover seed for dodder, 27, 273-92; 31, 313-23
- tables of first and second kind of error for, 27, 282-4
- confidence limits for, 28, 187-8, 437-42; 31, 322-3
- the z test for, 30, 188-90
- transformation of Poisson data, 35, 246-54
- generalization of Poisson's binomial limit, 36, 18-25
- significance test for, 37, 130-44
- tables of the cumulative, 37, 313-25
- Poles, head measurements, 4, 165, 295
- Pollaczek-Geiringer, application of theorem of, 28, 187-8
- Polychoric functions, properties of, 13, 409-17
- Polydactyly in Nyasaland natives, 10, 18-19
- Polymorphism in plants, sources of apparent, 1, 304-19; 2, 113-14
- Pomeranian, *see* Pekinese
- Poppy**
- inheritance in, 2, 56-100; 4, 394-426
- variability in, 7, 227-30
- Popularity**
- inheritance of, 3, 152, 155, 186
- intelligence and, 5, 126-31, 136, 146
- Population**
- density of, and pigmentation, 6, 185-6
- essential conditions that, should be in a stable state, 10, 175-8
- guessing the, 32, 219-25
- matrices in population mathematics, 33, 183-212; 35, 213-45
- stratified stationary, 33, 226-30
- stratified semi-stationary, 34, 243-54
- modes of population growth, 35, 6-15
- a stochastic birth process, 35, 316-30
- Portraits and photographs**
- Charles Darwin, 1, Frontispiece
- Francis Galton, 2, Frontispiece
- auto-icon of Jeremy Bentham, 3, 396; 18, 256
- W. F. R. Weldon, 5, 1, 6
- W. R. Macdonell, 11, 281
- C. B. Goring, 12, 297
- Sir Thomas Browne, 15, 74 and Frontispiece (correction, 16, 204); 18, 256
- Robert the Bruce, King of Scotland, 16, 272
- Abraham de Moivre, 17, Frontispiece
- Rudolf Martin, 17, 201
- Edmund Halley, 18, Frontispiece
- Alexander Tchouproff, 18, 233
- George Buchanan, 18, 256
- Richard Price, 20A, 241
- Henry Stewart, Lord Darnley, 20B, 104 and Frontispiece
- Pierre Simon Laplace, 21, Frontispiece
- Tchebycheff, 22, Frontispiece
- William Derham, 23, 249
- A. A. Markoff, 24, Frontispiece
- William Petty, 25, Frontispiece
- Oliver Cromwell, 26, 344, 353, 354
- Karl Pearson, 28, Frontispiece, 202, 223; 29, 161, 183
- W. S. Gosset, 30, 205
- J. F. Tocher, 35, Frontispiece

Power functions

- properties of statistical tests, 32, 59-61, 70-80
- of analysis of variance tests, 32, 62-9
- for tests of randomness in a sequence of alternatives, 34, 335-9
- of the longest-run test, 35, 97-112
- of test for difference between two proportions, 35, 157-75
- of significance tests of data in fourfold tables, 35, 331-45
- of the χ^2 and variance-ratio tests, 36, 202-32
- of the 2×2 comparative trial, 36, 347-52
- of χ^2 index of dispersion test, 37, 59-63
- of the modified *t*-test based on range, 37, 64-77

Powers

- and sums of powers of natural numbers, 2, 474-80
- of zero, table of differences of, 17, 200; 22, 306-8
- and products of normal variates, moments of distributions of, 32, 226-42

Precision of observed values of small frequencies, 35, 297-300, 301-3

Predator-prey relationship between two populations, 35, 238-45

Prediction formulae

- skull capacity, 3, 370-4; 10, 188-93; 19, 211-15; 21, 85-123
- brain weight from head measurements, 4, 146-9

Pregnancy, duration of, and litter size in bitches, 22, 309-23

Primates, sesamoids in, 13, 360-5

Primroses, heterostylism in, 30, 196-8

Prizes, most suitable proportion between first and second, 1, 385-99

Probability

- review of Francis Galton's *Probability, the Foundation of Eugenics*, 5, 477
- generalized Tchebycheff theorems, 12, 284-96; 15, 245-53, 421-3; 21, 361-75; 29, 405-6
- fundamental problem of practical statistics, 13, 1-16, 300-1
- review of J. V. Uspensky's *Introduction to Mathematical Probability*, 30, 194-5
- laws of chance in relation to thought and conduct, 32, 89-100
- review of Harold Jeffrey's *Theory of Probability*, 1st edition, 32, 192-4; 2nd edition, 36, 236
- reconciliation of theories of probability, 36, 101-16
- combination of probabilities arising from data in discrete distributions, 36, 370-82 (correction, 37, 452)
- review of F. N. David's *Probability Theory for Statistical Methods*, 36, 469-70
- second limit-theorem in the calculus of probabilities, 37, 224-30

see also Inverse probability

Probability distributions, see particular statistics

Probability integral

- of the χ^2 distribution, 1, 155-63; 37, 313-25
- of the normal distribution, 2, 174-80
- of the *t* distribution, 6, 1-25; 11, 414-17; 37, 168-72
- of the correlation coefficient, 9, 114; 10, 507-21; 25, 71-8
- for binomial series, 16, 163-71, 202-3
- for hypergeometric series, 17, 61-7

of symmetrical frequency curves, 17, 68-78, 469-72; 22, 253-83

of distribution of largest individual, 17, 384-5

for incomplete B-function by continued fractions, 22, 284-97

transformation, tests based on, 25, 379-410; 26, 425-42; 30, 134-48

of non-central *t* distribution, 31, 362-89

of the range, 32, 301-10; 36, 142-8

for two variables, 33, 59-72

of studentized range, 33, 89-99

of the mean deviation, 33, 252-3 (correction, 35, 424); 33, 254-65; 35, 304-9

of the extreme deviate from the sample mean, 35, 118-44

transformation when parameters are estimated from the sample, 35, 182-90

transformation when the variable is discontinuous, 37, 42-9

Probability levels, see Significance levels

Probable error, see Standard error

Probit analysis

maximum likelihood and dosage-mortality curves, 32, 46-58

individual records of dose and quantal response, 34, 320-34

table for calculation of working probits, 35, 191-201

review of D. J. Finney's *Probit Analysis*, 35, 423

analysis of grouped probit data, 36, 9-17

estimation of the parameters of tolerance distributions, 36, 239-56

weighted probits and their use, 37, 158-67

Product moments

standard deviations of, and correlations between, 9, 1-10

of normal correlation surface, 12, 86-92

of normal distribution in *n* variables, 12, 177-83

of any order normal distribution in any number of variables, 12, 134-9 (correction, 12, 266)

generalized, distribution, 20A, 32-52, 424; 35, 55-7, 422; 36, 59-62

distribution of, 21, 164-201

table of the product moment coefficient, T_m , function, 21, 194-201

mean, standard deviation and moment ratios of, 21, 231-58

high order, 22, 224-38

Projectometry, general aspects of, 24, 21-6, 27-38

Proportions, test for difference between, see Fourfold (2×2) tables

Protozoa, 1, 400-7; 2, 241-54, 321-37; 5, 53-72, 213-97

Prussians, age and hair- and eye-colour, 3, 459-65

Pseudoclytia pentata, jellyfish, 1, 255

Psychical characters, see Intelligence and Mental characters

Psychology, statistical techniques in applied, 33, 269-73

Psychophysical curves, criterion for goodness of fit of, 12, 216-30

Pulmonaria officinalis, lungwort, variation in flowers and heterostylism, 3, 398-458

Pulmonary tuberculosis, see Tuberculosis

Pulse

and breathing rates and stature, 8, 232-6

associated with physique and intelligence in criminals, 11, 1-19

Punjabi

- mandibles, 29, 80-112
- malar bone, 29, 113-23

Quadratic forms in normal variates, statistical independence of, 37, 93-6

Quadrature

- formulae, 1, 272-82; application of, 4, 378-9; accuracy of, 24, 280-8
- coefficients, table of, 12, 282-3
- for skew curves, 19, 1-38 (correction, 19, 442)
- Gauss's, formula with twelve ordinates, 30, 193-4

Quadrilateral distributions, betas of, 24, 498-510

Quakers

- inheritance of duration of life, 1, 50-89
- assortative mating among, 2, 481-98

Quality control

- control charts for range, 33, 92-3
- of industrial processes, 33, 163-72
- inequalities in terms of mean range for use in, 33, 286

Quartiles

- distribution of, 23, 315-60, 364-97
- relation between median and, 25, 79-90

Quasi-normal distributions, minimum range for, 33, 100-3

Quasi-sufficiency, the interpretation of, 31, 391-2

Rabbit-breeding, 2, 299-306

Racehorses, inheritance of sex-ratio in, 6, 120-2

Races of man

- interracial prediction formulae for capacity from cranial circumferences, 3, 371, 380-90
- interracial variation and correlation, 4, 162, 286-312
- comparison of cranial type contours, 8, 131-8; 11, 103-12; 14, 227-48
- Mendelian view of racial heredity, 8, 424-30
- comparison of races for nasal characters, 9, 409-17
- stability of the cephalic index within the race, 16, 118-38
- classification of, by cranial measurements, 20B, 301-75; 24, 108-34
- racial characterization and type silhouette, 20B, 389-400
- racial differences in stature prediction formulae, 21, 303-18
- see also* Crania, comparison of racial series and Inter-racial correlation

Racial likeness, coefficient of

- definition, 13, 247-51; 14, 205-7; 18, 105-17
- of Tibetan crania, 14, 205-27; Oriental (Nepal and Tibet), 16, 11-14; compared with other Asiatic series, 16, 33-41
- of Egyptian crania, 17, 13-44; 19, 119-20, 132; 22, 68-80; 25, 268-73; 27, 307-8; 34, 22-6
- of British crania, Farrington street, 18, 23-6; Romano-British, 18, 69; early British, 18, 71; Anglo-Saxon, 18, 79; Scottish short cist, 20B, 381-2; West Scottish, 23, 16-18; Spitalfields, 23, 224-36; Hythe English, 24, 191-9; Anglo-Saxon from Burwell, Bidford-on-Avon and London museums, 27, 396-8; Castle Hill, Scarborough, 33, 31-2
- of Australian crania, 19, 422-5
- of Hylam Chinese, 20B, 277
- used to test character of samples, 20B, 294-300

European series, 20B, 306-25

standardization of method of using, 20B, 376-8

of south eastern European crania, 21, 322-36

for Swedish anthropometric data, 22, 98-102

of Easter Islanders, 23, 249-70

negro series, 23, 296-300

for classification of Asiatic races, 24, 108-34

human mandible, 28, 84-122, 149-78

of Eskimo crania, 29, 13-19

of Indian races in U.S.A., 30, 97-120

of Lachish crania from Palestine, 31, 128-42

Radius of Anglo-Saxon skeletons, 28, 258-94; *see also* Long bones

Rana temporaria

- symmetry of the egg and embryo in the frog, 5, 147-67; 7, 148-209

study of red blood corpuscles in the tadpole, 6, 402-19

Rana ridibunda, 23, 23-51

Randomization

- z* test in randomized blocks and Latin squares, 29, 21-52, 322-35

some aspects of, 29, 53-64

randomized and systematic arrangements, 29, 363-79, 380-8; 30, 440-66; 31, 1-8

balancing in agricultural experiments, 30, 159-79

Randomness

P_{λ_n} test for, 25, 379-410; 26, 1-11, 425-42

a theory of, 32, 1-15

power function of group tests of, 34, 335-9; 35, 97-112; 36, 305-16

tests of, involving points on a lattice, 36, 135-41

Random occurrences in space and time, 13, 309-37

Random sampling, *see* Sampling

Range

- mean, determination of standard deviation from, 13, 113-32; 17, 377; 37, 64-92; in normal samples, 25, 195-7; inequalities in terms of, 33, 283-95; limits of ratio of, to standard deviation, 34, 120-2; use of, in statistical tests, 37, 78-87, 88-92

distribution of, in samples from normal population, 17, 364-87; 18, 173-94; 19, 151-64; 25, 415-20; 31, 20-30; from symmetrical population, 20A, 356-60; from Type III population, 20A, 389-423; percentage limits for, 24, 404-17; 32, 308; probability integral of, 32, 301-10, 340-8

use of, in analysis of variance, 31, 24-30; 37, 271-80

probability integral of studentized range, 33, 89-99

control charts for, 33, 92-3

minimum, for quasi-normal distributions, 33, 100-3

t test based on, 34, 41-67; power function of, 37, 64-77

asymptotical distribution of, in normal samples, 34, 111-19; 35, 310-15; probability integral of, 36, 142-8

see also Difference problem, Extreme individual and Rank differences

Rank correlation, *see* Correlation, rank

Rank differences, mean and variance of, 23, 364-97; 24, 203-80; 36, 92-100

Rare events, precision of observed frequencies of, 35, 297-300, 301-3; *see also* Poisson distribution

Ratio

- of two normal variates, distribution of, 20A, 53-63; 24, 428-40; 32, 16-28

Ratio (*continued*)

- of mean to standard deviation, distribution of, 21, 124-43
- of independent variances, 24, 478-9; 30, 190-2
- of determinants of correlation coefficients, 24, 491-4
- of mean deviation to standard deviation, 27, 310-32; moments of, 28, 295-307
- of covariance estimates, 29, 65-79
- of geometric and arithmetic means, distribution of, 30, 287-8
- of mean range to standard deviation, 34, 120-2
- see also* Correlation ratio, Index, Student's ratio and Variance ratio

Rats

- fertility and weight in, 7, 381-5
- Mendelian inheritance in, 31, 56-66

Ray flowers, distribution of, in *Daucus carota*, 26, 443-68; in *Chrysanthemum leucanthemum*, 27, 260-6

Reaction times

- age and acuity for different senses, 15, 346-72
- and vital capacity, 16, 139-56
- and grip, 16, 299-328
- and head measurements, 18, 207-21

Reconstruction formulae

- stature from other characters, 1, 209-13; 21, 303-18
- cranial capacity from head measurements, 3, 370-4; 10, 188-93; 19, 211-15; 21, 85-123
- brain weight from head measurements, 4, 146-9

Rectangular population

- distribution of mean in samples from, 19, 240-3; of frequency constants, 20A, 175-240, 356-60; of standard deviation for samples of three, 23, 424-6; of correlation coefficient, 24, 382-403; of Student's *t* for samples of three, 25, 203-4
- association between variables with a common factor in, 24, 288-91
- and χ^2 , 24, 369-73

Recurrence formulae

- for moments of hypergeometric distribution, 16, 157-62; 26, 264-5
- for moments of binomial distribution, 17, 165-71; 26, 262-4
- for double Bessel function, 25, 420-1
- for semi-invariants of Pearson curves, 32, 81-2

Regeneration of feet in Blattidae, 6, 311-26

Regression

- definition of, 1, 322-3, 365-74
- line, definition of, 2, 216-28; 15, 77
- tests for linearity of, 4, 332-50; 21, 337-60
- multiple regression formulae, 8, 239
- coefficient, standard deviation of, 9, 9-10; 17, 194-9
- surfaces, 10, 391-411 (correction, 10, vi); 15, 77-88, 209-21; 17, 443-58; 22, 138
- probable errors in multiple frequency distributions with skew regression, 11, 185-90
- test of goodness of fit of regression curves, 11, 239-61 (correction, 12, 266-81); 21, 337-60
- non-linear, orthogonal functions for, 13, 296-300; parabola for, 18, 257-62; and skew correlation, 22, 109-223
- stature long bone regression formulae, 21, 303-18
- likelihood criterion for, 21, 337-60
- skew bivariate frequency surfaces, 22, 109-223
- of Student's *z* with sample mean and standard deviation, 23, 1-9

- between two variables with a common factor, 24, 288-91
- analysis of, among *k* samples of two variables, 27, 145-60, 227-59
- of initial weight on growth in pig, 30, 16-28
- estimation and comparison of residual regressions for correlated samples, 36, 26-46
- testing for serial correlation in least squares regression, 37, 409-28

Reigns, length of, 20A, 241-62, 424

Rejection of observations

- criteria for, 17, 238-50; 28, 308-20
- distribution of difference between extreme observation and sample mean, 27, 466-71
- Representative method, estimation of population of insects, 30, 422-39

Reproductive selection, *see* Selection

Reptiles, sesamoids in, 13, 389-90

Resemblance between man and woman, 4, 161-8

Reversion, 2, 172, 289; *see also* Mendelism

Review of

- Francis Galton's *Probability, the Foundation of Eugenics*, 5, 477
- R. H. Lock's *Recent Progress in the Study of Variation, Heredity and Evolution*, 5, 478-80
- W. Flinders Petrie's *Migrations*, 5, 480
- J. B. Nichols's *The Numerical Proportions of the Sexes at Birth*, 6, 123
- K. Pearson's *The Scope and Importance to the State of the Science of National Eugenics*, 6, 124
- E. Davenport's *The Principles of Breeding*, 6, 444
- F. A. Woods's *Mental and Moral Heredity in Royalty*, 6, 445
- G. F. Hardy's *Lectures on Construction of Mortality Tables*, 7, 413
- T. N. Thiele's *Interpolationsrechnung*, 7, 413
- M. R. Fernald *et al.* *Study of Women Delinquents in New York State*, 13, 305-8
- K. F. Andvord's *Tuberculosis as an Acute Disease of Childhood*, 14, 191-2
- H. E. Soper's *Frequency Arrays*, 14, 418-19
- S. Narumi's *Formulas in the Theory of Interpolation*, 14, 420
- L. Isserlis's *Home Conditions and Intelligence of School-children*, 15, 161-72
- R. L. Moodie's *Palaeopathology*, 16, 200-1
- M. A. Ruffer's *Studies in the Palaeopathology of Egypt*, 16, 201-2
- A. Newsholme's *Elements of Vital Statistics*, 17, 171-3
- G. Harrower's *Study of the Hokien and the Tamil Skull*, 18, 414-17
- J. F. Steffensen's *Interpolation*, 20A, 425; *Researches in the Theory of Statistics and Actuarial Science*, 22, 424-5
- P. Harzer's *Tabellen für statistische zwecke in wissenschaft und praxis*, 26, 469-70
- E. Moore's *Heredity, Mainly Human*, 27, 471
- C. O. Rosendahl *et al.* *J. Arthur Harris, Botanist and Biometrician*, 28, 444
- J. V. Uspensky's *Introduction to Mathematical Probability*, 30, 194-5
- W. P. Elderton's *Frequency Curves and Correlation*, 3rd edition, 30, 203-4
- L. I. Dublin and A. J. Lotka's *Twenty-five Years of Health Progress*, 30, 469-70

Review of (continued)

- E. W. Sinnott and L. C. Dunn's *Principles of Genetics*, 31, 220
- A. A. Tschuprow's *Principles of the Mathematical Theory of Correlation*, 31, 396
- H. Jeffreys's *Theory of Probability*, 1st edition, 32, 192-4; 2nd edition, 36, 236
- W. M. Krogman's *Bibliography of Human Morphology*, 32, 194
- O. K. Buros's *Second Yearbook of Research and Statistical Methodology Books and Reviews*, 32, 349-50
- M. G. Kendall's *Advanced Theory of Statistics*, vol. I, 33, 266-7; vol. II, 35, 210-11; *Rank Correlation Methods*, 37, 190
- C. E. Weatherburn's *A First Course in Mathematical Statistics*, 34, 373
- Advances in Genetics*, vol. I, 34, 373-4
- H. Cramér's *Mathematical Methods of Statistics*, 34, 374
- D. J. Finney's *Probit Analysis*, 35, 423
- Karl Pearson's *Early Statistical Papers*, 36, 236-8
- F. N. David's *Probability Theory for Statistical Methods*, 36, 469-70
- T. L. Kelley's *The Fundamentals of Statistics*, 36, 470
- J. Neyman's *Proceedings of the Berkeley Symposium on Mathematical Statistics and Probability*, 37, 190-1
- N. L. Johnson and H. Tetley's *Statistics*, vol. I, 37, 453-4
- Right-handedness, 19, 165-99; 20A, 79-148; 20B, 401-8
- Ring width in trees, 37, 288-307
- Robert, the Bruce, skull and portraits of, 16, 253-72
- Rodents, sesamoids in, 13, 357-9; *see also* Guinea-pigs, Mice and Rats
- Rome, length of reign of seven kings of, 20A, 241-62, 424
- Roumanian silhouette, 26, 414-24
- Round barrow crania, measurements and descriptive catalogue, 4, 351-62
- Routine analysis, errors of, 19, 151-64
- Royal Air Force, men in
interrelations of vital capacity, stature, stem length and weight of, 14, 326-36
comparison of heights and weights of, 35, 368-96
- Royal Engineers, head measurements and cranial type contours, 8, 131-3, 197-201
- Ruffer, M.A., review of *Studies in the Palaeopathology of Egypt* by, 16, 201-2
- Runs, power function of the longest-run test, 35, 97-112
- Rural mortality and comparative sex incidence, 30, 57-64
- Russians' head measurements, 4, 161-8, 286-312; 15, 254-70; composite photograph, 15, 270
- St Leonard's Church, Hythe, study of crania from, 24, 135-202
- St Magnus and St Rognvald, remains of, 18, 118-50
- Sakkara, first dynasty series of Egyptian skulls from, 34, 18-27
- Sampling**
random, test for, 1, 155; errors of, 9, 69-90
experimental, in non-normal populations, with bibliography 1908-37, 30, 68-80
- comparison of stratified with unrestricted random sampling, 34, 273-80
- systematic, of continuous parameter populations, 35, 283-96
- Sampling distributions, *see particular statistics*
- Sanguinaria*, bloodroot, morphology of fruit of, 7, 305-51
- Sassafras, variation and distribution of leaves, 12, 372-3
- Saxon, *see* Anglo-Saxon
- Scale order, effect of changing, on correlation, 5, 176-8
- Scale parameters, estimation of, 30, 391-421, 471-4; hypotheses concerning, 31, 200-15
- Scarborough, study of human skulls from Castle Hill, 33, 25-35
- Scarlet fever and pigmentation, 8, 22-39, 360-5
- Schoolchildren**
inheritance of psychical characters in, 3, 131-90; of intelligence in, 14, 378-408
intelligence related to size and shape of head, 5, 105-46; to home conditions, 15, 161-72
pigmentation survey of, in Scotland, 6, 129-235 and Supplement
association of drawing with other capacities, 7, 222-6
teachers' estimate of intelligence in, 7, 542-8; 8, 79-108
pigmentation, susceptibility to diseases and race selection in, 8, 13-39; related to stature and weight, 8, 340-53, 369-77
stature and weight of, in Glasgow, 10, 288-339
recovery from sickness, 29, 336-49
- Scotland**
anthropometry of the insane in, 5, 298-350 and Supplement
pigmentation survey of schoolchildren in, 6, 129-235 and Supplement; 8, 13-39, 340-53
height and weight of schoolchildren in Glasgow, 10, 288-339
skull and portrait of Robert the Bruce, king of, 16, 253-72
milk yield of dairy cows in, 20B, 105-244
Lanarkshire milk experiment, 23, 398-406
- Scottish crania**
compared with English, Whitechapel, 3, 241-2; with negro, 8, 321-4
short cist, 20B, 379-88
West Scottish skull and its affinities, 23, 10-22
- Sea-cucumber, *Holothuria*, variation, development and growth, 6, 236-301
- Seasonal**
polymorphism in plants, 1, 304-19; 2, 113-14
variation in termites, 6, 334-5; in wasps, 8, 6-8; in terns' eggs, 12, 310-11
- Second limit-theorem in the calculus of probabilities, 37, 224-30
- Sediment, ninth dynasty Egyptian skulls from, 22, 65-94
- Seed, weight of, related to character of plant, 9, 11-21; 10, 72-84
- Segregation**
law of, 1, 228-54
and tuberculosis, 10, 530-48
Mendelian records, 29, 144-53; 31, 67-71
- Selection**
in man, natural, 1, 50-89; 8, 456-60; 9, 58-68; 10, 488-506; periodic, 2, 371, 395; reproductive, 2, 371-3, 395-6; 4, 280-5; sexual, 4, 161-8, 287, 292

Selection (*continued*)

- natural, in *Clausilia laminata*, 1, 109-24
- law of ancestral heredity, 2, 224-8
- in lepidoptera, 3, 113-30
- periodic, in *Clausilia itala*, 3, 299-306
- in Shirley poppies, 4, 403-8
- natural, in *Helix arbustorum*, 5, 387-99
- in mice, 5, 441-2
- influence of double, on variation and correlation, 6, 111-12; 8, 437-43
- in cows, 7, 113-17
- selective elimination in *Staphylea*, 7, 452-504
- natural, in wasps, 8, 6-12
- pigmentation of hair and eyes related to, 8, 13-39, 354-69
- and intermediates in *Bacillus coli*, 9, 331-2
- in foxgloves, 14, 103-26
- Self-consciousness, 3, 152, 155, 185; 5, 126-31, 134-5, 146
- Semi-invariants, *see* Cumulants
- Sentence length as a criterion of literary style, 30, 363-90; 31, 356-61
- Sequence of two alternatives, tests for randomness in a, 34, 335-9; 35, 97-112; 36, 305-16
- Sequential analysis**
 - large-sample theory of, 36, 455-8
 - sequential *t*-test, 37, 326-33
 - tests in, 37, 334-46
- Serial correlation, *see* Time series
- Sesamoids of the knee-joint, 13, 133-72, 350-400 (correction, 14, 409)
- Severity of disease**
 - distribution of severity of smallpox, 4, 505-10; 5, 361-4
 - means of estimating, 5, 423-34
- Sex**
 - influence of number of changes of, on inheritance, 2, 237-40; 3, 257
 - and merism in *Spinax niger*, 3, 313-65
 - and brain weight, 4, 45-51
 - interracial correlation and variation between the sexes, 4, 161-8
 - heredity in, 6, 109-11
 - incidence and rural mortality, 30, 57-64
- Sexing of osteometric material, 10, 209-12, 479-87
- Sex-ratio**
 - in *Spinax niger*, 3, 321
 - inheritance of, in man, 5, 73-8; horses, 5, 79-85; 6, 120-2; in mice, 5, 436-49
 - in pig litters, 15, 373-81
- Sexual selection, *see* Selection
- Sheppard's corrections**
 - for moments, 1, 287; 5, 450-9
 - elementary proof of, 3, 308-12
 - fallacious proof of, 8, 443
 - simplified form of, 37, 145-8
- Short, Thomas, 33, 3-7
- Shorthorns, inheritance of coat-colour in, 4, 427-64
- Shrimps, 5, 14, 16-17
- Shrinkage of physical characters with age, 25, 197-202
- Shyness**
 - inheritance of, 3, 152, 155, 184
 - intelligence and, 5, 126-31, 134-5, 146
- Siblings**
 - fraternal correlation coefficients, 14, 1-22

- multiple correlation of, 17, 129-41
- see also* Correlation tables of measurements on man
- Sickness table, graduation of, 2, 260-72 (correction, 2, 503-4); 3, 52-7
- Significance levels**
 - deviates of normal curve for each permille of frequency, 5, 405
 - deviates of Type I curves, 17, 435-42
 - for the correlation ratio, 21, 1-66
 - for the distribution of range, 24, 404-17; 32, 301-10; of studentized range, 33, 89-99
 - for the distribution of $\sqrt{b_1}$, 28, 295-307
 - for the Poisson distribution, 28, 437-42
 - of the incomplete beta function, 32, 151-81; 34, 368-72; 37, 208-23
 - of the χ^2 distribution, 32, 187-91, 200-1; 34, 368-72
 - interpolation for, 32, 263-76
 - of the *t* distribution, 32, 300; 33, 362
 - of the inverted beta (*F*) distribution, 33, 73-88
 - of the mean deviation, 33, 265
 - for testing the homogeneity of a set of estimated variances, 33, 296-304
 - the meaning of, 34, 179-82
 - of the *z* distribution, 34, 352-8
 - for 2 x 2 contingency tables, 35, 149-54
- Significance tests**
 - use and interpretation of certain test criteria for purposes of statistical inference, 20A, 175-240, 263-94
 - combination of, 30, 134-48
 - of hypotheses concerning location and scale parameters, 31, 200-15
 - for given hypotheses, 32, 311-16, 317-33
 - generalization of Student's problem when several different population variances are involved, 34, 28-35; 35, 88-96; 36, 290-6
 - choice of statistical tests illustrated on data in a four-fold table, 34, 139-63
 - general distribution theory for a class of likelihood criteria, 36, 317-46
 - extension of Neyman-Pearson theory of tests to discontinuous variates, 37, 130-44
 - tests based on discontinuous distributions, 37, 383-98
 - see also* Hypotheses, Power functions and particular tests and statistics
- Silhouettes**
 - use for racial characterization, 20B, 389-400
 - of Albanians, 25, 21-42
 - of Roumanians, 26, 414-24
- Silkworms**
 - variation and elimination in *Philosamia cynthia*, 3, 113-30
 - similarities and differences in mulberry, 20A, 69-78
- Simometer, 26, 196-250, 265-8
- Simpson's quadrature formula, 1, 274
- Sinistrality and dextrality of hand and eye, 19, 165-99; 20A, 79-148; 20B, 401-8
- Sinnott, E. W. and Dunn, L. C., review of *Principles of Genetics* by, 31, 220
- Sium latifolium*, 11, 47-9
- Skew correlation surface, *see* Correlation surfaces
- Skew frequency curves, *see* Frequency curves and Pearson's frequency curves

Skewness

frequency constants in samples from skew population, probable error of, 7, 129, 144-5; distribution of, 20A, 389-423; 21, 287-93, 294-302
effect on 'Student's' ratio, 20A, 421-2

Skew regression, *see* Regression

Skin-colour, *see* Albinism, Piebalds and Pigmentation

Skulls, *see* Brain weight, Crania, Mandibles and Nasal bridge

Slutzky's sinusoidal limit theorem, short proof of, 36, 65

Small numbers, Poisson's law of, *see* Poisson distribution

Smallpox

vaccination for, 1, 375-83; 2, 135-44; 4, 313-31, 483-504

distribution of severity of attack, 4, 505-10; 5, 361-4
'Smooth' test for goodness of fit, 30, 134-48; 31, 191-9; 34, 299-310; 35, 202; 37, 447-8

Snails, 1, 109-24; 2, 24-43; 3, 299-306; 5, 32-8, 387-99

Somatic characters correlated with fertility in *Hibiscus*, 8, 52-65; *see also* Ancestral heredity and Mendelism

Soper, H. E., review of *Frequency Arrays* by, 14, 418-19

Sow, *see* Pig

Sparrow, variation in egg, 1, 256-7

Spasm, inheritance of facial, 14, 311-15

Spearman

and Hart's criterion for hierarchical order among correlation coefficients, 12, 356-66

rank correlation coefficient, 13, 263-82; 30, 251-73; 36, 177-93

converse of two-factor theorem of, 24, 418-27; 26, 260-1

Species

origin of, 1, 365-74; 5, 272

investigation into existence of sub-species in cuckoo, 4, 363-73

application of differential equations to independence of, 19, 216-23

predator-prey relationship between two populations of, 35, 238-45

Spectra, periodogram analysis and continuous, 37, 1-16

Spectral theory of discrete stochastic processes, 36, 63-70

Spherical

trigonometry and multiple correlation, 15, 173-208
corpuscles, 17, 84-99

Spinax niger, sex and merism in, 3, 313-65

Spitalfields

crania, 23, 191-248

mandibles, 29, 80-112

Spleen, weight of human, 3, 63-83

Split-foot, *see* Deformities

Split-plot experiments, comparison of pairs of treatments in, 37, 443-4

Spurious correlation, *see* Correlation, miscellaneous

Square

of a variate, cumulants of the distribution of the, 32, 199-200

finite groups and completely orthogonal squares and cubes, 35, 277-82

Stability

of population breeding at random, conditions for, 10, 175-8

of cephalic indices within a race, 16, 118-38

Standard deviation

Sheppard's correction for, 1, 287; 3, 308-12; 5, 450-9; 8, 443; 37, 145-8

probable error of, 2, 276; 6, 112-17; table to facilitate computation of, 4, 385-93

distribution of, in samples from normal population, 6, 3-25; 10, 522-9; 11, 277-80

of truncated normal distribution, 6, 63-8; 10, 208-13

correlation between two standard deviations, 9, 1-3; 17, 176-200 (correction, 19, 441)

relation of mean error to, in frequency curves, 16, 198-200

relation between, and χ^2 distributions, 19, 215

distribution of, in samples from Type III population, 20A, 389-423

correlation of mean and, 20A, 422

distribution of ratio of mean to, 21, 124-43

semi-invariants of distribution of, 21, 287-93, 294-302; 22, 36-64

correlation and regression of 'Student's' z with, 23, 1-9

historical note on distribution of, 23, 416-18

distribution of, in samples from a rectangular population, 23, 424-6

ratio of mean deviation to, as a test of normality, 27, 310-32

simultaneous distribution of mean and, 31, 256-71

limits of ratio of mean range to, 34, 120-2

β_1 and β_2 of the sampling distribution of, 34, 177-8

efficiencies of estimators of, in normal populations, 37, 182-3

see also Moments and Variance

Standard error (probable error) in sampling distributions

of moments and constants of any frequency distribution, 2, 273-81; 9, 1-10; 13, 113-32

of difference between correlation coefficient and correlation ratio, 4, 332-50

tables for facilitating computation of probable error of mean, standard deviation and coefficient of variation, 4, 385-93

of difference between means of sample and sub-sample, 5, 181-3, 315-33

of skewness of frequency curves, 5, 190

of coefficient of mean square contingency, 5, 191-7; 10, 570-3; 11, 215-30 (correction, 12, 259-60); 21, 376-428

of counting with a haemocytometer, 5, 351-60

of means of samples from normal population, 6, 1-25; 10, 522-9; 11, 414-17

in multiple normal correlation, 6, 59-68; and partial correlation, 19, 100-9; 22, 353-67

of standard deviation, 6, 112-17; 10, 522-9; 11, 277-80; 20A, 389-423; 22, 36-65; 23, 424-6

of correlation coefficient, 6, 302-10; 7, 410-11; 9, 4-6, 22-7, 91-115; 10, 384-90, 507-21; 11, 136-8, 292-302, 328-413; 12, 97-106, 115-19; 13, 263-82; 14, 1-22; 16, 196-8

and mean of sum, difference, product and quotient of two variables, 6, 437-8

of β_1 , β_2 , skewness and distance between mean and mode, 7, 128-47 (correction, 7, 388); 7, 386-97

of criterion κ_s for frequency types, 7, 396-7

of partial correlation coefficient, 7, 411-12; 19, 100-9

22, 353-67

Standard error (probable error) in sampling distributions (*continued*)

- of index distribution, 7, 531-41
- of product moments, means of arrays, regression coefficients, 9, 1-10; 17, 194-9; 21, 231-58
- of binomial frequency constants, 10, 37-8; 15, 410-12; 17, 165-71; 26, 262-4
- of frequencies in a Poisson distribution, 10, 40-7
- of multiple skew regression, 11, 185-90
- of means and standard deviations of arrays, 11, 239-61; 12, 267-81
- of Mendelian class frequency, 11, 430-2
- of observed polynomial functions, 12, 1-85
- of frequency constants determined from grades, 13, 113-32
- of class index correction of data in broad categories, 14, 261-80
- of single valued function of variates, 17, 211-37
- of mode of skew distributions, 18, 263-92
- of tetrad, 19, 249
- of median, quartile and inter-quartile distance, 23, 315-97; 25, 79-90
- of Gini's mean difference, 28, 428-36

see also particular statistics

- Standardization of measurements, need for, 20A, 1-31
- Standard planes of the skull, 25, 217-53

Staphylea, American bladder-nut, selective elimination in fruits of, 7, 452-504

Statistical tests, *see* Significance tests and particular tests

Statistics, textbooks of, *see* Review

Statoblasts of *Pectinatella magnifica*, 1, 128

Stature

- and age of Australian criminals, 1, 38-49; of Glasgow schoolchildren, 10, 288-339
- of criminals, 1, 38-49, 192-213; 11, 1-37
- reconstruction of, from other characters, 1, 209-13; 21, 303-18
- related to span and forearm in families, 2, 357-462
- and brain weight, 4, 58-64, 115-23
- of Scottish insane, 5, 298-350 and Supplement
- of Oxford undergraduates, 8, 45-6
- of Egyptians, 8, 66-78; 11, 67-81
- related to pulse and breathing rates, 8, 232-6
- and pigmentation, 8, 340-53, 369-75
- and weight, of Glasgow schoolchildren, 10, 288-339; 21, 429-30; of mental patients, 17, 142-58
- of inhabitants of eastern Mediterranean, 13, 104-5
- related to vital capacity, stem length and weight, 14, 316-36; 15, 109-33
- bicristal diameter and age related to weight, 20A, 299-309
- of Macedonians, 21, 322-36
- of schoolchildren in Lanarkshire, 23, 398-406
- and weights of German civilians compared with R.A.F. and other British series, 35, 368-96

see also Anthropometry

Steadiness and rapidity of hand associated with artistic capacity, 12, 170-7

Steffensen, J. F.

- reviews of *Interpolation* by, 20A, 425 and *Researches in the Theory of Statistics and Actuarial Science*, by, 22, 424-5
- correlation formulae of, 22, 132-4

Stewart, Henry, Lord Darnley, 20B, 1-104

Stirling's formula with remainder, 31, 390

Stochastic

- difference equation, 34, 281-91
- processes and population growth, 35, 6-15
- birth process, 35, 316-30
- spectral theory of discrete stochastic processes, 36, 63-70
- properties of the periodogram, 37, 1-16
- schemes, test of the existence of two dimensional, 37, 17-23
- epidemic, a simple, 37, 193-202

Stratified

- stationary population, 33, 226-30
- semi-stationary population, 34, 243-54
- sampling compared with unrestricted random sampling, 34, 273-80

Struyck, Nicholas, 33, 11-12

'Student', biography of, 30, 205-50

Studentization

- tables of probability integral of the studentized range, 33, 89-99
- elimination of population standard deviation from random sample distribution of statistics, 33, 173-80
- studentized form of extreme mean square test in the analysis of variance, 35, 16-31
- studentized extreme deviate from the sample mean, 35, 118-44

'Student's' ratio

- distribution of, for samples from normal population, 6, 7-8
- tables of probability integral of, 6, 19; 11, 414-17; 22, 253-83; 37, 168-72
- relation of, to criterion of likelihood, 20A, 189-207, 211-12
- distribution of, for samples from Type III population, 20A, 198, 389-423
- and non-normal populations, 21, 259-86; 36, 353-69
- applications with correlated variables, 22, 263-70; 23, 407-16
- relationship between two, 22, 405-24
- correlation and regression of, with sample mean and standard deviation, 23, 1-9
- generalization of, 24, 487-8; 28, 321-77; for several different variances, 34, 28-35
- distribution of, for rectangular population, 25, 203-4
- applications of non-central *t* distribution, 31, 362-89
- tables of percentage points of, 32, 300; 33, 362
- range in place of standard deviation in *t* test, 34, 41-67; 37, 64-77
- cumulants of the logarithmic *t* distribution, 34, 170-8
- use of *t* test in an asymmetrical population, 36, 426-30
- a sequential *t* test, 37, 326-33
- distribution of, from compound normal functions, 37, 429-42

Style in prose, sentence length as a characteristic of, 30, 363-90; 31, 356-61

Sufficient statistics, distributions admitting, 36, 71-4

Sugar beet, detection of best variety, 30, 29-56

Summation method of calculating moments, 4, 374-8

Sunspot numbers, periodogram for, 37, 9-16

Survival rate of the long-tailed field mouse, 33, 333-61

Susceptibility to disease and pigmentation, 8, 13-39, 354-69

Süssmilch, J. P., 33, 12-14

Swedes

- cranial measurements compared with English White-chapel, 3, 243
- correlations of hair- and eye-colour, 3, 459-61
- brain weights and other anthropometric characters, 4, 13-104, 133-5; 22, 94-108

Swine, *see* Pig

Switzerland, cancer and goitre distributions in, 16, 364-402

Symmetric functions, tables of, 36, 431-49

Symmetrical frequency curves

- non-skew frequency surfaces, 15, 231-44
- linear correlation ratio for, 18, 228-31
- frequency constants of small samples drawn from, 20A, 356-60
- tables of probability integrals of, 22, 253-83
- non-normal, 26, 129-95
- see also* Normal curve and Pearson's frequency curves

Symmetry

- in jellyfish, 1, 255-6
- Bateson's principle of, 1, 324
- in John Dory, 2, 115-20
- in crabs, 2, 307-20
- of egg and embryo in frogs, 5, 147-67; 7, 148-209
- visceral and other reversals of, in monozygotic twins, 31, 287-94

Syphilis, review of memoir by F. Lenz, 8, 437

Systematic

- and randomized arrangements, 29, 363-88; 30, 440-66; 31, 1-8
- sampling of continuous parameter population, 35, 283-96
- statistics, on the estimation of dispersion by linear, 36, 92-100

Systems of frequency curves

- generated by methods of translation, 36, 149-76, 297-304
- see also* Pearson's frequency curves

t, *see* Student's ratio

Tables, B-function, *F* and *t* distributions

- probability integral of *t* distribution, 6, 19; 11, 414-17; 22, 253-83; 37, 168-72
- significance levels of correlation ratio, 21, 1-66
- probability integral of incomplete B-function for $p = \frac{1}{2}$, 22, 253-83
- for determining probability integral of non-central *t* distribution, 31, 362-89
- percentage points of incomplete B-function, 32, 151-81; of *t* distribution, 32, 300; 33, 362; of *F* distribution, 33, 73-88; of modified *t* distribution with range in place of standard deviation, 34, 41-67
- for two sample test with unequal variances, 36, 290-6

Tables, χ^2 and Poisson distributions

- probability integral of χ^2 distribution, 1, 155-63; 37, 313-25
- individual terms of Poisson series, 10, 27-35; cumulative for both tails, 10, 45-7; cumulative, 37, 313-25
- frequency constants of sample standard deviation, 10, 529; 11, 279
- fiducial limits for the Poisson distribution, 28, 437-42
- for testing difference between two Poisson variables, 31, 320
- percentage points of χ^2 distribution, 32, 187-91

Tables, distribution of correlation coefficient

- ordinates and constants of frequency distribution, 11, 379-404, 412-13; expansions thereof, 11, 405-11
- significance levels of correlation ratio, 21, 1-66
- for use with multiple correlation, 22, 362-7

Tables, distribution of other statistics in normal samples

- frequency constants of sample standard deviation, 10, 529; 11, 279
- probability integral of largest individual, 17, 384-5
- mean range, 17, 386-7
- range, percentage points, 24, 404-17; probability integral, 32, 301-10; studentized, 33, 89-99; probability integral of reduced range in large samples, 36, 142-8
- mean deviation, probability integral and percentage points, 33, 254-65
- for testing homogeneity of a set of estimated variances, 33, 296-304
- percentage points of modified *t* with range in place of standard deviation, 34, 41-67
- probability integral of extreme deviate and percentage points of studentized extreme deviate, 35, 131-44

Tables, normal bivariate surface

- volumes over offset quadrants, 7, 442-51; 8, 390-5; 11, 288-91; 19, 373-404; 22, 1-35
- product moments as functions of ρ , 12, 90-1
- for calculating volume over segment, 33, 59-72

Tables, normal curve and allied tables

- areas and ordinates, 2, 174-90
- χ_1 and χ_2 derived from area and ordinate, 4, 385-93
- deviates in terms of area, 5, 405; 22, 368-76
- incomplete normal moments, 6, 66-7
- for fitting normal to truncated distribution, 6, 68; 10, 214
- tetrachoric r , χ_r and χ_a for determining probable error of, 9, 26-7
- for calculating mean and variance of biserial r , 10, 389
- ψ' and ψ'' for probable error of biserial η , 11, 302
- ordinates in terms of area, 13, 428; 22, 368-76
- tetrachoric functions, first twenty derivatives of ordinates, 17, 343-54
- probability integral of largest individual (power of normal area), 17, 384-5
- ratio of area to bounding ordinate, 18, 395-400
- for probit analysis, working probits, 35, 191-201; weighted probits, 37, 164-7

Tables, Pearson Type and other frequency distributions

- errors of moment ratios for determining Type of curve, 7, 128-47, 390-7
- deviates of Type I curve, 17, 435-42
- $T_m(x)$ Bessel function, ordinates, 21, 164-201; probability integral, 24, 293-350

Tables, powers, factorials, Γ -functions and mathematical functions

- powers and sums of powers of natural numbers, 2, 474-80
- $\log \Gamma(p)$, 7, 43-7
- $q_n = \int_0^{1\pi} \sin^{n-1} \phi d\phi = \int_0^{1\pi} \cos^{n-1} \phi d\phi$, 11, 377
- differences of powers of zero, 22, 306-8
- symmetric functions, 36, 431-49

- Tables, quadrature and interpolation formulae**
 corrective terms for moments of trapezia, 2, 9
 quadrature coefficients for Sheppard's formula, 12, 283
 Lagrangian coefficients for harmonic interpolation, 32, 183-6
- Tables, special discontinuous distributions**
 probabilities in second sample, given the first, 9, 82-90
 probabilities of longest run in sequence of alternatives, 35, 97-112
 significance levels for tests in fourfold (2×2) tables, 35, 149-54
- Tables, time series**
 for variate difference method, 14, 310
 autoregressive series, 36, 267-89
- Tadpoles, study of blood corpuscles in**, 6, 402-19
- Tail**
 constants of normal distribution from moments of, 6, 63-8
 table of normal functions when tail is more than half the curve, 10, 208-14
see also Significance levels and Tchebycheff generalized limits
- Tarsus, four jointed in Blattidae**, 6, 311-26
- Tasmanian crania and skeletons**, 19, 417-41; 30, 305-40
- Tasting tests**, 37, 347-57
- Tatars head measurements**, 4, 165, 295
- Tchebycheff generalized limits**, 12, 284-96; 15, 245-53, 421-3; 21, 381-75; 29, 405-6
- Tchebycheff interpolation formulae**, 19, 87-92
- Teeth, and use of tooth brush**, 8, 237-8: impaction in, 28, 378-427
- Temper**
 inheritance of, 3, 152, 155, 188
 intelligence and, 5, 126-31, 134-5, 145
- Temperature, association with physique and intelligence in criminals**, 11, 1-19
- Termites**, 6, 320-47; 7, 53, 59
- Terns**
 homotyposis and allied characters in eggs of, 10, 144-68
 nest and eggs of, 12, 308-54; 15, 294-345
- Tests, *see* Significance tests and particular tests**
- Tetley, H. and Johnson, N. L., review of *Statistics*, Vol. 1 by**, 37, 453-4
- Tetrachoric tables**
 tables of the tetrachoric functions, 7, 437-51; 8, 385-95; 11, 284-91; 17, 343-54; 19, 354-404
 probable error of a correlation coefficient as found from, 9, 22-7
 expansions in tetrachoric functions, 14, 157-85
 tables of the volumes of a bivariate normal surface for the calculation of the correlation coefficient in, 19, 373-404; 22, 1-35
 relations connected with the tetrachoric series and its generalization, 32, 196-8
see also Fourfold (2×2) tables
- Tetrad, standard deviation and fourth moment of**, 19, 248-64
- Theban crania**, 1, 426-65; 8, 306-20; 34, 18-27
- Thiele, T. N., review of *Interpolationsrechnung* by**, 7, 413
- Thompson's criterion for rejection of observations**, 28, 308-20
- Thyroid, *see* Goitre**
- Tibetan crania**, 14, 193-260; and Nepalese crania, 16, 1-105
- Tibia, *see* Long bones**
- Ties**
 treatment of ties in ranking problems, 13, 263-82; 33, 239-51; 34, 36-40
 variance of τ when both rankings contain ties, 34, 297-8
- Time series**
 auto-regressive, 33, 105-22; estimation of parameters of, 37, 173-8
 theorems on, 34, 281-91; 35, 255-60
 autocorrelations of linear autoregressive schemes, 34, 365-7
 significance of serial correlation coefficient, 35, 255-60, 261-7
 testing significance of correlation between, 35, 397-413
 tables of autoregressive series, 36, 267-89
 periodogram analysis and continuous spectra, 37, 1-16
 test for the serial independence of residuals, 37, 178-81
 apparent correlation between independent series of autocorrelated observations, 37, 184-5
 method of ascertaining serial lag correlation, 37, 288-307
 testing for serial correlation in least squares regression, 37, 409-28
see also Trend and Variate difference method
- Time trends, control of industrial processes subject to, in quality**, 33, 163-72
- $T_m(x)$ Bessel function, ordinates of**, 21, 164-201; probability integral, 24, 293-350
- Tocher, James Fowler, biography and bibliography**, 35, 1-5
- Tolerance**
 levels for control of industrial processes, 33, 163-72
 distributions, estimation of the parameters of, 36, 239-56
- Transformation**
 Fisher's, of correlation coefficient, 21, 357-60; 25, 102-9
 probability integral, tests based on, 25, 379-410; 26, 425-42; 30, 134-48; 35, 182-90; 37, 42-9
 of data from entomological field experiments, 32, 243-62
 of Poisson, binomial and negative binomial data, 35, 246-54
- Translation**
 frequency curves generated by methods of, 36, 149-76
 bivariate distributions based on simple, systems, 36, 297-304
- Trapezoidal areas, moments of**, 2, 7
- Trees, ring width in**, 37, 288-307
- Trend elimination, a method of**, 36, 75-91
- Triangular population, distribution of correlation coefficient**, 24, 382-403
- Trifolium pratense quinquefolium*, clover**, 1, 371-3
- Trout, growth, variability and correlation in**, 8, 444-55
- Trypanosome strains**, 10, 85-143
- Tschuprow, A. A., review of *The Principles of the Mathematical Theory of Correlation* by**, 31, 396

Tuberculosis

- and segregation, 10, 530-48
- check to the fall in the phthisis death rate, 12, 374-6
- review of K. F. Andvord's *Tuberculosis as an Acute Disease of Childhood*, 14, 191-2
- pulmonary, increase in expectation of life when deaths from, are omitted, 25, 96

Turks' head measurements, 4, 295

Twins, reversals of symmetry in monozygotic, 31, 287-94

2 × 2 tables, *see* Fourfold (2 × 2) tables

Types I, ..., VII, *see* Pearson's frequency curves

Type contours, *see* Cranial type contours

Type silhouette

- use for racial characterization, 20B, 389-400
- of Albanians, 25, 21-42
- Roumanian, 26, 414-24

Typhoid, inoculation against, 6, 366-75

Typhus, 5, 424-30

Ulna, *see* Long bones

Umbelliferae, variation and correlation of umbel rays, 11, 38-49

Ungulates, sesamoids in, 13, 353-4

United States of America, *see* Americans

U-shaped distribution

- abruptness correction for moments of, 20A, 314-55
- distribution of means of samples from, 20A, 361-88
- Uspensky, J. V., review of *Introduction to Mathematical Probability* by, 30, 194-5

Uterus, errors in measurement of puerperal, 33, 213-21

u-test, modified *t*-test based on range, 34, 41-77

Vaccination and smallpox, 1, 375-83; 2, 135-44; 4, 313-31, 483-504

Variance

- distribution of, in samples from a normal population, 6, 3-5
- moments of distribution of, 12, 193-4; 17, 79-83
- second moment of, in sampling distribution from finite population, 17, 476-9
- distribution of mean and, when population is not normal, 18, 321-94; 24, 292
- correlation of mean and, 18, 401-14; 20A, 422
- distribution of, for Type III population, 20A, 389-423; non-normal population, 23, 134-90
- distribution of ratio of two, from normal bivariate population, 30, 190-2
- and covariance, distribution of, 30, 299-300; tests for homogeneity of, in multivariate problems, 31, 31-55; 36, 317-46
- test for difference between two variances in a sample from a normal bivariate population, 31, 9-12, 13-19
- test for the homogeneity of a set of estimated variances, 31, 249-55; tables for, 33, 296-304
- simultaneous sampling distribution of mean and, 31, 256-71
- of the overlap of geometrical figures, 34, 1-17
- exact test for the equality of, 34, 311-19
- the best unbiased quadratic estimate of, 37, 444-5
- see also* Analysis of variance and Moments

Variance ratio (*F*)

- tables of percentage points of the inverted Beta (*F*) distribution, 33, 73-88

non-central *F* distribution, 36, 202-32

moments of *F* distribution, 36, 394-403

levels of significance of distribution of, 37, 219-23

distribution of, in samples from non-normal universes, 37, 236-55

maximum, as a short-cut test for heterogeneity of variance, 37, 308-12

Variate difference method

fundamental formulae, 10, 179-80

standard error of *m*th difference correlation, when correlation has become steady, 10, 269-79

application to table of index values for Italy, 10, 340-55; to correlation of deathrates in infancy and childhood, 10, 488-506; to correlation of successive judgements, 14, 37-45

probable error of correlation coefficient in, 11, 136-8

reply to criticism of, and modification of theory, 14, 281-309

criteria for distinguishing various types of residuals, 15, 134-49 (correction, 15, 423)

significance tests in, 35, 206-9

see also Time series

Variation, coefficient of

table of, for head and body measurements in man, 4, 32

table for facilitating computation of probable error of, 4, 385-93

of height and weight of Glasgow schoolchildren, 21, 429-30

fiducial limits for, 31, 364

Vaso-constriction, influence of breathing on, 34, 320-34

Vector correlation and alienation coefficients, 28, 332-6

Veddahs, nasal characters of, 9, 395-432

Vespa vulgaris, *see* Wasps

Viscera

weight, correlation and variability of human, 3, 63-83; 9, 473-85

transposition of the, in monozygotic twins, 31, 287-94

Visual acuity

in Oxford undergraduates, 8, 43

and reaction times, 15, 346-72

and grip, 16, 299-328

and eye and hair pigmentation, 27, 266-8

Vital capacity

of Oxford undergraduates, 8, 44-6, 49-51

related to stature, stern length and weight, 14, 316-36; 15, 109-33

and psychical characters, 16, 139-56

Vital statistics

estimation of severity of acute disease, 5, 423-35

distribution of cases of disease in houses, 8, 396-403

multiple cases of disease in the same house, 8, 404-12, 430-5; 9, 28-33

social distribution of mortality from different causes, 15, 382-400

review of A. Newsholme's *Elements of Vital Statistics*, 17, 171-3

modern problems in, 17, 355-63

sickness and recovery recorded at irregular intervals in schoolchildren, 29, 336-49

disease and environment, 30, 341-62

medical statistics from Graunt to Farr, 32, 101-27, 203-25; 33, 1-24

Vital statistics (*continued*)

- a simple stochastic epidemic, 37, 193-202
- see also* Death-rates, Disease, Life tables, Mortality and specific diseases

Vivacity

- inheritance of, 3, 152, 155, 183
- intelligence and, 5, 126-35, 146

- Voltaire's approval of Newton's chronological writings, 20A, 241-62

Wasps

- average length of absence from nest, 5, 365-86
- variability of wings, 5, 407-22
- comparison of queens, 7, 48-63; 8, 1-12
- clypeal markings of, 10, 201-7

- Water-flea, *Daphnia magna*, 1, 129; 2, 255-9

- Weatherburn, C. E., review of *A First Course in Mathematical Statistics* by, 34, 373

- Weddle's quadrature formula, 1, 275

- Weighing designs, orthogonal estimates in, 37, 50-8

Weight

- of human viscera, 3, 63-83; 9, 473-85
- and brain weight of men, 4, 64-6
- and fertility in rats, 7, 381-5
- and height, related to pigmentation, 8, 340-53, 376-7; and age of Glasgow schoolchildren, 10, 288-339; of criminals, 11, 24-36; mental patients, 17, 142-58
- of seed related to character of plant, 9, 11-21; 10, 72-84
- interrelations of, with vital capacity, stature and stem-length, 14, 316-36; 15, 109-33
- related to stature, bicristal diameter and age, 20A, 299-309
- of Lanarkshire schoolchildren, 23, 398-406
- of hatched and unhatched ducks' eggs, 33, 48-58
- and height of German civilians compared with R.A.F. and other British series, 35, 368-96
- see also* Anthropometry

Weldon, W. F. R.

- biography and bibliography, 5, 1-52
- mice records of, 11, Appendix

- Wheat, influence of environment on, 1, 367

- Whist hands represented by a Type I curve, 11, 419-20; a double hypergeometric series, 16, 172-88

Whitechapel crania

- variation and correlation in, compared with other races, 3, 191-244
- measurements compared with Moorfields, 5, 92-104; with Negro, 8, 302-24; with Moriori, 11, 95-133; with Tibetan, 14, 208-49
- cranial type contours, 8, 131-33, 143-7

- White-lock family, 10, 197-200; 13, 347-9, *see also* Piebalds

- Whitney family, inheritance of sex-ratio in, 5, 80-5; 6, 110-11

- Whooping-cough and pigmentation, 8, 25-39, 360-5

- Wicksell's logarithmic correlation, 22, 130-2

Wild carrot

- statistical study of, 25, 186-95; 26, 443-68
- comparison of annual and biennial inflorescences, 32, 82-7

- Wilkinson head of Oliver Cromwell, 26, 269-378

Wilks's

- Type B integral equations, 24, 471-94; 30, 288-92
- A criterion for tests in multivariate analysis, 24, 471-94; 35, 58-79

- Willis's age and area theory and natural selection, 15, 89-108

- Wishart distribution of variances and covariances, 20A, 32-52, 424; 35, 55-7, 422; 36, 59-62

- Woods, F. A., review of *Mental and Moral Heredity in Royalty* by, 6, 445

- Wool growth on different parts of sheep, 36, 43-6

- Württemberg cranial measurements, 3, 207-15; 8, 302-14, 321; 11, 95

- Yearbook of Research and Statistical Methodology Books and Reviews*, edited by O. K. Buros, review of, 32, 349-50

- Yoruba boys, measurements of, 25, 61-70

- z*, 'Student's', *see* 'Student's' ratio

***z* distribution**

- cumulants of the, 34, 170-8 (correction, 34, 374); 34, 359-60
- approximation to percentage points of, 34, 352-8
- moments of, 36, 394-403

***z* test**

- in Latin squares and randomized blocks, 29, 21-52, 322-35
- generalization of, for many variables, 30, 180-7 (correction, 30, 467-9)
- applicability of, to Poisson distribution, 30, 188-90
- effect of non-normality on, 37, 186-9
- see also* Variance ratio

- z'* transformation for correlation coefficients, accuracy of, 21, 357-60; 25, 102-9

- zero, table of differences of powers of, 17, 200; 22, 306-8

- Ziegler and Galton's law of ancestral inheritance, 5, 184

- Zulu's cranial measurements, 8, 292-337

BIO-METRIKA

Tables of the Incomplete Gamma Function

Edited by KARL PEARSON

35 pages of Introduction and 10 pages of Tables

Tables of the Incomplete Gamma Function

Edited by KARL PEARSON

35 pages of Introduction and 10 pages of Tables

Tables of the Gamma and Incomplete Gamma Functions

Edited by KARL PEARSON

35 pages of Introduction and 10 pages of Tables

Tables of the Gamma and Incomplete Gamma Functions

Edited by KARL PEARSON

35 pages of Introduction and 10 pages of Tables

Tables of the Gamma and Incomplete Gamma Functions

Edited by KARL PEARSON

35 pages of Introduction and 10 pages of Tables

OTHER PUBLICATIONS

The Life of Karl Pearson and his Statistical Work

By KARL PEARSON

Karl Pearson: An Appreciation of his Work

By E. S. PEARSON

A History of the Statistical and General Work of Karl Pearson

Edited by C. H. MORAN with the assistance of R. L. WILSON

Karl Pearson's Early Statistical Papers

Selected and introduced by KARL PEARSON

Statistical Collected Papers

Edited by E. S. PEARSON and C. H. MORAN with a Foreword by L. A. COHEN

Medical Statistics from Cambridge

Edited by W. G. GREENWOOD with a Foreword by the President of the Royal Society of Physicians

CAMBRIDGE UNIVERSITY PRESS

LONDON: COLTON ROAD, NW1

1932

INDIAN AGRICULTURAL RESEARCH
INSTITUTE LIBRARY,
NEW DELHI.

[illegible]

~~MGIPC-S5-38 AR/54-7-7-54-7,000.~~